



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

GRADED LESSONS IN PHYSIOLOGY AND HYGIENE

LANE MEDICAL LIBRARY STANFORD
F36 .K63 1919
STOR
Graded lessons in physiology and hygiene



24503291574

KROHN-CRUMBINE

LANE


MEDICAL




LIBRARY

LEVI COOPER LANE FUND









AN X-RAY PICTURE OF AN INJURED RIGHT HAND.

- It shows: (1) Bones of the forefinger "out of joint."
(2) Little finger amputated.
(3) Three bones of the hand broken.

GRADED LESSONS IN PHYSIOLOGY AND HYGIENE

BY
WILLIAM O. KROHN, M.D., PH.D. (YALE)
AUTHOR OF "FIRST BOOK IN PHYSIOLOGY AND HYGIENE,"
"PRACTICAL LESSONS IN PSYCHOLOGY," AND EDITOR
OF "THE CHILD-STUDY MONTHLY"

THOROUGHLY REVISED, AND WITH ADDED CHAPTERS
ON SANITATION AND COMMUNICABLE DISEASES

BY
S. J. CRUMBINE, M.D.
SECRETARY OF THE KANSAS STATE BOARD OF HEALTH, AND DEAN OF
THE SCHOOL OF MEDICINE OF THE UNIVERSITY OF KANSAS



NEW YORK
D. APPLETON AND COMPANY

HV

**COPYRIGHT, 1900,
BY WILLIAM O. KROHN**

**COPYRIGHT, 1903, 1906, 1907, 1912, 1919,
BY D. APPLETON AND COMPANY**

YARSEL 39A

PREFACE.

The keynote of this book is *health*. There has been no attempt to prepare an extended treatise on anatomy and physiology. It has been the purpose of the author to present in simple language to the children in the intermediate grades a knowledge of the conditions which tend to preserve and strengthen the body.

While the facts of anatomy and physiology in this book have been made in a sense secondary to the main theme—hygiene—yet they embrace the results of the latest investigations in these departments of research, and are ample for a clear understanding of the central subject. The lessons are designed throughout to come within the comprehension of young pupils, as well as to meet the wants of those in the more advanced classes, in emphasizing the common laws of health. This steady progression from the simple to the more difficult is made by easy, natural, well-gradated steps.

The author regards it not only the most logical arrangement, but also in harmony with the best pedagogy, to embrace the main discussion of the effects of alcohol and tobacco in separate chapters. Connected discussion is better than scattered fragments.

That part of physiology and hygiene is actually taught that results in the daily living of correct habits of health on the part of the children to whom it is taught.

The work in the class room will be made much more interesting and valuable if the teacher will have the children actually carry out the teaching; for example, if, in homes where wells are used, the children be induced to make reports on the conditions of drainage at their homes, showing whether the well water is being polluted by surface drainage, or by drainage from the barnyard, the pig pen, or from the place where kitchen slops are thrown out (see page 48).

The children will also take great interest in actually applying first aids (see page 243), and by actually practicing the resuscitation of persons from the effects of drowning (see pages 246-250).

Why should we not make practical application of this work in the same manner as we practice the work in the sciences and on the football field?

The children take a wonderful interest in such work, and thus the teaching is actually made a part of their daily living.

TABLE OF CONTENTS.

CHAPTER		PAGE
I.	OUR FOOD	9
II.	HEALTHFUL AND UNHEALTHFUL FOODS	22
III.	OUR DRINK	46
IV.	TEMPERANCE	54
V.	THE SKIN AND THE KIDNEYS	64
VI.	THE BONES	80
VII.	THE MUSCLES	94
VIII.	THE BLOOD AND ITS CIRCULATION	107
IX.	BREATHING AND THE LUNGS	125
X.	THE NERVES AND THE BRAIN	146
XI.	THE EYES AND THEIR CARE	175
XII.	THE HYGIENE OF THE EAR	186
XIII.	THE TEETH AND THEIR CARE	192
XIV.	DISEASE GERMS	196
XV.	SOME DISEASES OF MODERN LIFE	205
XVI.	PHYSICAL EXERCISE	228
XVII.	FIRST AID TO THE INJURED	242
XVIII.	PRIVATE AND PUBLIC SANITATION	251
	Boards of Health, 252.—The Common House Fly, 255.—Mosquitoes, 266.—Garbage, 268.—Food Inspection, 269.—Water Supply, 272.—Air Contamination, 275.—Colds, 276.—Plumbing and Sewage, 278.	
XIX.	FARM SANITATION	279
XX.	COMMUNICABLE DISEASES	287
	Tuberculosis, 287.—Diphtheria, 295.—Typhoid Fever, 300.—Scarlet Fever, 306.—Smallpox, 310.—Measles, 313.—Whooping Cough, 317.—Disinfectants, 321.	
	GLOSSARY	323
	INDEX	337

"For what will it profit a child if he gain the whole
world of knowledge and lose his own *health?*"

G. STANLEY HALL.

CHAPTER I.

OUR FOOD.

Why We Eat.—Does it ever seem strange to you that these bodies of ours do not appear to wear out, though we are constantly using them? We know that our clothes wear out, no matter how careful of them we may be. A wagon or piece of machinery tends to wear out with each movement it makes. You would not expect your pencil, pocket-knife, bicycle, or skates to keep fresh after long and frequent use. Our bodies are constantly wearing out. Every movement of our bodies, however slight, causes some amount of wear. Why, then, do not our bodies waste away? Because they are being continually repaired. Every little particle of worn-out matter is being replaced by a new one. The food we eat is being changed into the parts of the body that are wearing out.

You are growing very fast. But a few years ago you were much smaller than you now are. You expect that next year you will be even larger and stronger. What makes you grow? Is it the air that you breathe? No, not that alone. Air is necessary to life; but you would soon starve if you had nothing but air upon which to live. Water is necessary to life, yet none of us could live on water alone. You have noticed the little tree in the orchard and the shrub in the garden, how

10 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

rapidly they grow. If you should stand the shrub or tree in the middle of your schoolroom, on the clean, hard floor, and give it sunlight, air, and water, without any soil, would it grow? No; it would not even live. The roots, by means of which our little tree, when out of doors, was fastened to the soil, could not make their way into the hard floor.

If the tree is to live and grow, its roots must go down into the soil and find something just as necessary to its life, health, and growth, as air, sunshine, and water. The roots, even the smallest of them, work down into the earth and find food for the tree, and it is this food that makes plants and trees grow. The richer the soil—that is, the better the food—the faster they grow. In one garden we find the plants looking pale and sickly, growing scarcely at all, while in another garden the plants look fresh and thrifty and are growing rapidly. What causes the difference? You are quick to answer that in one garden the soil is richer, containing more food for the plants, and that the gardener loosens the soil that the roots may have a chance to push their way farther and farther into the earth. The wise gardener also pulls up the weeds that would otherwise grow around the plants, so that these weeds may not use up the food in the soil that the plants need for their health and growth.

Why do you eat? Because the food keeps your bodies in repair so that they will not wear out, and also because it makes you grow.

Have you ever thought how much one eats in a lifetime? It is a nice problem in arithmetic to figure this out. Nearly every boy and girl in your school eats at least two pounds of

food in a day. In a year, then, each of you will eat two times 365 or 730 pounds of food. This is many times your own weight. By the time you have become sixty years old, how much will you have eaten?

What to Eat.—Your bodies are repaired and made to grow by what you eat. If you eat poor food your bodies will be made of poor material, and will not grow as fast as they should, or do their work well. If you eat unhealthful food, your bodies will have to be repaired often; that is, you will have to call the doctor to give you some medicine to undo the harm caused by the improper food, whatever it may have been. You see how important it is that we know something about our foods. All of us should know what foods are good for us, and what will do us harm. What foods will promote health and growth, and what will cause disease and retard growth, is certainly very important knowledge.

Do you think the dark soil in the garden or flower-bed looks anything like the bright-eyed, laughing pansy? Does the black loam resemble the rich green of the fern? As we eat the ripe apple, juicy plum, luscious grape, or sweet pear, do we taste anything like the dark, gritty, sandy soil which made it possible for them to exist? To all of these questions you answer, No. And yet the roots of the pansy, the fern, and the fruit tree all take some necessary food from the soil, which is then changed so that leaves are made to grow, flowers to bloom, and fruits to appear.

Is it not equally strange to think that the bread, potatoes, meat, and eggs you eat, as well as the milk and the water you drink,—in fact, every bit of good food of which you partake,—

12 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

is taken up by the organs of the body and changed into bone, nerve, and muscle? And yet, if we can only get the food into the blood, as the root gets the food from the earth into the sap of the plant, each part of the body will pick out just what it needs to make it strong. The bones will take up from the blood just those little particles they need for their growth and repair, and likewise the muscles and nerves will do the same. Your own body does not look like the food you eat any more than the plant looks like the soil upon which it feeds. Our food becomes changed in some way into all the different parts of the body—skin, hair, bone, muscle, brain, and nerve.

Since food thus becomes changed into the different parts and organs of which the body is composed, is it not very important that we be careful to select the foods that are best suited to the repair and growth of our bodies? But before we consider this further, let us follow the food we eat as it makes its journey through the body. The preparation of the food within the body so that it may be used in nourishing the body is *digestion*. The object of digestion is to separate the food from its hard and useless parts, and then to soften and dissolve it so that it becomes liquid, and can flow with the blood to the various parts of the body requiring food.

How We Digest Food.—An important aid in the digestion of nearly all our foods is their proper cooking. Cooking changes the food so that it can be chewed easily. You would find it difficult to chew raw rice grains. Cooking softens the hard grains of rice, wheat, or oats, and it also makes most of the foods taste better. A raw potato does not taste very good, but what boy or girl does not enjoy eating nicely cooked

potatoes at least once a day? Again, cooking destroys many poisons in food. We will learn more about that in the chapter on "Disease Germs."

Mouth Digestion.—After the food is properly cooked, the first step in digestion is to take it into the mouth, where the digestion is continued.

by chewing and grinding the food with the teeth, and pushing it about the mouth with the tongue. We move it from one side of the mouth to the other until it is in little, fine particles. While we are chewing our food well, it is mixed with a watery fluid, called *saliva*. There are three glands on each side of the mouth that are busy making and secreting this saliva.

You will see their location in the picture. The saliva which the glands produce is carried into the mouth by means of little tubes called *ducts*. When we eat, taste, or even look at some foods we like, these glands make so much saliva that we sometimes say the mouth waters. You should remember to eat slowly, in order to give



FIGURE 1.—The Salivary Glands.

14 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

your teeth time to grind up the food, thus giving the food time to become well mixed with the saliva of the mouth. This helps very much in preparing the food for the further steps of digestion. After being thoroughly chewed, the food is swallowed.

Stomach Digestion.—In the back part of the mouth, at the throat, begins a long, narrow tube, which passes down to




FIGURE 2.—The Stomach.

the stomach. This tube, or food-pipe, is about nine inches long. It is called the *esophagus*. You all know where the pit of your stomach lies. This is the stomach's center. The stomach is simply an enlargement of the digestive tube. It is like a large bag with a coat of loosely woven muscles, and it has a queer little gate-keeper or valve (pylorus)

at the lower end that will not open and permit the food to pass out until it is sufficiently digested and ready for the bowels or intestines. As soon as the food passes into the stomach, the muscular coat begins to contract, first lengthwise and then crosswise. It thus keeps the food churning to and fro, and mixes it with a fluid or juice more powerful than the saliva of the mouth. This fluid in the stomach, so necessary to digestion, is called the *gastric juice*. It is formed

in the many pocket-like glands in the lining of the inner wall of the stomach. The stomach churns away from two to four hours after every meal, according to the kind of food eaten, the way in which it has been cooked, and the health of the person eating it. After each meal the stomach should be allowed to rest a while before the next. This is why girls and boys should, as a rule, eat nothing between meals. If they do, the stomach becomes too tired to do its work well when meal time comes again, and they are not hungry. Irregular habits of eating, as well as improper, unwholesome food, cause disorders of the stomach, such as dyspepsia. Again, the gastric juice will not digest food in the proper length of time if the pieces are too large and not properly chewed or masticated. This is another reason for eating slowly. It should be remembered also that the juices so necessary to digestion are secreted more rapidly and do their work better if we are cheerful. If we come to the table cross, our food will not do us as much good and will not be so well digested as if we are cheerful and happy. Cheer is necessary to good digestion.

The juices of the stomach are mixed with the swallowed food, dissolving some of it, which is taken up by the blood and lymph vessels in the stomach walls and thus carried away; but most of the pulpy mass, after being thoroughly mixed with the gastric juice, passes through the little gateway, or pylorus, to the intestines, to be mixed with still another juice.

Digestion in the Intestines.—At the lower end of the stomach the food canal becomes narrow again. This portion of the digestive canal below the stomach is called the *intestines* or *bowels*. The intestinal tube is about twenty-five feet long in

12 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

is taken up by the organs of the body and changed into bone, nerve, and muscle? And yet, if we can only get the food into the blood, as the root gets the food from the earth into the sap of the plant, each part of the body will pick out just what it needs to make it strong. The bones will take up from the blood just those little particles they need for their growth and repair, and likewise the muscles and nerves will do the same. Your own body does not look like the food you eat any more than the plant looks like the soil upon which it feeds. Our food becomes changed in some way into all the different parts of the body—skin, hair, bone, muscle, brain, and nerve.

Since food thus becomes changed into the different parts and organs of which the body is composed, is it not very important that we be careful to select the foods that are best suited to the repair and growth of our bodies? But before we consider this further, let us follow the food we eat as it makes its journey through the body. The preparation of the food within the body so that it may be used in nourishing the body is *digestion*. The object of digestion is to separate the food from its hard and useless parts, and then to soften and dissolve it so that it becomes liquid, and can flow with the blood to the various parts of the body requiring food.

How We Digest Food.—An important aid in the digestion of nearly all our foods is their proper cooking. Cooking changes the food so that it can be chewed easily. You would find it difficult to chew raw rice grains. Cooking softens the hard grains of rice, wheat, or oats, and it also makes most of the foods taste better. A raw potato does not taste very good, but what boy or girl does not enjoy eating nicely cooked

potatoes at least once a day? Again, cooking destroys many poisons in food. We will learn more about that in the chapter on "Disease Germs."

Mouth Digestion.—After the food is properly cooked, the first step in digestion is to take it into the mouth, where the digestion is continued.

by chewing and grinding the food with the teeth, and pushing it about the mouth with the tongue. We move it from one side of the mouth to the other until it is in little, fine particles. While we are chewing our food well, it is mixed with a watery fluid, called *saliva*. There are three glands on each side of the mouth that are busy making and secreting this saliva.

You will see their location in the picture. The saliva which the glands produce is carried into the mouth by means of little tubes called *ducts*. When we eat, taste, or even look at some foods we like, these glands make so much saliva that we sometimes say the mouth waters. You should remember to eat slowly, in order to give



FIGURE 1.—The Salivary Glands.

18 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

tines, heart, and other organs, the gall-bladder becomes broken, and the bile it contains comes in contact with the meaty portions of the fowl to be eaten. These, because of the intense bitterness, are rendered entirely unfit for food.

While the bile is very important, it of itself does very little of the work of digestion ; but its presence makes the pancreatic juice more powerful. Mixed with bile, the pancreatic juice does double the work of digestion that it could do alone. Bile contains some waste substances which are to be thrown off by the liver, but on its way out of the body it helps greatly in preparing the food. The bile and pancreatic juice enter the small intestine at nearly the same place. The liver is truly a wonderful organ. Besides making bile, it aids in various other ways in the digestion of food. It also helps to keep the blood pure by removing from it harmful substances that are formed within the body. It acts, too, as a wide-awake sentinel, in destroying many of the disease germs, or microbes, that find their way into the mouth and stomach along with our food. If in healthy condition, the liver will kill germs that might otherwise cause certain diseases, of which typhoid fever is one. If any of these little germs, or any other poisons, such as the poisons of poorly canned meats or vegetables, are swallowed with the food, they are also taken up with the food, and carried by means of the blood tubes into the liver. The liver works hard to keep these poisons from going any farther along the blood tubes to other portions of the body, and thus guards the rest of the body from the effects of the bad food. If the liver gets out of order it sends but little bile, instead of the quart a day it should send into the intestines.

Poisons are then permitted to pass by unattacked, and the pancreatic juice cannot do the full work of digestion allotted to it. As a result of a disordered liver we have a rather common form of sickness known as biliousness.

Movements of the Intestines.—We have seen how the food is chewed in the mouth, and how the stomach rocks the food to and fro from side to side and end to end. In a similar way the small intestine makes certain movements that mix the food with the bile, intestinal, and pancreatic juices, and force it farther along the digestive tube or food canal. As the food goes farther and farther along the small intestine, it becomes more and more liquid, until, at the end, only indigestible portions remain, such as unripe fruit, seeds, peelings, large pieces of food that were not chewed fine enough, and husks of grains, like the covering of the separate grains of corn, peas, beans, and the coarser forms of cracked wheat or oatmeal. These waste portions remain solid because the juices cannot act on them and digest them. At this stage of digestion in the small intestine, the food looks somewhat like milk with the undigested particles mentioned above floating in it. This food is still in reality outside of the body almost




FIGURE 5.—Cross section of Small Intestine, showing the three layers.

12 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

is taken up by the organs of the body and changed into bone, nerve, and muscle? And yet, if we can only get the food into the blood, as the root gets the food from the earth into the sap of the plant, each part of the body will pick out just what it needs to make it strong. The bones will take up from the blood just those little particles they need for their growth and repair, and likewise the muscles and nerves will do the same. Your own body does not look like the food you eat any more than the plant looks like the soil upon which it feeds. Our food becomes changed in some way into all the different parts of the body—skin, hair, bone, muscle, brain, and nerve.

Since food thus becomes changed into the different parts and organs of which the body is composed, is it not very important that we be careful to select the foods that are best suited to the repair and growth of our bodies? But before we consider this further, let us follow the food we eat as it makes its journey through the body. The preparation of the food within the body so that it may be used in nourishing the body is *digestion*. The object of digestion is to separate the food from its hard and useless parts, and then to soften and dissolve it so that it becomes liquid, and can flow with the blood to the various parts of the body requiring food.

How We Digest Food.—An important aid in the digestion of nearly all our foods is their proper cooking. Cooking changes the food so that it can be chewed easily. You would find it difficult to chew raw rice grains. Cooking softens the hard grains of rice, wheat, or oats, and it also makes most of the foods taste better. A raw potato does not taste very good, but what boy or girl does not enjoy eating nicely cooked

potatoes at least once a day? Again, cooking destroys many poisons in food. We will learn more about that in the chapter on "Disease Germs."

Mouth Digestion.—After the food is properly cooked, the first step in digestion is to take it into the mouth, where the digestion is continued.

by chewing and grinding the food with the teeth, and pushing it about the mouth with the tongue. We move it from one side of the mouth to the other until it is in little, fine particles. While we are chewing our food well, it is mixed with a watery fluid, called *saliva*. There are three glands on each side of the mouth that are busy making and secreting this saliva.

You will see their location in the picture.

The saliva which the glands produce is carried into the mouth by means of little tubes called *ducts*. When we eat, taste, or even look at some foods we like, these glands make so much saliva that we sometimes say the mouth waters. You should remember to eat slowly, in order to give



FIGURE 1.—The Salivary Glands.

12 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

is taken up by the organs of the body and changed into bone, nerve, and muscle? And yet, if we can only get the food into the blood, as the root gets the food from the earth into the sap of the plant, each part of the body will pick out just what it needs to make it strong. The bones will take up from the blood just those little particles they need for their growth and repair, and likewise the muscles and nerves will do the same. Your own body does not look like the food you eat any more than the plant looks like the soil upon which it feeds. Our food becomes changed in some way into all the different parts of the body—skin, hair, bone, muscle, brain, and nerve.

Since food thus becomes changed into the different parts and organs of which the body is composed, is it not very important that we be careful to select the foods that are best suited to the repair and growth of our bodies? But before we consider this further, let us follow the food we eat as it makes its journey through the body. The preparation of the food within the body so that it may be used in nourishing the body is *digestion*. The object of digestion is to separate the food from its hard and useless parts, and then to soften and dissolve it so that it becomes liquid, and can flow with the blood to the various parts of the body requiring food.

How We Digest Food.—An important aid in the digestion of nearly all our foods is their proper cooking. Cooking changes the food so that it can be chewed easily. You would find it difficult to chew raw rice grains. Cooking softens the hard grains of rice, wheat, or oats, and it also makes most of the foods taste better. — *celery does not taste good, but what boy*

of rats and mice. Other animals, such as the dog, do not chew their food at all. They tear it apart so that the pieces can just be gotten into the mouth and swallowed, and that is all. The stomach and intestines of a dog have thicker and tougher walls, and the digestive juices have more power. That is the reason that dogs can digest even bones, which they frequently swallow. You have noticed that the cow will chew her food only a little at first. Notice how fast she eats the grass in the pasture and see how quickly she swallows it. Then while she is resting she brings the food back to her mouth again, and chews it finer. Deer also do the same. It is called "chewing their cud." A little girl, about three years old, saw some deer in one of the city parks chewing their cud; she turned to me and said, "What do deer chew gum for?" Cattle have four stomachs, one of which is called the paunch and is very large. In the full-grown ox it will hold two bushels. The fourth stomach is nearly like man's in size and shape, and is really the true stomach, for it is the one in which most of the stomach digestion takes place. The other three are little more than storehouses and passage-ways for the food.

Even some of the small insects have a stomach and intestines which secrete digestive juices. In most worms the digestive tube passes straight through the body. Oysters and clams also possess a stomach and coiled-up intestines. The soft, dark-colored substance at the back part of an oyster or clam is the liver.

Kinds of Food.—Some animals can live on just one kind of food. The cattle on the range live and fatten on fresh or dried

grass alone. The horse will do the same; only he should have oats or corn in addition to grass or hay, if he has to work hard. A squirrel likes the kernels of nuts and some of the grains, but does not care for grass. A boy or girl eats *more kinds of food* than any other animal. Man requires a great variety of foods. He eats vegetables for one purpose, meats of some animals for another purpose, and could not live in a healthy condition if he did not have some food, such as salt, from the mineral kingdom.

Different Foods in Different Countries.—In traveling over the earth, we find the people of one country eat things as food that people of other lands could not bear to eat at all. There are people who eat bees and locusts; others eat rats, mice, bats, and lizards. In some of the French restaurants roasted snails are regarded as a choice article of food, while to most people they are repulsive. A man who used to chop wood for heating the schoolhouse in which I first taught, used to find nests of black ants taking their long winter sleep in their curiously made houses in the chunks of wood. He would eat the ants with his bread at lunch with great relish. Yet this same man would never eat nice, ripe strawberries, for he said they made him ill. He was certainly a queer fellow, and I am sure his tastes differed from yours as well as my own.

Conditions That Modify the Demands for Foods.—The habits of life, as well as the character of the climate, make a great deal of difference in the kind and amount of food eaten. The active man who is working hard at some heavy, muscular labor out of doors, especially in winter, requires a larger amount of food, consisting of a great deal of meat, than does a person

whose work is not so hard. You have heard people say when they were very hungry, that they could "eat like a wood-chopper." We all agree that the hard-working wood-chopper and miner require more food than would the tailor seated in his shop, or the clerk in a dry-goods store. The miner, the woodman, and the stage-driver are exposed to cold, rough weather, while the clerk, the tailor, and the newspaper editor are sheltered within doors during their work, which, in addition, does not require so much physical energy as does the heavy work the others do out of doors. An Eskimo in the cold, frozen North can eat many pounds of meat a day, to which he often adds larger quantities of fat or blubber. The staple food of Arctic explorers consists chiefly of chopped meats and tallow pressed into cakes. They find it pleasant to the taste and a producer of bodily energy and warmth.

Bodily Heat.—In this connection we must remember that to keep the bodily functions in proper order, it is necessary that the body keep up a certain degree of heat. You have seen plants killed by the frost and withered by the heat. So the different tissues of the body die if the bodily heat falls below or rises above a certain degree of temperature. Thus a fever is dangerous, because in conditions where the disease brings on a fever, a higher temperature is kept up than is good for the body, and portions of nerves, muscles, and other tissues wither and waste away as truly as does the young, tender plant when exposed to the heat of a summer's sun. The heat of the body should be kept at an average temperature of 98.4 degrees F. (37 degrees C.) if we are to remain in a state of health. One method of keeping the body from losing too

much heat is to dress in heavier or warmer clothing. But in the cold climate of the frozen North not enough clothing could be put on the body to maintain the degree of temperature necessary to preserve perfect health. Another way to keep up the proper temperature is for the body to use more fuel. That is, more food of the heat-making kind must be used. Now meats, especially fat meats, are heat-making foods. Thus, in severe winters, men working out of doors, exposed to the cold, rough weather, must eat more meat than they do during the warm weather of the summer. Pork, especially the fatty portions such as bacon, is eaten more in winter than in summer. The body needs it to keep the temperature high enough to have healthy work done by the organs. So, in the Arctic regions, the Eskimo or Laplander, even if clothed in the warm furs of the animals he kills, must of necessity eat large quantities of meat, and it is well known that the fats are especially beneficial to him in keeping up the proper degree of bodily heat. His body demands fats and oils just as the bodies of people living in tropical regions demand fruits for their cooling effect. A dozen tallow candles are naturally more highly prized as food by the Eskimo than a dozen nice, juicy oranges. His body requires meats, fats, and oils; and so he hungers for them just as the miner or sailor longs for fresh vegetables after living for months on salted meats and canned goods. This need of his body causes the peculiar form of hunger of the Eskimo, and this must be satisfied, at least in a measure, to have the degree of bodily heat so necessary to health.

In stubborn fevers, such as typhoid, which cannot be driven away by the usual drugs and medicines, the heat must

be reduced by proper measures. The sick person having a fever must often be placed in water, or wrapped in a wet sheet, or sponged with tepid or cool water to reduce the fever before it injures the body tissues. If this is not done, the blood becomes so changed that many of the organs of the body are unable to perform their functions properly, and, as a rule, when the temperature of the body reaches 107 or 108 degrees F., unless it is quickly lowered, the patient dies. In former times many lives were lost because physicians were afraid to lower the temperature rapidly.

Different Amounts of Food Required.—If you live on a farm, you have noticed that some horses are “easily kept.” By this is meant that some horses require but little food to keep them plump and in good condition to do their work. There are other horses that eat a much larger quantity of hay and grain, and do no more work, and yet are so poor and bony that their ribs show. Some pigs can be fattened for the market more readily and on a smaller amount of food than others. There are turkeys that can never be made plump enough for a Thanksgiving dinner, no matter how much they are fed. Some persons require a very small amount of food to keep them alive and in good health, while others seem to require a larger quantity. A boy or girl in good health and growing rapidly should have more food than one who has passed the period of rapid growth, because it is needed not only to repair the loss of waste and worn-out particles of the body, but to supply the demands made upon the blood on account of the increasing size of the organs.

Healthful Foods.—We are now ready to talk more particularly about the various foods the body needs. By healthful foods we mean those that assist best in the repair of waste tissue and are more helpful in promoting the growth of the various parts of the body. Unhealthful foods are those that are harmful. They are such as do not help the growth and repair of the body. To sum up the whole matter we can say: *Food is any substance which, taken into the body, is of use in supplying it with heat, weight, or strength.*

You have already learned that we eat a greater variety of foods than do other animals. You know that our foods are obtained from minerals, plants, and animals. As you think of your breakfast, what foods did you eat that came from animals? from vegetables? What mineral substance did you eat?

MINERAL FOODS.

Salt.—This is the chief food from the mineral kingdom. Salt is present in every part of the body except the enamel of the teeth. If we do not take salt with our food we suffer greatly, since it is so necessary to the body. In nearly all the foods we use, salt is naturally present in small quantities. Vegetables in growing take up salt from the soil. All the meats contain a little salt absorbed from the blood of the animals. But the salt naturally found in our foods is not enough, so in cooking more salt is added. Sometimes we add it at the table. Food does not taste good if unsalted. A little salt not only makes the food taste better, but it causes the digestive juices to flow, and it creates an appetite. This is a very good illustration of how nature provides for us. Salted

food will cause the "mouth to water," and all the digestive fluids to flow freely, so that it is more easily and quickly digested than unsalted food.

Every stock-raiser knows that animals must have salt to do well. If they are not given salt their hides grow rough, they become less active, are soon dull and stupid, and finally lose health and strength. Watch how quickly sheep come at the call of the farmer, if they think they can thus get the salt they crave. Wild animals, such as deer and bear, will go long distances and even risk their lives to get to a salt spring, or "salt lick," that they may secure some of this necessary mineral substance. It is fortunate that salt is plentiful and cheap, since it is so essential to health and strength. It is found in many portions of our country. Can you tell where and how salt is obtained?

Other Mineral Foods.—*Lime, soda, potash, and iron* are taken into the body in various forms, but in very small quantities. A small amount of lime is found in every portion of the body. The bones are more than one-half lime. There are about ten pounds of mineral, mostly lime, in the body of a grown person weighing one hundred and fifty pounds. However, it does not waste and leave the body very rapidly, so we do not have to take more than six grains a day with our food. Your teacher will show you how much six grains of lime are. Soda and potash destroy disturbing acids within the body. This is the reason that in case of a sour stomach or "heart burn," a pinch of common cooking soda, sometimes called saleratus, will give great relief. Green foods should be eaten, especially at certain seasons of the year, for the iron they contain. Spinach,

lettuce, dandelion greens, and similar foods contain iron in a form that can be taken up by the blood better than a similar amount of iron taken as a tonic in the form of medicine.

ANIMAL FOODS.

The principal foods obtained from animals are milk, butter, cheese, eggs, and the different kinds of flesh—beef, mutton, pork, fish, fowl, and wild game.

Milk. —Pure, fresh milk is the only perfect food. It is the only food that contains all the elements your bodies most require. Being a fluid, it is very easily digested. Physicians use it more than any other food for people who are sick, because it is so easily digested and has the power of sustaining life longer than other foods. Milk should be kept in a clean room, where the air is always pure. If this is not done, poisonous gases will be absorbed and the milk thus become injurious as food. If a pan of milk is placed in an ice-box near a bunch of onions, or in a small room near a can of coal-oil, the milk soon becomes tainted, as you may easily detect on tasting it. In the same way it will absorb poisons from foul air.

In cities milk is often adulterated by the addition of water. Sometimes this water is impure, and the milk is thus made the means of carrying disease germs to our bodies. Some substance, as formalin, is sometimes used by dealers to keep it from becoming sour. In this way old, impure milk is often sold for fresh, sweet milk, and much harm done to those drinking it. Because milk is so easily tainted and adulterated, nearly every large city has many milk inspectors connected with the board of health, whose business it is to examine all the

milk brought into the city for sale. If the milk is found to be unfit, dealers are not permitted to sell it, and it is condemned by the inspector. In the last few years, by this method of milk inspection the lives of thousands of little city children have been saved. Fresh milk is the best kind of food we can take. If its value as a food were better understood, it would be more generally used. It should, however, never be ice-cold when taken into the stomach.

Butter.—Butter is a most important article of food. It supplies the body with much of the fatty material needed. It also gives a better taste to some other foods, making them more readily eaten and more easily digested. Looked at under the microscope, a drop of milk appears as a number of little oil particles floating in water. This oil or fat in milk is called cream. Oil is lighter than water; thus, when a crock of milk is allowed to stand, we know that the “cream rises” to the surface, and can easily be skimmed off to be churned into butter. The process of churning cream consists, then, in the beating of the little fatty particles, or oil drops, into one solid mass, or butter. The buttermilk remaining after churning is a healthful, cooling drink in hot summer time, but it contains very little nourishment.

Cheese.—More nourishment is contained in cheese than in most of the lean meats, but it is very hard to digest. This is the reason that it is not used very extensively as a food. In many parts of Europe it is used in place of meat, especially by laboring people. It is a cheap food, and might well be more largely used by men working out of doors, for their active exercise will greatly assist digestion. If cheese be taken with

a little milk it is more easily digested. This is the reason that "cottage cheese" or "smear-case" is such a wholesome food.

Eggs.—Eggs are very excellent food. They are easily digested when properly cooked, and contain much nourishment. They are most digestible when soft-boiled in the shell, or when "poached" by being broken into a shallow pan of boiling water. Some children do not like the yellow part, or the yolk of the egg, and eat only the white. Thus they do not get all the food elements of the egg, for the white and yolk contain very different food properties. The white contains no fat, but considerable water; the yolk contains considerable fat, or yellow oil, and very little water.

Meats.—The meats used as food are rich in nourishment. They are very desirable because of their pleasant taste as well as their excellent food properties. *Beef* is regarded as the best meat for general use. It is more easily digested than veal or pork. Some of the cheaper beefsteaks, as round steak, are more nourishing than some of the more expensive portions, tenderloin steak, for example. *Mutton* ranks next to beef, and is a very healthful food if properly cooked. Some people, however, do not like the taste of mutton. Mutton broth, like beef tea, is very palatable and easily digested, and is, therefore, a very useful food for the sick. *Veal* is not easily digested. It is not a very good food, for it does not contain much nourishment. *Pork*, with the exception of well-cured bacon, is not readily digested, but is more nutritious than veal. It can be eaten only by those who have strong digestive powers, or by those who take much physical exercise. *Fish* contains important food elements. While not quite so

easily digested as meat, it can in a measure take the place of meat as a change. People used to think it a particularly good brain food, but the brain is really nourished by the same elements as the other parts of the body. Fish, therefore, is not nearly as nourishing for the brain as a good beefsteak would be. Fish should always be eaten when fresh, for it is very quick to decay. Salted fish, like any salted or "cured" meats, are more difficult to digest than fresh, and yet salted codfish is a very excellent food, being nourishing and at the same time cheap. We find *shell-fish*, such as oysters and clams, very good for food, more especially when eaten raw. When cooked they are harder to digest. When raw, their own juices assist a great deal in their digestion, and by cooking, these juices are so changed as to be of no use whatever in digestion. Because of their easy digestion, fresh, raw oysters are an excellent food in sickness. Crabs and lobsters are harder to digest than oysters, but when well cooked are good food.

Animal and Vegetable Foods Compared.—It is now a well-known fact that almost all animal food is more easily digested than vegetable food, and should be used by children and sick persons, whose organs of digestion are not so strong as those of grown persons in perfect health. Growing boys and girls need some meat, and should have it, or eggs, at least once a day. Of course it is possible to live a healthy life without eating meat, but vegetables are by no means the best kind of food. Animal food contains practically no starch, and as the vegetable foods are rich in starch, some vegetable foods must be eaten in order to supply the body with the starch and sugar so much needed.

VEGETABLE FOODS.

Bread.—While bread is sometimes called the “staff of life,” it is not a perfect food when used alone. It contains very little fat and a large amount of starch. Bread is half starch, and only one-seventieth fat. Butter must be added to make it a complete diet. So while bread may be the staff of life, bread and butter together are “a gold-headed cane,” as someone has said. Cheese, being rich in fats, may take the place of butter. In some of the countries of Europe, black bread and rich cheese form the main articles of diet of the peasants. Together they make a fairly complete and very nourishing food. With milk, also, bread is a valuable food, especially for the young. Bread made of *whole wheat flour* contains more kinds of food elements than white bread, but is not so nourishing. Newly baked bread is very difficult to digest, since it is apt to form such a soft, pasty mass in the mouth that by the time it reaches the stomach it is a solid lump which the digestive juices cannot easily enter and dissolve.

Potatoes are a good food with meat, but hard to digest. They contain no fat. In fact, potatoes alone do not constitute a very complete food. They should be eaten with butter, meat, or meat gravy. *Beans* are a valuable food for a strong, healthy person, but persons with weak digestive organs should not eat them. When either beans or peas are used, they should be cooked a long time, and in eating them, one should be very careful to see that they are thoroughly chewed. The cereals, as oats, corn, and rice, are chiefly starch. Rice contains about ninety per cent starch. Corn contains more fat

than the other grains, but all vegetable fat is hard to digest, and is of little value as food. *Turnip, cabbage, parsnip*, and other vegetables give variety to our list of foods. They are all difficult to digest, and contain very little nourishment.

Fruits.—All uncooked fruit is hard to digest. Apples, pears, grapes, peaches, and similar fruits really contain but little food. They contain some sugar, a slight amount of mineral matter, and the acids that give them their taste. These acids, in a measure, stimulate the appetite and promote the flow of saliva and gastric juice. The main use of fruit does not consist in the real food contained, but in the fact that it is not digested but rapidly carried down the intestines, thus sweeping along before it refuse food and waste substances that have accumulated, thereby keeping the intestines clean and in good condition. Ripe fruits in their season are the most beneficial. Too ripe or unripe fruits often cause illness. Much of the danger of unripe fruits may be removed by cooking. Green vegetables, such as raw cabbage, lettuce, radishes, beets, and celery, act like fruit and are similar, but they contain even less nourishment than fruit. A great danger in eating much fruit is that it may sour and decay in the intestines, just as it does outside the body. When this occurs, as is often the case, severe, painful illness arises, as this decayed fruit in the bowels is very poisonous. *Nuts* are often highly praised as foods because they contain more fats than do other vegetable foods, but the fat or oil contained in nuts is especially hard to digest. *Spices*, such as mustard, pepper, and cloves, burn the stomach just as they burn the mouth. If we put mustard on the skin, it will make the skin red. Spices do not nourish the body in

any way, and therefore are not food. Having no value as food, they are often used to season bad food, and to cover up the taste of injurious foods, and in this way they may also prove quite harmful.

Candy and Preserves.—These contain chiefly sugar. A certain amount of sugar is needed by the body, so a limited amount of pure candy is healthful. The harm arising from eating candy lies in the fact that it is apt to be eaten between meals, when the stomach should be given a chance to rest. Again, too much candy may be eaten at one time. Whether in the form of candy or other sweets, excessive amounts of sugar cause the liver to be overworked and a bilious attack results.

Time Required for Digestion.—You have noticed that some foods are easily digested while others are quite difficult of digestion. Some foods are not good, especially for young, growing persons, because they require too much time for digestion, thus giving the stomach little or no opportunity for rest. The time required for stomach digestion was first discovered in a very interesting and peculiar way. A man by the name of Alexis St. Martin had an opening from the surface of his body directly into the stomach, as the result of a gunshot wound, so that the stomach could be looked into, and the time required for digesting the various foods could be closely observed and studied. Other cases, similar to that of St. Martin, have since occurred, and more observations have been made, so that we know that stomach digestion requires from one to four hours as shown in the following table:

	HRS.	MIN.		HRS.	MIN.
Rice,	1	00	Beef, broiled, . . .	3	00
Pigs Feet, soused, .	1	00	Mutton, boiled, . .	3	00
Venison Steak, broiled,	1	30	Mutton, roasted, . .	3	15
Salmon Trout, boiled,	1	30	Oysters, fried . . .	3	30
Apples, sweet, . . .	1	30	Potatoes, boiled, . .	3	30
Milk, boiled,	2	00	Eggs, hard boiled, . .	3	30
Codfish, salted or cured,	2	00	Pork, broiled, . . .	3	30
Tapioca,	2	00	Beef, fried,	4	00
Cabbage, raw,	2	00	Salmon, boiled, . . .	4	00
Goose, roasted, . . .	2	30	Ducks, roasted, . . .	4	00
Oysters, raw,	2	30	Cheese,	4	00
Potatoes, baked, . . .	2	30	Cabbage, boiled, . . .	4	30
Chicken, boiled, . . .	2	45	Pork, fried,	4	30
Turkey, roasted, . . .	2	45	Veal, fried,	4	30
Beef, roasted,	3	00	Pork, roasted, . . .	5	20

Cooking.—You have already learned that cooking is the first step in the process of digestion. This makes the food either soft or crisp, so as to be easily chewed. Cooking, as a rule, also improves the taste of the food so that it is more agreeable. It also destroys many of the disease germs that lurk in food. Cooked food, then, should taste well, and be soft or brittle, so that it can be chewed fine. If food remains tough, it is not well cooked, or it was unfit in the first place. Improper cooking may make what would otherwise be the best foods harmful to us. There are three good ways of cooking—broiling, roasting, and boiling.

Broiling is the best way in which to cook meats. Roasting is the next best, and boiling comes next. Frying is apt to make the meat hard and dry, and therefore difficult of digestion. When food is to be fried, great care should be taken to

have the pan itself, or the lard or butter, if they are to be used, very hot before the food is placed in it, and kept hot until cooked, so that as little fat as possible may be absorbed by the food. In cooking meats, the natural juices should be kept in them as much as possible. In broiling a beefsteak over a hot fire the heat almost instantly seals up the meat so that the juices cannot escape. In boiling, the meat should be placed in boiling water, and roasts should be placed in a very hot oven in order that the juices may be retained. If, however, we wish to make soups, such as mutton or beef broth, we then desire to use the meat juices rather than the meat itself. In this case the meat should be cut into small pieces and placed in cold water, and then gradually brought to the boiling point. In this way the nourishing juices are extracted. Cooking is an art that should be carefully studied, in order that our food may be so prepared as to do the most good.

Adulteration of Foods.—Many of our foods are sometimes spoiled by persons who manufacture or sell them, putting into them cheaper substances that are dangerous to health. Such persons seem to care little for the purity of foods, but are chiefly interested in making the most money possible out of them. So common has this adulteration become that in most of the states the law-making power has passed pure food bills to prevent the sale of such adulterated articles. These laws are most worthy and should be strictly enforced, for what is money-making by a few individuals compared with the health of the people of an entire city or state, which may be greatly endangered by the use of these impure or adulterated foods? Foods often adulterated are maple sugar, candy, syrup, milk,

butter, chocolate, coffee, flour, vinegar, jams, bread, and jellies. Sugar, syrup, and candy are sometimes made from corn by a peculiar process, by means of which the starch of the corn is changed into glucose, and a kind of sugar not so sweet or palatable as sugar made from sugar-cane or sugar beets. Foods are often colored by coal-tar dyes, in order to hide their inferior quality and to make them look better than they really are. Besides, some of these colors are poisonous and produce disturbance of the digestion, or other injurious effects.

Milk is often adulterated by the addition of water or thinned by skimming off part of the cream. This not only thins the milk and makes the same amount less nourishing, but at the same time the water thus added is often impure, and in this way disease germs are added to the milk, causing sickness and death.

Butter is sometimes made entirely from lard, tallow, and cotton-seed oil, to which coloring matter is added to make it look like pure, yellow butter made of rich cream. This product is called *butterine*, or *oleomargarine*. It can be sold for about half what good butter would bring. If the lard or tallow is obtained from diseased animals, the butterine made from it is apt to prove very injurious. Cleanly made from pure lard or tallow, it is not harmful and may be used without danger, especially in the place of "cooking butter." But when so made there is not so much profit in selling it as when made from cheaper, unclean materials. In the United States there is a law against the sale of butterine that is not stamped to show plainly to the person buying it that it is not genuine butter, but an imitation. Such laws are right in protecting the

40 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

people against false or counterfeit foods, and in preventing people from being imposed upon.

Cocoa, coffee, and flour are adulterated in various ways. The chief way of adulterating flour is to add very fine corn meal or corn flour. This is heavier than pure wheat flour; and as flour is sold by weight, the person buying it is cheated. Besides, the fine corn flour added is not so nourishing as the same amount of wheat flour would be.

Bakery bread and cake are often made impure by the addition of ammonia for the purpose of making the loaf lighter and whiter. Not only is ammonia injurious, but a loaf of bread made in this manner weighs less than the same sized loaf would if made without such an ingredient. Consequently the customer does not get the same amount of nourishment from a five-cent loaf of bread made with ammonia that he would in a similar-sized loaf made without it.

Baking powders, because of late pure food laws, are not often impure. But they lose their strength as they become old. You know how home-made jellies and preserves taste. They are wholesome foods. When made from the pure juices of fruits and pure sugar they are expensive. On this account much jelly sold at a low price is made from glucose, a substance made from corn starch, to which acids are added, besides some unhealthful coloring matter to make them look like the pure jellies made at home from currants, strawberries, grapes, and other fruits.

Perhaps you have heard people speak jokingly of wooden nutmegs, hickory hams, and oats made by whittling shoe-pegs, all said to be the invention of the ingenious Connecticut Yan-

kee of fifty years ago. But these are as nothing compared with the food adulterations of to-day, which are so skillfully carried out that detection of the adulteration is difficult. They grow out of a general demand for cheap things, and when the genuine article cannot be supplied at a profit, we find some skillful adulteration taking its place. In addition to those already noted, please observe the following list. We have artificial white-of-egg, artificial butter and adulterated wheat flour, but we have buckwheat adulterated with wheat mid-lings, cider vinegar distilled from grains, lemon extracts without lemon oil, and vanilla extracts without a trace of vanilla. We buy "Vermont Maple Syrup" that never was within a thousand miles of Vermont, but was made in a little, dingy city factory. Skim milk is filled with cheap lard, and sold all over the world in "American Pure Cream Cheese." Considerable of the cheap strained honey is made without the effort of a single bee. Smoke is made from poisonous drugs, for the purpose of quickly curing hams and bacon. Oysters were formerly embalmed with chemicals. Spices made from ground pepper hulls, cocoanut shells, and bark are manufactured and sold by the ton. Canned fruits are often preserved with antiseptic drugs which interfere with digestion. This is only a partial list, but it is enough to show that we are oftentimes cheated in buying food:

The adulteration of food is wrong, and people are right in insisting that laws be passed to prevent the sale and use of impure foods.

Diseased Foods.—Animals become sick, and when in this condition are sometimes killed, and their parts sold as food.

Vegetables also may be diseased. Such meat or vegetables are never good for food. Dishonest dealers will sometimes sell them to those who are not aware of their condition, and thus cause illness and sometimes death in the persons eating them. Diseased food is as bad as decayed or spoiled food. Con-



FIGURE 7.—Diseased Pork, highly magnified, showing Trichinae.

sumption may be caught by persons eating the meat from diseased cattle, or drinking milk from cows having this disease. Of the different meats, pork most often contains disease germs. Meat should never be eaten raw. It should always be well cooked, as the heat employed in cooking will destroy any germs of disease that may be lurking in the meat.

Other Harmful Foods.—

Food which is decayed or spoiled, and thus tastes musty or tainted, is always unfit, and may be even poisonous. Spoiled milk is perhaps the worst of all. It is unsafe to drink milk which is the least bit sour. Moldy bread, tainted meat, or decayed fruit should never be eaten. Meat which is pale, yellowish, or very dark, is unhealthful. Canned foods, especially canned fish, canned beef, potted ham, tongue, and similarly prepared meats, spoil very quickly after being opened and exposed to the air. Any

canned food should be eaten the same day it is opened. *Unripe foods*, whether fruits or vegetables, are unfit, more particularly if they are not cooked.

Partial Starvation.—A good illustration of what is meant by partial starvation is found in the experience of many sailors and some of the unfortunate miners in the Klondike. Men, in their rush to the gold fields of Alaska, in selecting the food supply to be taken with them seemed to consider only the amount of space such food would occupy on the crowded boats, or what it would weigh when they “packed” it over the trail. Many of them did not consider at all the question of health. Therefore the meats selected were either salted, smoked, cured, or dried. These would have been all right if other necessary foods also had been taken along, but a constant diet of salted or cured meats, without the counteracting acids of fruits, produces the dreadful disease known as “scurvy.” The life of many a poor fellow that died of scurvy in the gold fields, would have been saved, if with the salted meats and canned goods upon which he made his meals, he had occasionally taken some juice of the lime or lemon. Sailors found this out long ago, and the ship’s doctor always has on hand a good supply of these acid juices with which to prevent scurvy. Scurvy is a disease resulting from a form of partial starvation.

It is certainly true that every person requires not only a certain amount of food, but also a variety. The kinds of food which the body demands and must have, fall into four groups:

- | | |
|--------------|--------------------|
| 1. Proteids. | 3. Carbo-hydrates. |
| 2. Fats. | 4. Salts. |

Proteids are necessary food elements, and are found in such foods as beef, mutton, eggs, milk, and cheese. The proteids are tissue formers. No new tissue can be formed in the body without them; so lacking these, growth is impossible. Milk is the best food for children, because it contains several proteids. Eggs and meat should be added as soon as children can properly chew and digest them. It is a positive fact that the diet of children should be *more* nutritious, instead of *less* nutritious, than that of adults. If there are not proteids enough in the child's food he suffers from partial starvation. This lack of food with respect to quality occasions starvation of the body as truly as a lack of the proper amount of food. Many children suffer from *proteid starvation*.

The *fats* include such foods as butter, cream, the fatty substance in milk, and the fats of meats. In proportion to the whole amount of food eaten, the child requires more fat in his food than does the adult. Children often suffer from *fat starvation*. Growing bone needs fat, and that is one reason that children require so large a proportion of fat in their foods. We must repeat what we have said before in this chapter, that the fats derived from animals, such as rich milk, butter, and fatty meats, are much more easily digested than the vegetable fats.

The *carbo-hydrates* include starch and sugar. These are as necessary to complete feeding as are the proteids and fats. The carbo-hydrates are usually fed in abundance to children, as they are the chief element in wheat, crackers, oatmeal, and bread. *Carbo-hydrate starvation*, then, is not very common, though some children do not get sugar enough.

The *salts* include common salt, lime, soda, and potash. These we have already mentioned as necessary food elements.

To sum up in a general way our talk about healthful and unhealthful foods, we must say that every particle of food that enters the stomach either benefits or harms the body. The amount of strength we have, the quality of our health, and the bodily heat all depend upon the kind of fuel we use in the machinery of our bodies. Many diseases are due to improper food.

REVIEW QUESTIONS.

1. When a person is sick, why do we give him much of his food in liquid form?
2. Why are different kinds of food eaten in different climates?
3. How is the bodily heat kept up to the proper degree?
4. Do all people require the same amount of food?
5. What is meant by healthful foods? By unhealthful foods?
6. What foods do we get from the mineral kingdom? From animals? From the vegetable kingdom?
7. Why is milk called the only "perfect food"? What is the necessity of milk inspection?
8. What is the food value of butter, cheese, and eggs?
9. How do the different meats compare as foods?
10. What is the comparative value of animal and vegetable foods?
11. Are fruits eaten simply for their food properties?
12. Why should our food be properly cooked? What are the different methods of cooking?
13. What is meant by adulteration of foods? Give illustrations of food adulterations.
14. What is meant by "partial starvation"?

CHAPTER III.

OUR DRINK.

It is estimated that, if a boy or girl weighs one hundred pounds, seventy pounds of this amount is water. Nearly three-fourths, then, of the weight of the body is due to the water it contains. If all the liquids and moisture could be dried out of your body, it would shrink up so as to be surprisingly small. Pure drinking water is necessary to life and health. The body naturally craves water more than it does food. A person can live longer without food than without water. Water is the only substance that will quench thirst. Other drinks, such as milk, tea, and coffee, consist of water containing certain solids, and do not quench thirst so completely as water.

We know that the liquid part of the blood carries the food we eat to all parts of the body. This liquid in the blood comes from the water we drink and the water contained in the foods we eat. You can see the water in fruit, for it is the water that makes the fruit juicy. Water constitutes three-fourths of the weight of beef, and three-fourths of the seemingly dry and mealy potatoes we eat. Milk is nine-tenths water.

Uses of Water.—The chief uses of water to the body are:
1. To soften the food in cooking. 2. To form the liquid part of the blood, and thus carry food in the blood to all parts of the body. 3. To take up and remove the waste elements in

the tissues of the body. 4. To carry away from the skin on the surface of the body, by means of sweat or perspiration, impurities and extra heat that may arise from food or exercise, thus keeping the temperature of the body at a healthy point.

Pure Water.—The water we drink, as we find it in nature, always contains more or less mineral matter, some gases, and occasionally some vegetable matter, and even small animal organisms. Absolutely pure water is not found in nature. It can only be made absolutely pure by distilling it. But distilled water is unpleasant to the taste, being flat and insipid. When the mineral matter, such as lime, soda, potash, or even sulphur is not in excess, it is useful to the system. We know that lime is important in the formation of bones; therefore water containing a small amount of lime benefits the body, especially when it is growing. Water sparkles because of the gases contained. Water containing no air or gas tastes unpleasantly flat. Some substances found in water are harmless and even beneficial. Other substances you will find are harmful and dangerous to health. You can plainly see that it is just as necessary for our health that our drink should be pure as that our food should be pure. People should never drink water that is taken from a well located near a slop-hole, cesspool, manure-soaked barn-yard, or other filthy place.

Impure Water.—It is a great mistake for people to think that all the water obtained from wells is good for drinking purposes. Many people are not careful as to the location of the well, digging it in some low place where they can get water most easily. When located in a low place, impure surface water draining off the soil may flow or seep into the

well, thus making its water impure. No mistake can be more serious, if we value our health, than to locate a well in a poor place. A well to supply drinking water should not be located near a barn, and should be fifty, or, better still, a hundred




FIGURE 8.—Showing how water may become impure in badly located wells, from surface drainage.

feet from any cesspool or other place where slops and refuse are thrown. It is also best that the well should not be in the house. Germs of disease may be carried through the soil for quite a distance, especially if there is a stratum of rock sloping toward the well. Wells dug

in gravelly soil are often better than those that are sunk into rock, for impurities may be carried a long way through the cracks or crevices between layers of rock. As a rule, water from deep wells is purer than water from shallow wells. Driven wells are the best. They are made by driving iron pipes into the ground, until they pass a layer of rock or stratum of clay, commonly called "hard pan." Water reached under such a stratum of rock or clay is not so apt to be impure as that found nearer the surface, which may be made impure by drainage and seepage.

Disease Germs in Water.—Sometimes upon examining drinking water under the microscope, or analyzing it by the methods of chemistry, we discover that it contains decaying animal or vegetable matter, and also little organisms so small as not to be visible to the naked eye. These dangerous little organisms are called *germs*. They are the smallest forms of life known, and are the most dangerous enemies to life and health. Why are these minute organisms so dangerous? 1. They are very industrious little fellows, and their chief business is to manufacture poisons of a very deadly character. 2. They increase in numbers with great rapidity. Some kinds of these germs develop so rapidly as to double in number *every fifteen minutes*. Think, then, of the immense number that might develop at this rate from a single germ in twenty-four hours. They are also tough little fellows. Some of them cannot be killed by extreme cold. If water containing them is frozen into ice, many of them will stay there for months, and then when the ice melts, and they are thrown out again, become active poison makers. They can, however,

be killed by boiling the water containing them. Typhoid fever, diarrhœa, and cholera are the more serious diseases that may be "caught" by the presence of germs in water. They are therefore called "water-borne" diseases.




FIGURE 9.—Organisms found in water (highly magnified).

Impure drinking water thus causes a great amount of sickness. Investigations by the boards of health in many states and cities show that thousands of deaths occur every year because of impure water supply. The disease germs in the water supply of an army often cause many more deaths than the bullets in battle. To escape typhoid fever and similar deadly diseases we must be certain that our drinking water is

free from every kind of filth. In one of our large cities recently, hundreds of people died from typhoid fever, which was found to have been spread by washing milk cans in impure water containing these disease germs.

To Purify Water.—The only way to purify water containing harmful germs is by boiling. This is especially necessary in large towns and cities, where it is sometimes quite difficult to secure pure drinking water. Filters may be used to strain some of the impurities out of the water, and by their use muddy water may be made to look quite clear. But none of them is fine enough to strain out the little disease germs. Boiling is the only safe method of purifying water.

Mineral Waters.—When much mineral matter is present, the water is called mineral water. Many such waters are found in various springs over our country, and some are considered of value in certain diseases. The chief substances found in them are lime, soda, lithium, iron, potash, sulphur, and salt. Some contain so much pure salt that they furnish much of the salt we use in cooking and on our tables. Can you tell the difference between *hard* and *soft* water?

Lead and Zinc Poisoning.—There is good ground for the objections we hear against the use of lead pipes for conveying drinking water. The small amount of mineral matter in the water may attack the lead and thus form a deadly poison. The danger increases the longer the water is permitted to stand in the lead pipe. In using water from lead pipes, it is best to allow the water to run or be pumped long enough for all that has been standing in the pipe to run out, and fresh water to enter from the well or water-main.

Water as a Beverage.—Pure water is the best beverage a person can use. Persons with stomachs too weak to bear tea or coffee are greatly benefited by drinking a cup of hot water instead of these beverages. Beverages other than water are good just in proportion to the amount of water they contain, and the harmlessness of the other substances found in them. Pure lemonade, made of lemon juice, sugar, and water, is a wholesome drink, but the red lemonade of the circus, and the bright-colored “soda-pop,” often contain harmful coloring matter and injurious acids that are used in place of lemon juice just because they are cheap. Thus drinks may be adulterated in much the same way that foods are.

It is not wise to drink too much water with our meals, for in so doing we are apt to weaken the digestive juices to such an extent that our food will not be properly treated in the mouth, stomach, and intestines. Stomach and bowel troubles may result from this cause.

Ice-cold water also has a very harmful effect on the stomach, chilling it so that it is unable to do its work perfectly.

Tea and Coffee.—These are often used in place of water, chiefly for the sake of variety. Tea and coffee contain no food. They act in a peculiar way as a sort of whip to the body. They are *stimulating*. A substance that causes the body to do more work without giving to it any extra energy or weight is called a *stimulant*. When you come to study Latin you will find that *stimulus* is the Latin name for an ox whip. It is wrong to whip the body into attempting to do things beyond its strength, just as it is wrong to whip a horse into pulling a load much too heavy for it. Tea and cof-

fee act upon the mind in such a way that the tired condition of the body is not felt. They do not increase the strength of the body, but simply deaden the tired feelings. They are injurious to boys and girls, for they retard growth, and the nervous system of the young person is more readily harmed by a stimulant than that of an older person.

If not taken in too great quantities, or made so as to be too strong, tea and coffee are not harmful to a healthy person over fifteen years of age. When long and hard work *must* be done, or when a person *must* endure great *exposure*, then tea and coffee are valuable stimulants. Thus Peary and other Arctic explorers, as well as soldiers on long, forced marches, have found them necessary.

Adulteration of Tea and Coffee.—Teas are sometimes adulterated by adding to other good leaves tea leaves that have been used once and dried again. Chicory is raised chiefly for the purpose of adulterating coffee. The root is roasted and ground, and then mixed with ground coffee. This not only cheapens the coffee, but impairs its quality and flavor.

Beer, ale, wine, cider, gin, brandy, and whisky all contain alcohol, and are therefore harmful. They can never take the place of water as a beverage because of their injurious effects upon the bodily organs. All alcoholic drinks produce a feverish condition and create a demand for more water than the system naturally requires. They increase rather than quench thirst. The poisonous nature of alcohol is fully discussed in subsequent chapters.

CHAPTER IV.

TEMPERANCE.

There are certain unmistakable laws of right living clearly impressed upon the constitution of man. If he should live according to these laws he would always be strong and healthy. By this time you have learned that the vigor and health of many persons are seriously impaired by neglect. Failure to eat nourishing food, to breathe pure air, to keep the body clean, and to exercise, are frequent causes of physical weakness and disease. There are people whose lives are really shortened because they have failed to spend a few minutes a day in regular judicious exercise. Lack of anything the body needs for healthy growth always works injuriously.

While there are many persons whose health has been seriously impaired because of the lack of those things so essential to bodily vigor, there are many more who have brought lasting injury upon themselves by *excesses* in one or more directions.

Temperance.—Improper eating and improper drinking produce more sickness than all other causes. It seems strange that man of all animals should be the one to indulge in excesses of appetite, when he possesses the most knowledge concerning the ill-effects of such indulgences. Man is surrounded by an abundance of wholesome food, yet he often makes himself sick by excesses in eating and drinking, acting as if he would never again have an opportunity to take

food and drink. Such men live to eat, rather than eat to live.

A horse never drinks merely for the sake of sociability, and a squirrel with a house made of acorns eats just enough for his needs, but some men eat all kinds of food and take various drinks merely for the pleasure of eating and drinking. *Temperance* is the exercise of moderation in regard to all our appetites. *Intemperance* is the gratification of any appetite or inclination which does not fulfill bodily need.

Intemperance in Eating.—This is one of the most common forms of intemperance. Eating injudiciously never fails to cause bodily derangement of some sort. The injuries of over-eating are shared by all parts of the body—brain, nerve, bone, muscle, stomach, liver—none are exempt from the harmful effects. A child who habitually makes a meal consisting of sweet cake, is intemperate, and he afterwards pays dearly for such indulgence. Not only will he suffer pain, but his organs of digestion become deranged and incapable of doing their best work, and he suffers because of his folly. Sometimes when a man has had sufficient plain food at a meal to satisfy the appetite, he will eat some rich dessert, highly spiced and sweetened, which he eats merely for the pleasant taste, not because it contains necessary food elements. A perverted appetite frequently leads us to eat cake, candy, and fruits *between* meals, thus overworking the stomach by giving it no opportunity to rest. If we are hungry enough to eat bread or meat between meals, then the appetite should be satisfied, for this is a call from the cells of the body for food, rather than from the palate for agreeable taste sensations.

The Alcohol Habit.—The use of drinks that contain alcohol is the worst kind of intemperance. This form of intemperance is a terrible curse in America. It tends to destroy the work that the school strives to build up. The American school has for its object such education of children as will lead them to become good citizens.

Because alcohol enters the body by means of the digestive tube, in the same way in which food does, rather than because it is of itself a food, it is here treated as naturally following the discussion of proper food and drink for the human body. If we eat a sufficient amount of wholesome food to-day, we do not care for a larger amount of the same food to-morrow. Not so with alcohol; the appetite for it grows with using.

Is Alcohol a Food?—You recall that food is any substance which, when taken into our bodies, will produce heat, weight, or strength. Has alcohol any of these qualities which must be possessed in order to class a substance as food? Are its effects neither beneficial nor harmful, or is it injurious to the body?

Does Alcohol Produce Bodily Heat?—It is often claimed for alcoholic drinks that they possess a special advantage in the readiness with which they are able to produce bodily heat. This is an error. In the ordinary forms in which it is taken alcohol lowers the temperature of the body, as the clinical thermometer of the physician plainly reveals. It is true that a drink of wine or whisky sends the blood to the skin. This is seen in the flushed face. The sending the blood to the skin gives a sensation of heat. We *feel* warmer. We are deceived, for we are actually cooler. The more blood there is at the sur-

face of the body, the more quickly is its temperature lowered. Alcohol does not create bodily heat.

Does Alcohol Increase Tissue?—Alcohol unites so readily with water that it tends to extract the fluids of the body from the healthy tissues, and in this way it attacks and destroys them. Scientists seem to agree that alcohol is a tissue destroyer and not a tissue builder.

Does Alcohol Create Energy?—This is a question that has provoked much discussion. Renowned physicians tell us there are some diseases in which the *temporary* use of alcohol is of service in the effort to prolong the life of the patient. Thus it would seem to indicate that in certain limited quantities it is a force-producer. But so is strychnine. Probably no drug is more favorably regarded by the modern physician as an efficient heart tonic than strychnine in very small doses. The situation is practically the same with respect to alcohol. In certain very small quantities, and under definite conditions of experiment, it will act for a limited time as a force-producer. Whether this is sufficient to class alcohol as a food is a question that can be best answered when we consider the harmful effects of alcohol, which more than offset the one reason for regarding it as a food. Alcohol is not economic food, not necessary food, not tissue-forming food; but on the other hand, seems on being decomposed within the body to yield up some energy. But, if in yielding up this energy certain processes are set in motion that cause a cheapening of the individual physically, mentally, or morally, they should be called *unhealthful* foods rather than healthful foods, if the word "food" is to be used at all. Even those who apply to alcohol the term "food," in the strict

sense that it is a force-producer, do not advise its use. Professor Atwater, who has recently demonstrated anew this force-producing quality of alcohol, says: "I myself believe that the more advisable course is habitual abstinence."

Alcohol is Poisonous.—Alcohol tends to destroy tissue, derange bodily functions, and cause the brain to act dishonestly. While technically it may be called a food, practically it is a poison, and there is always danger in its use. Being a dangerous drug, it should be used only when prescribed by a physician. More hard work can be done without alcohol than with it.

Alcohol and Physical Training.—That alcohol is harmful and not beneficial is shown in the very strict rules laid down by athletic trainers. No person, in training for athletic events under the direction of a competent instructor, is permitted to take any alcoholic beverage. The trained athlete requires nutritious *foods*, and experience in physical training has shown that alcohol retards rather than assists his muscular development, and interferes with quick and reliable action of the nerves, fibers, and cells.

Physical Effects of Alcohol.—The precise effects of alcohol upon the body have not been fully determined, but enough is known to justify the statement that its effects on the whole are bad. There are certain diseases directly traceable to the use of alcohol. If the individual does not drink alcohol he escapes these diseases. They include a fatal form of disease of the liver and kidneys, as well as chronic indigestion, disease of the eyes and of the arteries. The best authorities say that there is not a single kind of nervous disease known that cannot be caused by alcoholic excesses.

The Mental Effects.—The fact that the habitual use of alcohol causes so much insanity is an indication of the disturbing effect that it has on the mental processes. Alcohol materially affects the rapidity and accuracy of thought. It makes one inaccurate, incapable of steady application, and tends to make the mind act more slowly. After the so-called stimulating effects of alcohol have passed away, there is always a marked reaction causing mental depression. This paves the way for irritability, which is next door to loss of self-control. The use of alcohol, as will naturally be inferred from our discussion of habit, gradually tends to weaken a person's will.

Alcohol as a Stimulant.—Most authorities admit that for a very brief period alcohol may act as a stimulant, and spur one to greater activity. *Stimulus* means "whip." However, after the burst of energy there is a rebound; the pendulum swings to the other extreme, and there is less than the usual capacity for work. *Does the healthy body need such a whip?*

The Answer.—The use of alcohol in any form is wholly unnecessary for the use of the human body in health. Think of the joy of possessing a good body well built by the use of good food and pure water, and well knit and well proportioned by judicious and regular exercise. Strive to treat your body so that it will be rich in clean, pure blood; possess nerves that are steady and honest in their action, a brain as clear as a bell, and a mind that is quick and accurate in its operations. To accomplish all these you need no other stimulant than pure air, proper exercise, good food, and the invigorating sunshine. By the use of alcohol, you run the risk of losing one or

more of these priceless qualities so essential to happy, useful lives. The use of alcohol in any form tends to remove one from a position of security to the border-line of danger. He may cross the line without effort on his part, or even in spite of his best effort, and become more of a slave than a master. When once the habit of using alcoholic drinks is formed, and the individual realizes his condition, he may battle royally, earnestly, perseveringly, and desperately, but the chances are against his success. It is safe to predict that usually drink will win the struggle, deplorable and unwelcome as such a fact is.

If there is no need of alcohol in any form for the healthy body, then why should any one begin its use when there is so much risk and so much danger involved?

Tobacco Intemperance.—Tobacco is especially injurious to the young. It stunts growth, weakens the nerves, stupefies the brain cells, interferes with digestion, and in many ways counteracts the benefit of good food, besides diminishing the natural appetite. It contains nicotine, and this is a violent poison. Tobacco is a frequent cause of weak eyes, is apt to irritate the linings of the mouth and throat, and in many cases seriously affects the heart.

The effects of tobacco on the individual after he has completed his growth and is over thirty years of age depends on the amount used and on the temperament of the person using it. The tendency, however, is always toward injury. The safe rule is never to use it. Men never regret not having formed this needless habit. Tobacco *intemperance* is always injurious to the body at any age. It is an expensive habit,

a man is just as well off without it, and the growing boy always suffers from its use.

Effect of Tobacco on the Young.—From measurements of 187 students of the class of 1891, at Yale University, it was found that the non-smokers gained in weight during the college course 10.4 per cent more than the regular smokers, and 6.6 per cent more than the occasional smokers. In height the non-users of tobacco increased 24 per cent more than the regular users, and 12 per cent more than the occasional. In increase of chest girth the non-users had an advantage of 26.7 per cent and 22 per cent, and an increase of lung capacity of 77.5 per cent and 49 per cent, respectively. These observations with respect to the dwarfing effects of tobacco are borne out by similar ones on the class of 1891, Amherst College, made by Dr. Edward Hitchcock. He found that in weight non-smokers increased during their course 24 per cent more than the smokers; in increase in height they surpassed them 37 per cent; in gain of chest 42 per cent, and in gain of lung capacity 75 per cent. Again, in France, the difference in scholarship between the students in the polytechnic schools who smoked and those who did not, as shown by their respective class standings, was so great that the government prohibited absolutely the use of tobacco in all government schools.

The employers of labor in many railroad offices and business houses refuse to hire boys who use tobacco. The head of one of the largest wholesale dry goods houses in the world recently stated his reasons as follows:

“The use of tobacco has a peculiarly demoralizing effect on the moral nature of the young. In addition to making

boys tired, stupid, and lazy, it makes them irritable, perverse, careless of the rights and feelings of others, besides, in many instances, leading to lying and even stealing."

Such facts as these certainly indicate very clearly why a boy should not use tobacco in any form.

The Cigarette Evil.—The bad effects of tobacco on the young are even worse when it is used by them in the form of cigarettes. Many cigarettes are drugged with opium, and the enameled paper is usually made by a process involving the use of poisons. The effect of cigarette smoking on boys is clearly shown in the following quotation from a statement communicated to me by the principal of one of the Chicago schools,* after careful investigation of the influence of this pernicious habit on school work.

"It is only within the last five or six years that the habit of cigarette smoking has made its appearance among the boys of the public schools of Chicago, but during that brief period it has increased to such an extent that several thousands have become addicted to the habit, and the majority of these boys are so affected mentally and physically that they are unable to make further progress in their studies.

"As to my personal knowledge of the effects of this habit on schoolboys. I have carefully observed them for the last three years, during which period at least 125 boys addicted to this habit have been at one time or another under my charge. These boys smoked from *two* to *twenty* cigarettes a day, and not more than ten of them were able to keep pace with their class; yet nine-tenths belong to educated and intelligent fami-

* Mary Darrow Olson, Principal McCosh School, Chicago.

fies. Among these 125 boys were found nearly all of those pupils who were from *two to five years older than the average age of children for the grade*, as well as ninety per cent of those boys hard to discipline, and *all* of those who were in the habit of playing truant.

"An Anti-Tobacco Society was organized, which most of the boys joined. From frank and friendly conversations with them many of their temptations and difficulties were made clear. Twenty-four stated that the reason they failed to learn their lessons was because most of the time they were too sleepy to study; thirty said they were always dizzy after smoking, and did not feel like thinking; twenty-two could not write neatly because their hands trembled; several, to use their own words, felt shaky when they walked. A large number were unable to run any distance, some not more than a block, although before they began to smoke they could run as far and as fast as any one. Nearly all told me they had headaches constantly. With scarcely an exception they stated that they were unable to learn their lessons, though kept night after night for that purpose.

"From 88 schools 2,402 pupils were reported as addicted to the cigarette habit, and only *six per cent* of these were able to do the school work of their grade. As there are 235 schools in Chicago, and as 88 of them report 2,400 cigarette smokers, it is safe, in making a conservative estimate, to say that there are 5,000 cigarette smokers in the Chicago schools, not more than 400 of whom are able to advance with their class."

CHAPTER V.

THE SKIN AND THE KIDNEYS.

We will now talk about the way in which the body gets rid of some of the waste materials. The skin and the kidneys together, acting in much the same way, constitute a very large part of the sewer system of the body. They do much in getting rid of the waste products that would be injurious for the body to retain. Let us first study the structure of the skin.

The Skin.—The skin is the soft, satin-like covering of the body that fits it like a smooth glove or closely fitting garment. It is so elastic that it is never too large or too small. If you take up a little fold of the skin you will notice that it can be stretched like a sheet of india-rubber. Like rubber, when you let go, the skin quickly contracts and appears as before. At the openings of the body, such as the mouth, ears, and eye-sockets, the skin is so closely united with the lining membrane of these cavities, as to be continuous with it. You can hardly tell, as you examine your lips, where the outside skin leaves off and the lining skin begins.

Two Skins.—Perhaps you are not aware that you have two skins, or rather two layers of skin. There is an outer one, the *scarf skin*, and directly beneath is the *true skin*. The scarf skin, or outer layer, is called the *cuticle* or *epidermis*. The inner layer, or true skin, is called the *dermis*. Did you

ever peel the bark off a young tree, or attempt to make a whistle from a piece of a branch or twig? If so, and you have closely watched, you have noticed that there are really two barks—an outer bark, almost as thin as paper in young trees, but very thick and rough in older ones, and an inner bark that fits tightly against the wood of the tree and its branches. You know perhaps that much of the outer bark may be peeled off without doing the tree much harm. If you strip off any of the inner bark you are apt to do the tree much injury, for you thus make the tree bleed by causing its sap to run. Sap is the blood of the tree, and the bark is the skin. If the tree lives, and the bare place heals over, an ugly scar is formed.

The Scarf Skin or Epidermis.—Our bodies, with their two layers of skin, are very much like trees. You can run a pin through the thin outer layer, or scarf skin, without causing pain, because it has no blood or nerves. It is this outer skin that puffs up when we have a blister caused by rubbing or burning. This puffed-up blister is filled with a water-like fluid, called serum, from the blood of the true skin or dermis being poured in between the two layers of skin. If you open the blister with a needle, the water runs out. If you now remove the little patch of scarf skin and examine it, you will find that it is very thin and much like the skin that lines an egg-shell. The outer skin protects the inner skin, and yet it is so thin that the nerves in the latter can feel through it. In some parts of the body, as the palms of the hands and the soles of the feet, it is thicker, because of the greater protection needed at these places by the true skin.

The Pigment.—The under side of the scarf skin is colored by little particles of coloring matter, called *pigment*. In different races this coloring matter differs in kind and amount. In white persons there is very little pigment present, while in albinos there is none at all. In Indians the pigment is of a reddish copper color, while in negroes it is black. In some races the pigment is yellowish, while in others it is brown. *Freckles* are due to the fact that the pigment is not evenly spread out on the under surface of the scarf skin, but is in patches.

The Dermis or True Skin.—The inner skin is filled with blood vessels and nerves. It is more important than the scarf skin. For this reason it is called the true skin. It is thicker than the outer skin, just as the inner bark of a young tree is thicker than the outer bark. It is impossible to prick the inner skin with a needle without causing pain or bleeding. There are little thread-like muscles within the skin that cause it to contract, giving the appearance of "goose-flesh," or "goose-pimples," when we are suddenly chilled. Some of these muscles are attached to the hairs in such a way that they can make the shorter hairs stand up straight, as is sometimes done when one is badly frightened. You have seen this done in the case of a short-haired dog when he is cross, or the frightened cat he is chasing. In the deeper portions of the skin are two kinds of sacs, or glands—the sweat glands and the oil glands.

The Sweat Glands.—In almost all parts of the skin are to be found tiny tubes with their lower ends coiled and tied into a knot, and their outer ends open on the surface of the scarf

skin, or epidermis. If you look at the palm of your hand you will see not only many coarse lines, but also many fine ridges with little furrows or valleys between them. If you examine these little ridges with a magnifying glass, you will see a number of little dark spots arranged along each ridge. Each of these little dark points is the mouth of one of the very small tubes mentioned above. Each of these tubes is called a *sweat duct*. These ducts, or tubes, run down through both the outer and inner layers of the skin, and at the under side you will see the end of the tube rolled up into a coil or ball, as can be noticed by looking at the pic-




FIGURE 10.—A section of Skin, greatly magnified, showing the two layers, the glands, and a hair shaft.

ture of a highly magnified section of skin on this page. These coiled-up ends of the tubes are called *sweat glands*. It is in these little glands that sweat, or perspiration, is made.

The Perspiration.—Perspiration, or sweat, is being given off all the time, and it usually dries as fast as it forms. If, in warm weather, we drink a good deal of water, or if we become heated by active exercise, we find that the sweat, or

perspiration, is given off in larger amounts, so that it collects in drops that can be seen on the forehead, face, and other portions of the skin. If you wish to see for yourself that perspiration is leaving the skin all the time, you can easily make an experiment that will prove the fact. Take a small, cool piece of ordinary window glass, touch it to the skin and it will




FIGURE 11.—A portion of the Skin from the palm of the hand, highly magnified, showing the openings of the pores.

soon be clouded over with moisture. A similar experiment is to place your hand inside a glass fruit jar that has been cooled. You will soon see the moisture gather on the sides of the jar. About a quart of perspiration is produced each day, and in a hot day much more.

These pores, or openings of the sweat ducts, are found over the whole surface of the skin. There are nearly three millions of them in all, making from five hundred to two thousand to each square inch, according to the part of the body examined. The total surface of the skin in the grown-up person of average size is seventeen and one-half square feet.

Necessity of Keeping the Pores Open.—If your body were covered over with a paste or varnish, so that all these little pores or openings of the sweat ducts were closed, you would certainly die. An animal covered thus with varnish dies in

about eight hours. Nearly four hundred years ago, one evening at a play in one of the courts of Europe, a boy was covered over with gilt so as to look like a cherub. In a few hours he became very sick, and died before morning, in spite of all the doctors could do for him. He was poisoned because the perspiration was kept in his body instead of being allowed to escape freely as nature demands.

A Cold.—Most colds are the result of so-called “cold infection”; that is, a certain kind of bacteria that one catches from another person who is having a cold. Usually a cold will go through an entire family or a school, only those escaping who have a high “body resistance,” or those who have recently had a cold. Hot, stuffy, unventilated rooms are not only uncomfortable, but are the places where one is most likely to catch a cold. Sudden chilling of the body when one is perspiring lowers the body resistance, congests the membranes of the throat and nose, and prepares the proper conditions for the germs of “cold infection” to grow.

Oil Glands.—There are also in the skin many little oil glands, that are, as a rule, located near the root of a hair, and they empty their oil into a little sac in which the hair rests. The hair takes up this oil, and it is better for your hair than any oil the barber can use. If the skin is healthy, this natural oil will keep the hair smooth and glossy. A stopped-up oil gland will produce a *pimple*; stoppage of several oil glands at one time will cause a *boil*.




FIGURE 12.—The root of a human Hair beneath the skin, highly magnified, showing the two clusters of oil glands.

Hair.—There are many curious little pockets in the skin, and from each of these pockets grows a hair. In birds these little pockets are larger than in our skin, and from them grow feathers instead of hair. On the head the hair is coarse and long. On the arms and back of the hand it is softer and shorter. Stiff hats, by pressing on the arteries that feed the hair, have a tendency to prevent its growth and produce baldness. Unventilated hats have the same effect by shutting out the air.

The average number of hairs on the head is about 120,000. The hair, like the color of the skin, differs with different races. In the Indian it is straight and black. What kind of hair has the negro? The hairs of a white person are not perfectly round, but are oval. The

hairs of the Chinese and Japanese are perfectly round.

The hair should be frequently washed, or shampooed, with mild soap and soft water, in order to keep it in good condition. As we grow old, the coloring matter is no longer present in the hair sac, and as a result colorless or gray hair appears. Hair dyes for coloring the hair are poisonous. So are the solutions used to bleach the hair.

Nails.—The nails of the toes and fingers also grow out of little pockets in the skin, very much as the hairs do. Both hairs and nails are really parts of the outer skin, or epidermis. The nails lie for the most part upon the bare surface of the true skin. The tender true skin lying under the nails is called the “quick.” Do you know why?

The nails are made to give firmness and protection to the fingers and toes. The nails of the fingers are of great service in picking up small objects, in untying a small hard knot, and in many other ways, just as the claws of a bird are useful in assisting it to hold to the twig of a tree. For what purpose are the claws useful to a cat? to a dog?

Hang-Nails.—Sometimes a little narrow strip of skin near the root of the nail becomes torn up, and hangs by one end. This is called a *hang-nail*. If you have ever had one, you know that they are very sore and painful. But biting them off makes them much worse. They should be snipped off close to the skin with sharp scissors.




FIGURE 13.—A piece of human Hair as it looks under a magnifying glass. (The lower portion shown in section only.)

The nails should be kept clean. The black-looking dirt under the ends of the nails contains not only much filth, but often little active germs of disease similar to those that we have learned live in impure water. Sickness has been conveyed in this way.

Uses of the Skin.—The skin is very useful in several ways :

1. *The skin protects the body.* The skin is so soft and close fitting, and yet gives so easily with every movement of the arms and legs, that it is a perfect covering for protecting the body.

2. *It removes waste.* The sweat glands are constantly at work removing from the blood some of the worn-out particles of the body, which cannot possibly be of further use. These waste particles are carried in the watery perspiration through the sweat ducts to the pores at the surface of the body, where they pass off into the air.

3. *Breathing through the skin.* There are animals that breathe altogether through their skin. A frog can breathe so well through his skin that he will live several days after his lungs have been removed. Some little animals can be killed by means of a drop of camphor on their skins. It smothers them much as water in our lungs would smother us. To some extent we breathe through the skin. We should be very careful that the skin be kept clean and healthy so that it will not permit the entrance of impurities into the blood. Perspiration, when dried and allowed to accumulate on the skin, may be carried back into the system and do much harm.

4. *The skin regulates the temperature of the body.* It is a well-known fact that when water dries up, it cools everything

around it. A hot, dirty street in the summer-time may be thoroughly sprinkled, and in drying again, the air becomes cooler. When the air about us is warm, or we are heated by exercise, the heat of the body is reduced by the extra amount of sweat going to the surface of the skin. When the air is cold there is less perspiration, for there is less demand for the body's being cooled off. The skin with its millions of sweat glands, acts as a self-regulating device for keeping the heat of the body at the proper point.

Bathing.—We have spoken of the necessity of keeping the pores of the skin open. If they were to be closed by means of a paste or varnish, death would result. Now at times patches of varnish do gather on the skin, closing the pores. The sweat, that does such good service to the body in carrying out the waste particles, dries on the skin, and that is why we should bathe at least once or twice a week to keep the skin healthy and the pores open, that the poisonous waste may pass out instead of being kept in the blood. At each bath the skin should be rubbed briskly with a towel, to cause a healthy glow. The skin cannot do its work well if the sweat glands are not permitted to fulfill their purpose. A neglect of the skin, by failing to bathe frequently, gives the lungs and kidneys more than their share of the work to do.

Bathing is necessary, then, because three million tiny sewers or sweat ducts are pouring out filth and dead waste matter on the surface of the skin. The watery portion of this waste dries up, leaving upon the skin thin scales that can scarcely be seen. Water not only cleanses the skin, but stimulates the circulation of the blood.

For the purpose of promoting public health, many of our largest cities have provided free public baths. This is in recognition of the fact that frequent bathing is a good method of preventing disease. That the people who have poor bathing facilities in their own homes are glad to avail themselves of these free public baths is shown by the fact that such a large number take advantage of such an opportunity. In Chicago, as an example, several such free baths are maintained, and recently in a single month eighty thousand persons gladly made use of the privilege.

We should not bathe in water that is too cold or too hot; nor when we are very tired; nor just before or just after a hearty meal. Many people, especially boys, prefer to bathe by going in swimming. This is fine exercise, and an excellent way in which to take a bath, but we should remember that it is dangerous to go in when too warm, too tired, or directly after a meal. Many persons are drowned every year by forgetting these cautions, being taken with cramps while in the water.

A Fair Skin.—Bathing keeps the skin fair and smooth, provided the waste matters in the blood are given off in the proper manner. We should arrange our foods so that there will be the smallest possible amount of waste matter to be given off. You must keep the stomach in good order if you would have a fair skin. If the stomach is loaded down with improper food, irregularly eaten, and too heavy meals that are highly seasoned and spiced, the food will not be digested, and the skin will be of a “muddy” appearance, instead of fair and beautiful.

Face Powder.—Paint and powder are in reality a kind of dirt that clogs up the pores of the skin, and in the end makes the skin look worse than ever. A healthy skin has no more need of face powders than a healthy body has need of the doctor's powders.

Clothing.—For the sake of health, it is important that care be taken as to proper clothing. In cold weather there is almost as much danger from too much clothing as there is from not enough clothing. By overdressing any part of the body, as the throat, for example, more than the proper share of the blood goes to this part, and it becomes inflamed. Many sore throats are caused by wearing scarfs and mufflers about the throat. The harm comes from overheating this part of the body, making it "tender," and also from sudden cooling. *Tight clothing* is always injurious. There is no useless space in the human body. The organs within the body need all the room nature has made for them. Tight clothing about the waist crowds the organs whose perfect condition is so necessary to health, and compresses some of them out of place and out of shape. Girls need just as much room for their livers, stomachs, and lungs as do boys. The injury done by tight lacing among American girls is greater, so far as health is concerned, than the injury done to Chinese girls by their fashionable mothers binding their feet so as to deform them into little, rounded stumps. A deformed liver, crowded-up lungs, and a squeezed stomach, are worse for the health than deformed feet. The wearing of flat-heeled shoes, rightly called "common sense," is better for the health than the very high-heeled French shoes, that are sometimes "the style" among some people. Tight

shoes do not permit of proper circulation of the blood, and often cause swellings, corns, bunions, and other deformities and diseases of the feet. The stockings should not be held up by tight elastic garters round the leg, but by supporters, fastened at the waist, or over the shoulders.

If paper was not so easily torn, it would make excellent




FIGURE 14.—Schematic drawing, representing a Corn, as it appears in section on a microscopic slide.

clothing for cold weather, as it is of such a nature as to keep in the bodily heat. On the coldest nights we can keep very warm in bed by spreading a couple of newspapers over us between the covers.

THE KIDNEYS.

You have already learned of the work of the skin in helping the body to get rid of certain poisons. You will also learn of the work the lungs do along the same line. The kidneys also

assist us in getting rid of many impurities, the retention of which would greatly injure health.

The kidneys are among the most important organs of the body. They are two bean-shaped bodies of the same size, each one being a little larger than half the size of the closed fist, so that in the grown person they weigh five or six ounces. One lies on each side of the backbone, at the back part of the cavity of the abdomen under the lower edge of the lowest ribs. The kidneys in our own bodies are very much like those of the sheep or hog.

The Structure of the Kidneys.—The kidney is full of little tubes or sewer drains, very much like those found in the skin. In fact, the kidneys are not very different from the skin. They are very similar to a roll of skin, turned outside in. The glands in the kidneys, that correspond to the sweat glands in the skin, pour their drainage substance into the cavity within the kidney, shown in the picture of the kidney cut in half.

The Work of the Kidneys.—The general plan of work that the kidneys are called upon to do is quite like that of the skin, though different in some respects, and even more impor-



FIGURE 15.—A human Kidney, a little more than one-half the natural size in an adult.

tant. The kidneys separate from the blood poisonous matter, which, if not removed, would soon cause death. The general name given to the poison is *urea*. The sweat glands help us to rid the blood of some of the urea and mineral matter. Though the kidneys do not get rid of much more water than does the skin, they do rid our bodies of many times more urea and mineral matter. If the kidneys become diseased, they cannot get rid of the urea, and then the whole body becomes poisoned, and *Bright's disease* sets in. This disease is very serious.



FIGURE 16.—A vertical section of a Kidney, showing its pelvis

Healthy Kidneys.—You can readily guess that the skin and kidneys are in very close relation. Anything that causes the sweat glands of the skin to be inactive, or closes the pores, makes just that much extra work for the kidneys, and as any organ that has to do more than its share of the work is liable to become diseased, the kidneys, from overwork caused by inactivity of the skin, may become seriously diseased.

One way of keeping the kidneys in healthy condition is to keep the skin healthy by proper bathing. In addition we should drink plenty of pure water, not too hard, that is, not containing too much of certain minerals, and we should avoid eating too much rich food, such as pastry. Pepper, mustard and alcohol are especially harmful to the kidneys.

Danger from Colds.—Some diseases of the kidneys are caused by exposure to the cold, especially if the body is perspiring freely at the time. A cold, you recall, checks the activity of the skin by closing its pores; the blood leaves the skin and goes to the internal organs, such as the kidneys, giving them more than their share of the work to do. At the same time a cold, in driving the blood inward, makes the kidneys do double duty in excreting the poisons, and this overwork, together with the extra amount of blood, may cause inflammation of the kidneys.

QUESTIONS FOR STUDY.

1. What are the uses of the skin?
2. What is the structure of the skin?
3. What causes the differences in complexion in different persons? What is an albino?
4. Do you know any animal that sheds its skin every year?
5. What is a cold?
6. Why is it a good thing to take a hot lemonade when one has a cold?
7. How is the temperature of the body regulated by the sweat glands?
8. Why should we bathe?
9. How is chapping of the skin produced, and how may it be prevented?
10. Why should not the nails be cut too close to the flesh?
11. What causes white spots on the nails?
12. Why do scars remain white, even in negroes?
13. What are "blackheads"?

CHAPTER VI.

THE BONES.

The main part of a tree you call the trunk, and likewise the main part of your body is called the trunk. The tree trunk has growing out from it branches or limbs; your body has two *arms*, or upper limbs, and two *legs*, or lower limbs. At the top of the trunk is the *head*, or skull, joined to the trunk by the *neck*. The main parts of the trunk are, as you already know, the *chest*, the *abdomen*, and the backbone, or *spinal column*. Each arm is joined to the main part of the body at the *shoulder*, and this joint is called the *shoulder joint*. We have each arm divided into *upper-arm*, *elbow*, *forearm*, *wrist*, and *hand*. The *fingers* are branches or parts of the hand. Each leg has a *hip-joint*, *thigh*, *knee*, *lower leg*, *ankle*, and *foot*. The *toes* are branches or parts of the foot. In this chapter we will consider the bony framework that not only gives to the body and its parts form and strength, but is also a means of preserving the shape and solidity of the body.

The Framework of Bones.—If we should attempt to build a house without a framework of sills, studding, and rafters, it would quickly fall in on itself or collapse. You may have visited a ship-yard and have seen the framework of a big vessel, with its great ribs of oak or steel. The bones are the framework of the body, just as the timbers that are put up in

building a house, or the ribs of a vessel, are its frame. If the body had no bony framework, it would be soft and pulpy like that of an oyster. We should then have to live in a shell, as does the oyster, to keep from being crushed. We should also be unable to run about or do any work.

Inside of the body, under the flesh, is a stiff, strong frame, made up of many bones, closely joined and neatly fitted together. The muscles, which we will soon study, make these bones move, and also make the body plump. We have already learned that the skin covers the muscles as the muscles cover the bones. Sometimes we say a slender person is nothing but "skin and bones." This cannot be true; for if there were no muscles, but simply skin and bones, the person could not move his bony framework. About one-seventh of the body is bone, while a little more than one-half is muscle. There are in every human body 206 bones, and they are very different in size and shape. It would be quite a puzzle to build a toy house of more than two hundred blocks, each one of which had its own proper place, and would not fit anywhere else. You would have to work a long while to put such a block house together.

The Skeleton.—All the bones of the body properly fitted together, each bone in its proper place, make up the skeleton. The smallest are the three little bones of the ear—the hammer, anvil, and stirrup. The largest bone is the upper bone of the leg—the thigh-bone (*femur*), between the hip and the knee.

The skeleton is divided into four main parts; namely, the *skull*, the *trunk*, the *arms*, and the *legs*.




FIGURE 17.—Skeleton of a Man.

Shape of the Bones.—

The bones in the different parts of the body are very different in shape. We have flat, curved plates, or shell-shaped bones to form the skull. Round bones, like pebbles, are found in the wrists and ankles; while little, slender bones form the fingers and toes. The backbone is made up of a large number of rings of bone. In the arms and legs we have long bones. Each of these long bones is really a hollow tube with a very hard outside. The inside is filled with a soft fat, called *marrow*. Such a bone is called a marrow-bone. You know the frame of a bicycle is made of hollow tubing. This gives strength and lightness much the same as in the long bones of the body.

Strength of Bones.—Each bone is hard and very strong. The bones are made so as to bend, like a tough stick of wood of the same size, before breaking. A good, healthy bone is twice as strong as an oak stick of the same size.

The Skull.—The skull is made up of a number of plates of bone, so put together as to form a hollow, bony box, which holds the soft, delicate brain, and at the same time protects it. There are eight of these plate-like bones forming the brain box; there are three little bones in each ear, and fourteen bones in the face. This makes in all twenty-eight bones of the head.

The Trunk.—The bones of the trunk are the *ribs* (twenty-four bones), the *breast-bone* (one bone), the *pelvis* (two bones), and *backbone* (twenty-six bones). They form a framework that protects and contains the vital organs, such as heart, lungs, liver, stomach, kidneys, and intestines. The *tongue-bone* (one bone) is included in the bones of the trunk, making fifty-four bones.

The backbone, or spinal column, runs the entire length of the back, and instead of being but one bone, is made up of twenty-six separate rings of bone. Be-



FIGURE 18.—Section of Thigh-Bone, sawn in two lengthwise, showing the arrangement of different kinds of tissue.

tween the rings of bone are thick pads of gristle, which act as springs or cushions, and keep the body from being jolted when we walk, run, or jump.

The ribs extend from the side of the backbone around the sides toward the front of the body, where they are joined by the gristle or cartilage of the flat breast-bone. The ribs look a little like the hoops of a barrel. With the backbone and breast-bone they form a box-like cage called the *chest*, which contains, and at the same time protects, the heart and lungs.

The Arms.—Each of the arms, above the wrist-joint, has five bones. They are the *collar-bone*, which joins the shoulder to the breast-bone; the *shoulder-blade*, at the back of the shoulder; the *upper arm-bone* between the shoulder and the elbow, and the *lower arm-bones* between the elbow and wrist. There are eight little bones in the wrist, five bones in the palm of the hand next to the wrist, and fourteen bones in the fingers. This makes thirty-two bones in each arm, or sixty-four bones in both of the upper limbs.

The Legs.—The bones of each leg are the *thigh-bone* (called the femur), extending from the hip-joint to the knee, the *knee-cap*, the two *lower leg-bones*, the *heel-bone*, six other little bones in the ankle, five bones in the *instep* (the part of the foot next below the ankle joint), and fourteen bones in the toes. This makes in all thirty bones in each of the lower limbs, or sixty bones in all. We have, then, in the

Skull and face	28 bones.
Trunk	54 bones.
Arms	64 bones.
Legs	60 bones.

A total of 206 bones in the human body.

Comparison of the Hand and the Foot.—In many respects the hand and the foot are much alike. The toes are shorter than the fingers, and not so movable. You cannot move the big toe as you can your thumb. The instep is much stronger than the wrist, because it must do heavier work. It must not only be strong enough to hold up the weight of the body, but in addition must bear the weight of any load we carry. On the



FIGURE 19.—Mechanism of the Hip-Joint.

whole, the foot would make a very clumsy hand, and yet we know of people without arms that can use their feet quite well to do the work usually done by the hands. An “armless wonder” may so educate and train his toes to do the work of the fingers as to be able to hold a pen and write quite well, or even hold a brush and paint pictures.

The Joints.—The places at which two or more bones are fastened together are called joints. . Some joints move quite freely, as the *ball-and-socket joint* of the shoulder or hip, or the *hinge-joint* of the elbow, knee, or finger. Others have no motion, as the bones of the skull. Hinge-joints can open and shut in one direction only, like the blade of a penknife. If the arm or leg is straight at the elbow or knee, and should be bent in the wrong direction, the bones are either broken or put out of joint. In a ball-and-socket joint, as that of the hip or shoulder, the end of the long bone is rounded like a half of a ball. This rounded end fits into a cup, or socket, in the other bone, making it possible for the arm or leg to be moved and turned in any direction.

Cartilage.—The ends of the bones which rub together at a joint are protected by a smooth, tough covering which acts as a cushion and keeps the ends of the bones from wearing. The tough cushion is made of gristle and is called *cartilage*. You have seen this at the end of one of the bones in a joint of beef, or “soup-bone.”

The inside of the cup, or socket, is lined with a little fine skin, or membrane, made into a bag filled with a fluid like the white of a raw egg. This liquid oils the joints, keeping them from becoming dry. Just as we oil a rusty hinge to keep it from squeaking, or oil the joint where the blade is attached to the handle of a knife to make it open and shut easily, so nature provides for the oiling of the movable joints of the body. If the joints were dry, every movement of the body would become not only difficult, but very painful.

The bones are held together at joints by stout bands of muscle, called *ligaments*.

The Periosteum.—Live bone is covered smoothly over with a tight, tough, strong, thin membrane. This cover extends over the whole surface of the bone, except at the joints, where the cartilage takes its




FIGURE 20.—A section of Bone, showing periosteum partially removed.

place. This membrane, or thin, skin-like covering of the bones, is called the *periosteum*. It is very important for two reasons:

first, the muscles grow fast to the periosteum much more easily than they would to dry bone; second, if a portion of the diseased bone is removed, and the periosteum is not injured, new bone will form in the place of the decayed bone that has been removed. If, however, the periosteum itself is removed or injured, the bone substance dies, and new bone is not formed. The periosteum is full of blood vessels, some of which pass beneath it into the bone substance, and in this way the bone receives the nourishment needed for health and growth.



FIGURE 21.—Bone tied in a knot after mineral substances are removed by action of acid.

Of What are the Bones Composed?—The bones contain mineral matter and animal matter. Animal matter toughens the bones and keeps them from crumbling. The min-

eral matter consists chiefly of lime and keeps the bones from bending too easily. This lime can be dissolved out of the bone by soaking it in weak acid. The bone retains its size and shape, but may be very easily bent like a rubber tube. When the mineral matter is out of the bone, it is so easily bent that we can tie it in a knot, as you see in the picture. The bones of young people contain a larger proportion of animal matter than the bones of older persons, and are more easily bent. This is the reason little children often become bow-legged. In walk-



FIGURE 22.—Foot of Chinese Woman.

ing at too early an age, the weight of the body causes the bones of the legs to bend.

If we burn a bone, it becomes much lighter and much more brittle. By burning a bone we take out the animal matter and leave only the mineral lime and chalk which will not burn. The mineral

matter is needed to keep the bones stiff and firm, while the animal matter is required to make them tough and keep them from breaking easily.

You remember that our food must contain some mineral matter to keep the bones in healthy, firm condition, and prevent them from becoming soft and gristly. Like the tender, green twigs of a tree, the soft bones of a young child bend very easily. We all know that the branch of a tree not only may be very easily bent, but may be kept bent for a time, and will grow hard and firm in this position, always remaining bent and

deformed. Likewise, the body of a child may be deformed. In China it is the fashion for rich ladies to have small feet, so when they are children the bones of their feet are bound and pressed together. This deforms the foot both in size and shape. Tight, pointed shoes make our toes grow out of shape by cramping them and twisting them to one side. A high-heeled shoe deforms the instep.

Improper Positions.—When we are young our bones are so soft and so easily bent that they very readily grow out of shape if we allow ourselves to make use of improper positions in sitting, standing, walking, or lying down. In this way we may grow to be flat-chested, round-shouldered, with badly curved backbones, and have a number of other deformities. By sitting, standing, or walking erect we may make our backs straight, our shoulders even, and our chests full. A soldier is straight because he has been compelled in drilling to keep his back straight, his shoulders even, and his chest out.

Many boys and girls have misshapen and deformed bodies because they have not had school seats and desks to fit them. We must sit, stand, and walk with our shoulders well back and




FIGURE 23.—Showing curvature of the spine, caused by sitting in improper positions.



FIGURE 24.—Improper position, because of too high a desk.

our chests well out, so as to have well-formed bodies. A school seat or desk, too high or too low, will cause ugly curves in the backbone, and thus deform the body.

School Seats and Desks.—The seats and desks should be so made as to be raised or lowered according to the height of the boy or girl using them. The seats should be low enough to permit the feet to rest upon the floor. If the school seat cannot be lowered so that the feet can touch the floor, a board plank or a couple of bricks should be placed on the floor so that the feet will not have to hang without any support. If the feet are not resting on the floor or some support, the legs become very tired, and in addition, deformity and injury of the body are caused. Older people do not seem to know that in church and other places where the seats are too high for the feet of little children to touch the floor, their legs become tired much more quickly than do the legs of grown-up people.

Neither should the seat




FIGURE 25.—Incorrect position, due to seat and desk being too low.

be too low. It is just as harmful for a large, long-legged boy to sit in a seat too low, as it is for a smaller boy to sit in a seat too high from the floor. The boy with long legs will have to bend them up or twist them about the seat so that they do not grow straight, and do not help to support the weight of the body in sitting. Besides, his position will be very uncomfortable, and he cannot do as good school-work as if he were more comfortably seated. We cannot do our best studying when we are tired, and we can by no means do the good work of which we are capable if we are compelled, by the size or shape of the seat, to sit in an uncomfortable position. But most serious of all is the danger of deformity that will result from continued use of an ill-fitting seat and desk.




FIGURE 26.—An adjustable seat and desk.*

Adjustable Seats.—In order to make it possible for school seats and desks to be of the proper height, they are now being made so that they may be raised or lowered. Such a desk or seat is called *adjustable*, because its height can be readily changed. There are many such seats and desks now being used. The one here pictured * is raised and lowered in the same manner as is a revolving office chair.

* From "Hygienic Desks for School Children," by Dr. Mosher, in *Educational Review*, June, 1899.

Growing Out of Shape.—By standing habitually on one foot, sitting bent forward for any considerable length of time while reading or studying, sleeping with head raised too high on a very thick pillow, walking in a slipshod, careless manner, we are placing ourselves in great danger of having our bodies



FIGURE 27.—The same seat and desk, used in writing.

grow out of shape. While we are young the framework of our bodies is growing, and our bones very easily take the shape we give them. To give them the right form we must fix firmly the habit of holding the body erect. In holding the shoulders back, we make the chest stand out full, giving more room for the heart and lungs, and we can in this way breathe more air and have better blood, and at the same time make the form of our bodies more and more as it should be.

Broken Bones.—Sometimes by accident the bones may be broken, just as a stick may be broken (see frontispiece). At the broken place the ends are splintered much as in the case of a broken stick. The bone should be set in proper shape as soon as possible after the injury, and the parts held firmly together in the same position by means of a thin piece of board, or shingle, called a "splint." Sometimes it is necessary to use a plaster-of-paris cast in bandaging the broken member, in order to hold the broken parts together

securely. After it is set and bandaged, Mother Nature does the rest of the work. The broken ends are quickly surrounded with blood, which clots. This jelly-like mass which surrounds the fracture gradually hardens by taking into itself mineral matter from the blood, until at the end of a few weeks hard bone is formed, firmly binding the broken ends together. Sometimes the portion thus mended becomes even stronger than the original bone.

Sprains.—Sometimes the little fibrous bands, or ligaments, that hold the bones together at a joint, are overstretched or even torn by sudden twisting or turning. A finger or a thumb may be sprained by being bent too far back, and an ankle by being turned suddenly to one side. A sprain is a very serious acci-

dent. Sometimes a sprain is even more serious than a broken bone. There should be complete rest of the part sprained until it can be used without pain. If the ligaments are torn so badly that the ends of the bones are out of place at the joint, we have a *dislocation*, or bones out of joint (see frontispiece). This is always a serious accident. In pulling at your fingers to make them “crack” at the knuckles, you are weakening these joints, and at the same time causing the knuckles to grow into large lumpy knots.



FIGURE 28.—The same seat and desk, used in study.

CHAPTER VII.

THE MUSCLES.

You know the bones are covered over with a soft substance which we call flesh. We eat the flesh of animals, and as you look at a beefsteak you will discover that some of the flesh is white or yellowish, while the rest of it is red. The white or yellow flesh of a piece of beef is fat. The red, lean flesh is composed of *muscles*.

The bony framework of the body is covered over with muscles, which constitute more than half the entire weight of the body. The brain does the mental work; the muscles do the physical work. Of course you are aware that the arms and legs, the fingers and toes, the mouth and tongue, the eyes and heart, are all moved by means of muscles. Bend the arm at the elbow so as to bring the hand to the shoulder as strongly and as far as possible, and you will notice the muscle of the upper arm bunch up under the skin. You can both see and feel it. If you are right-handed, and therefore use the muscle of the right arm more than you do that of the left, the muscle of the right arm is larger. Look at the back of the hand as you move your fingers, and you can see the action of the cords that run from your arm to the finger ends. Clasp the left hand tightly round the right arm just below the elbow, and you can readily discover the action of the muscles of the arm




FIGURE 29—Showing some of the Muscles of the Human Body. Observe the marked differences in shape.

that have so much to do with the movements of the fingers. Place the tips of the fingers at the side of the face, just in front of the hinge of the lower jaw; now shut the teeth firmly and note the bulging of muscle.

Number and Shape of Muscles.—You have about five hundred different muscles in the body. They are arranged in such a way as to give the body a rounded and beautiful appearance,




FIGURE 30.—Showing the Structure of Muscles.

and at the same time to do the best work in moving the body and its parts in the easiest and most useful fashion.

The muscles are of many different shapes and of various sizes. The largest muscle of the back, the chief one

used when pushing the body up from the ground by means of the arms, weighs several pounds. One of the muscles of the legs, the one used when we cross the legs "tailor fashion," is two feet long. One of the muscles inside the ear, the stirrup muscle, is but one-sixth of an inch long and weighs only one grain. Many of the muscles are arranged in pairs so that we have two alike both as to size and shape—one for each side of the body.

Structure of the Muscles.—If you look at a piece of corned beef that has been well boiled, or a slice of chipped dried beef, you will see that it seems to be made of bundles of small fibers or threads of flesh. With a sharp needle or pointed knife-

blade you can pick one of these small fibers into smaller and finer threads. Looked at under the microscope, it is found that any one of these is made up of still finer fibers, finer than the finest silk thread, even much finer than the finest thread of a spider's web. Each one of these very fine threads of flesh is called a *muscle fiber*. Many of them bound together into a single bundle make a muscle.



FIGURE 31.—Showing how the muscles shorten and thicken when the arm is bent.

How the Muscles Act.—

When we make a muscle act, each of its tiny little threads makes itself shorter and thicker, just as a stretched rubber thread becomes thicker if we



FIGURE 32.—Showing how the muscle appears when arm is extended.

let go of one end and permit it to go back to its original size and shape. Measure with a tape the circumference of the

upper arm when the arm hangs down free; measure it again when the arm is bent with the hand to the shoulder. In the same manner measure the forearm a short distance below the elbow when the hand is open, and again when the hand is tightly clenched. By such experiments as these we learn that when a muscle works it becomes shorter, thicker, and harder.

Muscle does its work by shortening. In shortening it pulls on the bones and produces motion. When a muscle shortens it is said to "contract," but inasmuch as it occupies the same amount of space all the time, the word "contract" is scarcely correct; for when muscle shortens it does not get smaller, but thickens in proportion, and thus fills the same amount of space that it did before.

A muscle cannot be kept shortened any great length of time. If you hold your arm out straight as long as you can possibly do so, it at first feels tired, then finally it pains. The muscles are so related to each other as to have periods of action and then periods of rest. In many of our bodily activities, such as walking, one set of muscles acts while the other set rests, or gets ready to act again. This is why it is not so tiresome to walk one hour as it would be to stand perfectly still for a much shorter time. One muscle (biceps) bends the arm at the elbow; another muscle (triceps) unbends or straightens the arm. When one of these muscles is shortened, the other is lengthened. In order to be ready for action, the muscles are always slightly stretched. This is why, when a cut is made into the flesh, the wound always gapes open.

Muscle Fastenings.—Most of the muscles are made fast to the bones, and, as a rule, one end of the muscle is attached to

one bone and the other to another bone. Sometimes one end is fastened to a bone, and the other end attached to the skin or to other muscles. There are some muscles that are not attached directly to the bones, but are made fast by means of hard, firm cords called *tendons*. You can feel tendons by placing the thumb of one hand upon the wrist of the other hand; then by working the fingers of the latter hand, you will quickly discover these small, hard cords moving under the skin. The tendon just above the heel supports the weight of the body when we stand on tiptoe. It is the largest tendon in the body, and is called the *tendon of Achilles*. Your teacher will tell you how it got its name.

Motion.—Motion is the most prominent sign of life.

If an animal shows no movements whatever, it is no longer alive. We move to get our food; and we move when we eat and digest it. We move to avoid injury, as when we dodge. Even during sleep the movements of breathing occur. Place your




FIGURE 33.—Knee-Joint, showing tendons.

hand on the left side of your chest, and you feel your heart beat. Your finger placed at the wrist can feel the beating pulse. To taste food properly, we move the tongue about; to see, we open our eyelids and turn the face toward the object; to smell, we sniff with our nostrils; to hear, we turn the head—and there is motion within the ear to adjust its various parts that we may hear correctly; to feel, we move the hand or finger to touch the object. There is motion when we speak, when we write, when we laugh, when we sing; there is motion in the expression of the face. Motions are necessary to every process of life, and all motions are produced by the muscles. How important, then, the muscles are! How necessary that we keep them healthy by the proper food and exercise!

How to Make the Muscles Strong.—If we rightly use our muscles, they will surely become strong. As a rule, the muscles we use the most are the strongest, unless they have been so overworked that they give out. The arm we use the more is stronger than the other arm. The arms of the blacksmith, boilermaker, or carpenter are much stronger than the arms of persons who do not exercise them. The calf of the leg of a soldier on the march, or of a letter-carrier who must walk a great deal, develops into a great bunch of hard muscle. Men who work out of doors at healthful labor are much stronger than tailors or clerks, who use only a few of their muscles, and are confined by their work indoors. Boys and girls who live where they can play and work out of doors are very fortunate. They will become much stronger and be more healthy than the boy or girl shut up in the dingy rooms of a tenement house in one of our crowded cities.




FIGURE 34.—Muscles of the Back.

Children of the very rich who are not so fortunate as to have regular work to do that would give their muscles exercise, and who, instead of walking, skating, or romping with other children, ride about in a carriage, and are treated as delicate flowers in a hot-house, are also to be greatly pitied. They are often saved from the work that would do them much good, and develop their growing muscles, by servants and others who are employed to do their work for them. It may be very nice to have fine clothes of delicate colors, but I am sure every boy and girl will agree with me that it is a great deal better to have clothes that permit us to exercise all we wish without soiling or tearing them. Little Lord Fauntleroy, with his close-fitting velvet suit, fine slippers, and long, carefully arranged curls, may be the kind of boy for a picture; but the boy who is healthy and happy is the one with strong, loose clothes that have big pockets bulging out with string, nails, marbles, and other of his treasures, who can thus use his muscles freely as he does his work or plays games.

Necessity for Exercise.—The muscles get food, nourishment, and strength from the blood. Exercise causes more blood to flow to the muscles, and in this way exercise brings more food to the muscles, making them develop. It is a well-known fact that the time to develop, train, and educate any muscle is at the time of its most rapid growth. The proper time to develop, train, and educate the muscles of the arm is when they are growing most rapidly. After the muscles have acquired their growth they cannot be benefited so much by exercise as they would have been could they have been intelligently and extensively used earlier. Exercise while we are young does

much more good than it will do when we are older. As we become older, our muscles become more fixed in form and size, and exercise of them does not accomplish what it would have when they were younger and more plastic. In a separate chapter we will speak of the best kinds of exercise for boys and girls. You will then learn what exercises are helpful in the growth and development of the muscles, and what exercises are harmful.

Necessity for Rest.—To use the same set of muscles very long renders them not only very tired, but very weak. After our muscles have been properly exercised, they should be rested. To become too tired is not only very painful, but very injurious. It has been proven that great fatigue actually poisons the blood. If we

inject some of the blood of a very tired rabbit into a healthy one, it will die because of the poison of fatigue in the blood of the tired animal. Exercise is good, if it is of the proper kind and amount; but overwork and overstrain of the muscles are always injurious. Some children do not grow to



FIGURE 35.—Muscles of the Face and Neck

their full size or strength, because when yet young and growing fast, at the age of from ten to fourteen, they quit school and go to work at some employment too heavy for them, either in store, factory, mill, or mine, and by overworking their muscles become very tired, thus stunting their growth and preventing their reaching the full development necessary to healthy, happy lives. Muscles used until they are strained become weaker instead of stronger, for they will wear out faster than they can be fed by the blood.

Round Shoulders.—Curvature of the spine and round shoulders are generally the result of improper positions. A person becomes round or “stooped” shouldered by standing or sitting in an improper position until the backbone, or spinal column, loses its right shape. Sitting at a desk too high or too low injures the muscles as much as it does the bony framework, which, as you recall, was discussed in the last chapter. The muscles of our backs, if they are properly used, hold us up, throw our shoulders back and keep us in an erect position. A lazy person will let his shoulders stoop, and hold himself up by leaning against a table, desk, or the wall while standing. Sometimes such a person wears shoulder-braces to keep the shoulders in their proper position. These braces usually do harm because they rest the muscles and prevent them from doing the work they should, thus allowing them to become weak. Soldiers have a better way. They make the muscles hold the shoulders back by constant drill in the line, and by standing and walking in an erect position. It is easy to get these muscles so well developed by military drill that it will be perfectly natural for us to sit and stand erect, and be painful

for us to let our shoulders become stooped and round as the body lops forward, even for a few minutes. Military drill is a very good thing for schoolboys, whether they receive it in a gymnasium, or get it by organizing a military company. It would be a good thing if in every school there was such a military company formed and a short drill had every day. Round shoulders, then, come from careless habits of sitting and standing, or from improper seats and desks in the schools. Such a position as we have in stooped shoulders narrows the chest, makes it of less capacity, and weakens the lungs, thus in a measure causing injury to the health. The reason that the peasant women of Europe, who work so hard, have such straight, erect bodies, is that they are often compelled to carry heavy burdens on their heads. These heavy loads cannot be carried on the head unless one walks erect and steady, so these women come to have straight backs. Careless habits in sitting not only do much harm, but are hard to correct. If they are not corrected in our youth, the muscles become so fixed and "set" that such habits are not overcome in later life.

Effects of Inactivity.—We know, then, that in order to make the muscles strong, they must be used. To make the whole body strong, every group of the five hundred muscles in the body must be exercised. If your arm should be tied in a sling and kept there, and you should, as a result, use the other arm only, the idle arm would become small, sickly, and weak, while the used arm would continue to develop and grow large and strong. Any part of the body, any set of muscles which is not used, will surely become weak in the course of time. We should, therefore, take a certain amount of exercise

or muscle activity each day, just as we necessarily take a certain amount of wholesome food and drink each day. Both are equally important to life and health.

Self-Acting Muscles.—There are some muscles in the body that act not simply when we wish them to do so, but when it is necessary, whether we wish them to or not. The muscles which cause the heart to beat, or cause us to sneeze or hiccough, are of this class. Did you ever try to stop sneezing or hiccoughing? If you have, you have discovered that though you tried hard you could not succeed in your effort. The muscles which act of themselves are called *involuntary muscles*. The muscles that move the arm, hand, or tongue, act when we wish them to do so. They receive their orders from the will, and act accordingly. Such muscles are called *voluntary muscles*. If the muscles of the arm were of the self-acting kind, we could not direct its movements. If the muscles of the heart had to be directed by us, and were not self-acting, we would have to stay awake all the time to keep the heart beating and its muscles going. Do you not think it a very good arrangement to have some of the muscles of the body self-acting or involuntary?

Effect of Alcoholic Drinks upon the Muscles.—Alcoholic drinks never do any good to the muscular system, and often do great harm. Continued use of alcohol as a beverage causes lasting changes for the worse in muscle structure. The fat cells become too abundant and take the place of proper muscular tissue. Indulgence in alcoholic drinks frequently causes enfeebled heart action and “fatty degeneration” of the heart. Alcohol diminishes the power of endurance. Men endure more cold and more hard work without alcohol than with it.

CHAPTER VIII.

THE BLOOD AND ITS CIRCULATION.

You have already learned that all parts of the body derive their food and nourishment from the blood. Each part selects from the blood just the food it needs. The solid food we eat is dissolved, as you remember, by the process of digestion, and is then taken up by the blood and carried to every portion of the body.

Every living plant or animal of the higher sort secures its food by means of a fluid circulating through it. In plants this fluid is the sap; in insects, a colorless, watery blood; in fish, a red but cold blood; in man, red, warm blood. On account of its necessity to life it is often called the "river of life," and sometimes the "vital fluid."

The Blood.—About one-twelfth of the weight of your body is blood. When you weigh one hundred and twenty pounds, your body contains about ten pounds, or about one and one-fourth gallons of blood.

You have perhaps seen a microscope, and know that it is an instrument which, when we look through it, makes objects appear many times larger than they really are. Looked at through the microscope, the foot of a fly appears as large as your hand. When we look through a microscope at a drop of impure water, we see that it is full of living animals, so little that they

cannot be seen by the naked eye. Now, if you place a single drop of blood under the lens of the microscope, and look at it, you will discover that the color of the blood is caused by little, flat, round particles, so small that it takes three thousand of them, placed side by side, to measure an inch. These discs are called *corpuscles*. While the blood appears, to the unaided eye, like any red fluid, such as dark red ink, the




FIGURE 36.—The Corpuscles of the Blood.

microscope plainly shows that there are two parts to the blood—a colorless, watery fluid, called *plasma*, and the tiny bodies called corpuscles.

The Corpuscles of the Blood.

—Most of the corpuscles are red, and they give to the blood its color. A few of them are white. The red ones are more important as well as many times more numerous, for they act as

food carriers to all parts of the body. In the healthy person there are five hundred red corpuscles to every white one. These little red bodies go floating through the veins and arteries like little rubber boats, for they sometimes stretch out long and thin, in order to get through the narrow channels, valves, and gateways in the small blood tubes. In a drop of blood there may be found from three to five millions.

The Use of the Corpuscles.—The red corpuscles, which we have compared to little rubber boats floating in the waters of the blood, have a very important work to do. They go to the

lungs which are filled with the fresh air just breathed in, and they come close to the air in the lungs and take from it as big a load of oxygen as they can carry. Oxygen is a gas contained in the air, and is one of the many things that strengthen, refresh, and repair the body. These little red corpuscle boats float from the lungs through the limbs to the very tips of the fingers and toes, through the finest little hair-like blood canals, and to the finely woven web of blood vessels on the surface of the brain, carrying oxygen to the nerves, muscles, and other tissues of the body. Just as soon as they give up their oxygen, these same corpuscles hasten back through the veins to the heart, and then again to the lungs for another load of life-giving oxygen gas. Because of the special work they perform, the red corpuscles are called oxygen carriers. The white corpuscles have work to do in keeping the body in good repair, and seem to stop at any portion of the body where, on account of disease or injury, there is any mending to do. They also destroy poisons.

While no part of the body could live without the blood to nourish it in the way we have described, we must not forget that the blood renders also another great service by gathering up the waste and poisonous materials and carrying them on to be cast out of the body. No part could live if these waste impurities were not carried away. Not only is the blood the feeder, but it is also the sweeper and cleaner of the body.

Circulation of the Blood.—Because the blood goes round and round in your body from the head to the lungs and back again, then to the hands, feet, and heart, and then back again to the heart, in something of a circle, it is said to *circulate*. The

tubes through which the blood is carried to and from various parts of the body, are called blood vessels. There are three



FIGURE 37.—Large Arteries of the Leg.

kinds of these blood tubes or blood vessels. One set carries the blood out from the heart to the remote parts of the body; these are the *arteries*. Through another set of blood vessels the blood flows back to the heart; these are called the *veins*. The arteries and veins are blood vessels through which the blood is carried, but the blood stream of one flows in an opposite direction to that of the other. At various points in the body, more especially at the places farthest away from the heart, are little hair-like canals, or tubes, arranged in a sort of network. They connect the arteries and veins. These little blood vessels form the third set and are called *capillaries*.

The Arteries.—The arteries or blood tubes that carry the blood from the heart to the various parts of the body, have strong, tight, and tough sides, or walls, so that they cannot easily leak or burst. These walls of the arteries contain many little muscles that make them larger or smaller, as the case may be, according to the amount of blood required to be conveyed to the different parts of the body.

Capillaries.—While the arteries are quite large near the heart, they divide and subdivide as they leave the heart, and go toward the extremities, until they have separated into a large number of very fine tubes called capillaries. The network of the capillaries is so fine and delicate that they touch every cell of the living body. You cannot prick through the skin with a needle, or cut your finger even very slightly, without tearing the walls of some of these little capillaries and causing the blood to appear on the skin. The walls of the capillaries are not so tough, thick, and tight as those of the arteries. Indeed they are very thin, so that the fluid part of the blood, the plasma, containing food, can soak or seep through to every little particle of nerve, muscle, and bone near them. Even some of the white corpuscles are able to squeeze their way through the side walls of the capillaries to places where they are needed to do the repair work. The tubes are as small as the finest hairs, and the red corpuscles can just squeeze their way through toward the ends of the veins.

The Veins.—The capillaries again come together and form larger tubes, called veins. The veins increase in size the nearer



FIGURE 38.—Veins of the Leg.

they are to the heart. They carry the blood from the various parts of the body to the heart. The blood in the veins contains much waste matter and poisonous impurities thrown off by the bodily tissues through which it flows. Many veins are provided with little gates, or valves, that open only in one direction. These little valves are so arranged that they permit the impure blood to flow only toward the heart (see Fig. 39), and will not let this poison-laden blood get back to the cells of the body, which the blood, when pure in the arteries, fed, swept, and cleaned. Every vein is found close to the artery which brought the blood to it.

The blood is kept constantly moving in the tubes, but in one direction only—from the heart, through the arteries, and through the fine network of the capillaries. These then merge into tiny veins, which unite to form larger veins, through which the blood continues its journey back to the heart. The various parts of the body receive blood in proportion to their size and the extent to which they are used. Thus, the brain, though it weighs but one-forty-fifth as much as the rest of the body, uses one-eighth of all the blood supply. A piece of bone weighing as much as the brain would receive very little blood in comparison, because bone is quite inactive.




FIGURE 39.—Valves of the Veins. A, vein spread apart; B, section lengthwise through the vein.




FIGURE 40.—A. Valve open. B. Valve closed.

Arterial and Venous Blood Compared.—When the red blood corpuscles have a plentiful supply of oxygen, they are of a bright red color, and the blood in which they flow is a bright scarlet. This bright blood is found in the arteries, and is called *arterial blood*. After passing through the capillaries, these same corpuscles that were bright red in color have become dingy and dark, because they were robbed of their loads of oxygen by the tissue that was starving for the life-giving food, and were loaded down with impurities such as carbonic acid gas and other poisons. When they reach the veins they give the blood a darker, bluish, color. The blood found in the veins is called *venous blood*. Arterial blood has more oxygen; venous blood more carbonic acid. Arterial blood is purer than venous blood.




FIGURE 41.—The Heart.

Arterial blood brings oxygen to the tissues; venous blood takes carbonic acid back to the heart and lungs, where it is gotten rid of and breathed out or exhaled from the body. The blood is always kept moving in the three sets of blood vessels or tubes—the arteries, the capillaries, and the veins. What keeps the blood in constant motion?

The Heart.—If you place your hand over the chest a little to the left of the breast-bone, you will find your heart beating steadily in a machine-like manner. The heart is really a live pump that keeps pumping away as long as we live. If it stops pumping we die. If you count your heart-beats as you stand still, you will find that there are about eighty per minute.




FIGURE 42.—Showing Cavities of the Heart.

When we run and jump, or go rapidly upstairs, the heart beats much faster than when we are standing or sitting. The heart is made up of involuntary muscles, and is almost the size of its owner's tightly doubled fist.

The heart lies to the left of the middle of the body, and just below the level of a line drawn connecting your two armpits.

The heart has four chambers or cavities. First, it is divided lengthwise by a firm, tough muscle wall so as to make two bags. Each half is a complete bag, and also a complete pump. The lower part of each side of the heart is called a *ventricle*, while the upper part of each half is called an *auricle*. The middle muscle wall that divides the heart lengthwise from the base of the point, or apex, has no direct openings, so that the ventricles are not connected with each other, and the auricles do not open into each other. Each ventricle has two openings.

The gateway at the upper part of each ventricle opens from the auricle just above. This hole has a valve-like gateway, which is easily and tightly closed by two curtains. An opening in the side furnishes a passageway into an artery. The blood cannot get back from the ventricle into the auricle. As soon as the ventricle becomes filled with blood, the muscles that form its walls contract, making the ventricle smaller. This squeezes out the blood so that it goes into an artery.

Course of the Blood Through the Heart.—You can follow the course of the blood as it passes through the heart by closely observing the accompanying diagram. The venous blood first enters the heart at the right upper chamber, called the right auricle, and passes




FIGURE 43.—A diagram, showing Course of the Blood Through the Heart.

gateway into the right ventricle. The right ventricle, by suddenly squeezing itself when it becomes filled, sends the blood to the lungs to come in contact with the air we have inhaled, and the blood thus becomes purified and bright red again, the corpuscles having rid themselves of their load of poisonous carbonic acid, and having taken up a fresh load of oxygen from the air. This purified and enriched blood then

passes to the left auricle, the upper chamber at the left side of the heart. From here it passes into the left ventricle, which, as soon as it becomes filled, suddenly squeezes its muscle walls together and forces this new arterial blood to the various parts of the body through the arteries and capillaries, from which it passes through the veins back to the heart to take the same journey over again. It takes from twenty to thirty seconds to send a drop of blood on such a "round trip" as we have described.

Why the Heart Beats.—You have learned that food, water, and oxygen are taken into the blood, and that this "vital fluid" contains all the food needed to repair the wasted tissues as they wear out from constant use. But if the blood simply remained in one place, and was not forced about, it would not do any good. It would soon get rid of its food, become loaded with poisons from the waste substances, and the various parts of the body would gradually die. You have noticed, if you ever wrapped a rubber band or thread tightly around your finger, that the part thus shut off from the active blood coursing to and from the heart became so numb and cold that it was practically "dead." If the blood should stand still, every part of the body would be affected in the same way. The heart beats in order to keep the blood in continual motion. It does not make so much noise as does the snorting fire-engine as it squirts the stream of water over the fire, but it does its work just as effectively. The heart has two important nerves connected with it that regulate the rapidity of its beats. One nerve causes the heart to go faster, as when we have been jumping or running, or going upstairs in a hurry. The other nerve makes the heart slow up if it tries to go too fast. These two

nerves are the heart's regulators, in the same sense as a watch or clock has its regulators to fix its rate of movement.

Why the Heart is Double.—The heart is wisely arranged in having two similar sides, or halves. The one half receives the blood from the body and sends it to the lungs to get oxygen from the air. While the right auricle and ventricle are thus occupied, the left side is sending the newly enriched blood to the various parts of the body, and in this way the heart is enabled to do double the amount of work it could do, if, like the heart of a fish, it had but one auricle and one ventricle. The walls of the left ventricle are thicker and stronger than those of the right ventricle. This is because more force is required to send the blood from the left ventricle to the remote parts of the body than is required to send it from the right ventricle to the lungs.

The Amount of Work the Heart Does.—We can hardly realize the amount of work this busy little organ does each day and hour in keeping us alive. The heart beats, on an average, more than four thousand times an hour, and about a hundred thousand times a day. If all the force exerted by the heart in a single hour was used at one time, it would be enough to lift a big load, for it would raise over ten thousand pounds a foot from the ground.

The Heart Rests.—All the tissues of the body to be kept in healthy condition must have rest. The heart has its time to rest. It does not have long recesses such as you have in your school. Each recess is no longer than the time required by you to wink your eye. After each part has done its work by contracting its walls, it rests just an instant before it contracts

again, just as in walking one leg rests while the other is being used in taking a step. The rest periods of the heart are exceedingly short, only six-elevenths of a second, but if all these short intervals were added together it would make a total time of about thirteen hours each day. Are you not glad that the heart does not take all its rest at one time? What would happen if it did so? Is it not fortunate that the heart is a self-acting, involuntary muscle, instead of a voluntary one that must be continually ordered to do its work, as are the muscles of the hand or arm? How wide awake we should have to be to keep the heart going! We should have no time to do anything else—no time to do any work or engage in any play. We should never have a moment's sleep or rest, and besides we should not be able to keep it going regularly, and thus would not keep the body healthy. Nature has certainly acted wisely in making the heart self-acting.

How Fast the Heart Beats.—Sometimes the heart beats more rapidly, at other times more slowly. The heart is very easily influenced by our thoughts, our feelings, and the various physical activities. You know that it beats faster when we run upstairs, jump the rope, or run to the bases in playing ball, than when we stand still. It beats faster when we are standing than when we are sitting; faster when we are sitting than when we are lying down; faster when we are awake than when we are asleep. The more active we are, the more rapidly does the heart work. Why? Because when we are more active the tissues of the body wear away more rapidly, more waste matter and impurities are thrown off, and more fresh, pure blood is required by the parts of the body that

have been so actively engaged, and the heart must pump the blood faster to accomplish this.

Effect of Mental Activity on the Heart's Action.—Likewise, mental activity affects the rapidity with which the heart does its work. The kind of mental activity also makes a difference. The heart beats differently when we are engaged in reading a piece of poetry from the way it does when we are adding a column of figures. When we are engaged in hard study and severe mental work, there is more fatigue poison going from the tired brain into the blood than when the brain has but little to do. Excessive mental activity makes the heart work faster in pumping fresh blood to the brain, just as great physical activity makes it send the blood more rapidly to the various parts of the body. Excitement, as in happiness, joy, anger, and fright, makes the heart beat rapidly. In sorrow, sadness, grief, or low spirits, it beats more slowly.

In Fever.—When one has a fever the heart beats more rapidly than when one is well, because more poison is thrown off into the blood by the various tissues of the body, and the heart works faster to do the extra work. When the fever is very severe and the temperature of the body very high, the heart cannot make the blood carry off these poisons fast enough, and some of the poisons and impure waste matters gather on the surface of the brain, making the fevered patient delirious.

The Pulse.—The pumping of the heart makes the blood go through the arteries in spurts or waves. At some places in the body large arteries, which are usually buried very deep in the muscles, come near the surface. If the finger is placed on the skin at one of these points, these distinct waves can be felt

at each beat of the heart. This is called feeling the pulse. In men there are, on an average, about seventy pulse-beats a minute. In women the heart beats more rapidly than in men, making about eighty beats per minute. In old age it beats more slowly than in middle life, while in infants there are often as many as one hundred and thirty pulse beats a minute. Feel your pulse at the wrist or the temple, and count the beats for one minute while you are sitting. Then rise and walk rapidly once around the room and compare the result with what you got while sitting. Also compare the pulse before and after eating a meal. Why does the physician feel the pulse of a sick person?

Sounds of the Heart.—The action of the heart is almost noiseless. Yet, if you place your ear directly over a person's heart, you will observe that each time the heart beats it makes two sounds. One sound quickly follows the other, and there is a short period of silence. These two sounds are not exactly like each other, but in a healthy person each of the sounds has its own peculiar character. The first of the two sounds is a comparatively long, booming sound; the second is a short, sharp one. In certain diseases of the heart, the character of these sounds becomes changed into a murmur or rumbling sound, so that a physician can tell by listening to the heart sounds whether this important organ is diseased or not.

Fainting.—Sometimes the heart beats with little force, or even stops beating for a brief period, and all parts of the body immediately begin to suffer. The brain, while it weighs but one-forty-fifth of the rest of the body, uses one-eighth of the total blood supply in the body. This being the case, it is natu-

rally the first to suffer from the weak action or stopping of the heart, even for a very brief period. When the brain is thus affected, and is starving for pure blood, the mind at once stops acting and the person *faints*. His face becomes pale because it has little blood, and he is as senseless as in the deepest sleep. For this reason, when a person faints, we lay him down with the head low, so that the blood can get to the brain, and we rub vigorously the arms and legs *toward the body*, so as to compel the blood to go to his heart, and thus start that organ to beating again. By throwing cold water in the face of the person who has fainted, we make his heart beat harder. Very quickly the person revives, and is soon, apparently, as well as ever.

THE LYMPHATICS.

The lymphatic system consists of *lymph spaces*, *lymph tubes*, and *lymphatic glands*. The *lymph spaces* are minute crevices within the tissues in all parts of the body. The *lymph tubes* open out from the lymph spaces, uniting into larger tubes with valves very similar to those in the veins. (See page 112.) The main lymph tube is called the *thoracic duct*. Through it is conveyed all of the lymph except that from the right side of the head, neck, chest, and the right arm, and it empties into the veins at the left side of the neck. The right lymph duct, which drains the smaller portion of the body as above indicated, empties into the veins at the right side of the neck. The *lymphatic glands* are little kernel-like masses along the lymph tubes through which lymph passes.

The Lymph.—Leaving the red corpuscles behind in the blood vessels, the fluid that leaks through to feed the tissues of the body is colorless. This becomes the *lymph*. It is really the blood minus the red corpuscles. Very little of it can soak back into the blood tubes because of the pressure of the blood within the vessels, caused by the heart's continual pumping, which forces the blood through the arteries. To take this lymph back to the heart, this other set of tubes, called lymphatics, is required.



FIGURE 44.—Lymphatic System of Right Arm.

The lymph always flows in one direction only—toward the heart. These tubes, then, that convey the lymph are like drain-pipes. They take up the fluid that has soaked out of the thin walls of the small blood vessels, and which bathes and feeds the tissues, and convey it away to be again poured into the blood at the large vein in the neck. It naturally contains much waste matter thrown off by the tissues, and must go through the heart along with the venous blood to be again made pure. The entire plan of the lymphatic system is to furnish a means of drainage for the body.

In the disease known as *dropsy*, the lymphatic vessels do

not work properly, and the tissues are filled with the fluid almost to bursting. The flesh in such a person may be compared to a piece of very wet, soggy, marshy land, the drain tiles of which are not in order, and do their work imperfectly.

The Work Performed by the Lymph.—The lymph is derived from the blood and is full of the proper food for the bodily tissues. Its work is to deliver to these tissues just the material needed to keep up health and the proper activity. After it delivers these food materials it must take up what is left, and what can be used by some other organ, as well as the waste products from the tissue cells. The office of the lymphatics, then, is to take up and carry from the tissues to the veins all the material that the tissues do not need. The tissue cells of the body get all their nourishment from the lymph, and into the lymph they must throw their waste matter.

The Spleen.—The spleen is an oblong, flat body that lies upon the left side of the stomach, and varies in size at different periods of life. Its size is increased after digestion, and is always large in well-fed, and small in starved, animals. In some diseases, such as ague, a very noticeable enlargement of the spleen takes place, and this is the so-called "ague cake," of which doctors sometimes speak.

The spleen is a reddish gray, pulpy mass, and while the body has been carefully studied for many years, it is not yet known what work the spleen really has to do. It forms no secretion to be poured into any cavity like the liver and other glands. In case of accident and disease it has been removed by the surgeon's knife, and life continues without any serious results.

Massage.—By massage we mean a system of either gently or vigorously rubbing, pressing, or kneading the muscles. This greatly helps the flow of the blood and lymph, and by thus assisting circulation, does much toward washing out the waste particles of the body that can be affected by this rubbing of the skin. Massage, in a measure, takes the place of exercise. People who are sick and weak cannot take the exercise they should, and massage rubbing will prove a good substitute. It is an excellent thing for any one to rub the body with the hands or a dry towel, especially if it is impossible to take the exercise his health requires. A “dry rub” is thus frequently as beneficial to health as a bath.

The Circulation Modified by Alcoholic Drinks.—Alcohol diminishes the capacity of the blood to absorb oxygen. It decreases the working power and lowers the temperature of the body. Alcoholic drinks make the blood poorer in quality and thus impair the nutrition of the tissues.

Alcohol tends to cause fatty matter to be deposited in the walls of the arteries, taking the place of the tough elastic material that should form these walls throughout. By this action of alcohol the artery is weakened. At the places where the fatty matter collects, the walls of the artery are stretched by blood pressure, they become thin, and there is a pronounced bulging. This bulging of the arteries is called an *aneurism*. Eventually it may burst and the person bleed to death. Alcoholic drinks, as a rule, excite the heart and hurry its beat. The time of rest between heart beats is thereby shortened. The heart is overworked. An overworked heart in time naturally becomes a diseased heart.

Tobacco always tends to make the action of the heart irregular and less vigorous.

CHAPTER IX.

BREATHING AND THE LUNGS.

You remember that oxygen is a necessary food that the little red corpuscles carry all through the body. From this you know that plenty of air is as necessary as the food we eat. Without food, men have lived more than a month. Without water, one can live a few days. Without air, one can live only a few minutes. All living things breathe. The plant breathes by means of its bark and leaves. The little insect depends for its existence upon air as much as you do. The angle worm, which you may have used to bait your hook when fishing, breathes through its skin. In human beings there is a very beautiful and perfect arrangement by means of which the air needed for life and health may be plentifully supplied.

Why We Breathe.—You remember that in the last chapter we were told that the bright red, pure blood was carried by the arteries to every part of the body. As this blood goes through the arteries it gives up its food to each part as needed. The blood then becomes darkened by the impurities it takes up, as well as because of the oxygen the little red corpuscles have given off, and is carried back to the heart through the veins. But the heart cannot send this used, impure, and poisonous blood back to the different parts of the body. So, as soon as

the blood passes into the right ventricle of the heart, it is forced, by the heart's pumping, to the lungs. In the lungs the dark, impure blood is changed to bright, pure blood again. The lungs, then, are very important organs, since, by means of them, the blood is purified and again rendered fit for use. We shall study the lungs and their work in this chapter.

Do you see any veins in the back of your hand which look like blue lines under the skin? If you examine them you will




FIGURE 45.—The Lungs and Heart, front view.

find they are blue or purplish in color. Certainly they do not appear to be bright red. But if you cut your finger, or prick it with a sharp needle, the blood that comes out is bright red. What has changed it from the dark blue or purple color to red? The air. Just the instant the blood comes in contact with the oxygen in the air, its color changes to a bright red. The lungs have for their special

work the carrying of the air to the blood without interfering with its circulation through the body. How is this done?

In the lungs the fresh air and the blood come very close together. The air gives up oxygen to the blood, the color of which changes to a bright red. In exchange for this oxygen the blood gives up the impurities gathered in its journey around the body. These are sent out from the body

when we exhale air, just as oxygen is brought to the blood when we inhale fresh air.

How We Breathe.—We must now study more closely this important work of the lungs. In breathing, air is taken in through the nose to the back part of the mouth (called the *pharynx*), and through a tube in the neck to the lungs. This tube in the neck is close against the food-pipe, or esophagus, and is called the *windpipe*, or *trachea*. If you feel the front of the neck with the fingers and thumb, you will easily discover the windpipe. It is a pile of hard rings one on top of another. These are not completed rings but are C-shaped, or like horseshoes. They are arranged on top of each other with the opening of the horseshoe toward the back of the neck.

The windpipe first divides into two main air tubes, each called a *bronchus*. This division occurs four or five inches below the back part of the mouth. One of the bronchi, or large air tubes, goes to each lung. Below this main division the air tubes divide again and again, many times, until we have the finest possible air tubes, like the little, fine, netted veins of a maple leaf. At the end of each of these little tubes is a tiny air sac. There are thousands upon thousands of these sacs, and together they make up the two lungs. A lung is a soft, spongy piece of flesh made up of a collection of air sacs. Each air sac is like a little toy balloon, filled with air each time we inhale. You feel and see your chest expand as each one of these thousands of air sacs is filled. When we exhale, the breath rushes out and the chest falls again. Take a tape line and see how many inches you measure around your chest when you inhale and fill the lungs—every air sac—with all the

air they can contain. Now exhale every particle of air that you can, and measure your chest to see how much smaller it is.

The lungs are situated in a cavity in the upper part of the body just below the neck and are covered by the bony




FIGURE 46.—The Air Tubes and Air Cells.

framework of the ribs. They are separated from the lower cavity of the body by a broad band of tough muscle, called the *diaphragm*. The upper part of the trunk above this muscle is called the *chest* (or *thorax*), and contains the heart and

lungs. The lower part, that below the diaphragm, is called the *abdomen*, and contains the intestines, stomach, and liver. The diaphragm is a partition consisting of a strong central tendon from which radiate muscles, the edges of which are attached to the lower ribs. This partition between the chest and the abdomen is not straight across, but dome-shaped or arched upwards.

The Two Breaths.—

In inhaling, the contraction of the diaphragm and the action of the muscles of the ribs cause the chest cavity to become longer and deeper, and the air rushes in through the nose and swells out the lungs to the size of the chest. This is called *in-*



FIGURE 47.



FIGURE 48.

Simple experiment with a bell-jar and the lungs of a rabbit, illustrating the expansion of the chest-cavity (or *thorax*) by means of the diaphragm, and the consequent inflation of the lungs.

spiration. Then, because of the elasticity of the chest walls and the lungs, the chest again becomes smaller and the air is expelled from the lungs. This out-breathing is called *expiration*. The action of the lungs is very much like that of a pair of bellows. When you take a long breath the air rushes into the lungs just as it does into the bellows, and you feel your chest expand as the little air sacs are filled, just as you see the bellows at the blacksmith's shop get larger. When the breath is forced out by the contracting chest, we have the same sort of thing that occurs

when the blacksmith pulls on the handles of the bellows, making them force the air out. Your dog pants noisily and rapidly after running a considerable distance. Does it not remind you of a small, noisy pair of quick-acting bellows?

An adult breathes about eighteen times a minute. That is, one breath is taken to every four beats of the heart. We do not seem to rest in breathing; but inasmuch as the breathing muscles in health work only during inspiration, and not in the act of expiration, they rest about half the time. The lungs like the heart work very hard, and we should give them plenty of room by avoiding tight clothing. They should also have plenty of fresh air that their work may be made as easy as possible.

The Nostrils and Soft Palate.—The air finds its way back to the lungs through the mouth, or the two openings of the nose, which are called *nostrils*. We should breathe through the nose rather than through the mouth, for reasons that will be stated later. The nostrils are air-passages leading back through the nose. These again come together in an open space at the roof of the mouth behind the soft curtain that hangs down at the back part. This curtain is called the *soft palate*. Through the opening behind the soft palate the air passes down through the windpipe and into the lungs.

The Windpipe and Air-Tubes.—You have already learned that the large tube, called the windpipe, extends from the root of the tongue down into the chest where it divides into two branches, one going to each lung. These branches are subdivided again and again into hundreds of little branches, until they are no larger than the finest needle. The air-tubes are

called the *bronchial tubes*; and at the end of each is a group of the elastic air cells (Figure 46). The windpipe, bronchi, and bronchial tubes are lined by mucous membrane. You observed, on feeling the windpipe at your throat just above the point of "Adam's apple," that it is hard and gristly, made of rings of cartilage piled one upon another. The air-tubes, even some of the small ones, are made of the same hard rings; but in the smallest branches these disappear. If the windpipe were a soft tube of membrane, like the esophagus, it could not be kept open continually for the air to pass through, and we should smother or choke to death. If a piece of tough meat, improperly chewed, lodges in the windpipe instead of entering the esophagus, the air is shut off from the lungs, and the person dies, unless the obstruction is at once removed and the air permitted to rush into the lungs before it is too late. In the disease called spasmodic croup, the windpipe becomes obstructed by mucus or by a spasm of the muscles of the larynx, sometimes smothering the child to death. If, in such a case, the person so afflicted will inhale steam, relief comes quickly, as the warm, moist steam tends to thin the mucus and relax the spasm so that air can again get into the lungs. In *diphtheria* the throat sometimes swells shut, so that air cannot enter the windpipe. Then the doctor tries to save the patient's life by the introduction of a tube into the throat or through the muscles of the neck into the trachea, which serves as an artificial windpipe, permitting the patient to breathe comfortably until the throat again opens to permit the passage of air in the natural way. In drowning, water enters the lungs, shutting off the air, thus causing

death. At any time before death actually takes place, life can be restored by means of artificial respiration, which will be described in a later chapter. At the outer end of the smallest tubes within the lungs, next to the tiny air sacs, there are no rings of cartilage to keep the tubes wide open, but little muscular fibers instead. As a result of disease these fibers sometimes spasmodically contract, making the tube opening much smaller; and it becomes difficult for the suffering patient to get the air through in either direction. This condition is very painful, and with it there is a sense of smothering. The disease is called *asthma*. In the disease known as *pleurisy*, as a result of inflammation the pleural sac about the lung may be filled with fluid. This fluid is often so great in quantity as to necessitate its being withdrawn in order to save life, a large, hollow needle being inserted through the chest wall.

Sounds of the Chest.—The lungs make certain peculiar sounds in breathing. In health the sounds are quite different from those made in lung diseases. The doctor listens to these sounds to tell whether the lungs are healthy or not, and in this way can detect a case of croup, lung fever, or pneumonia.

The Voice-Box.—Close under the chin at the top of the windpipe you find a large lump which moves as you swallow. This is a little box at the opening of the windpipe, which is made of pieces of gristle or cartilage almost as hard as bone. It is called the larynx, or *voice-box*, because by means of it we are able to speak, sing, or read aloud. Two little white bands stretch across this voice-box, and when we speak these bands or cords vibrate as do the strings of a violin, banjo, or piano.

These little bands are called *vocal cords*. The kind of sound we make depends largely on the tightness with which these vocal cords are stretched within the voice-box.




FIGURE 49.—A. Appearance of the Vocal Cords in singing a high note. B. The V-shaped glottis as seen in quiet breathing. C. Round appearance in deep breathing.

The Epiglottis.—The top of the larynx, or voice-box, can open or shut just when it should do so without our thinking especially about it. Here there is placed a peculiar trap-door, called the *epiglottis*. The top of the larynx closes against the epiglottis whenever we swallow anything. This keeps food and drink from entering the air-passages, and at the same

time opens the food-pipe. If we eat or drink too rapidly, this little trap-door does not have time to close itself, and thus prevent our being choked. Did you ever get a crumb in your windpipe? How it made you cough! But this coughing expelled the air rapidly from your lungs and forced the crumb up into your throat again.

The Pleura.—In the chest the lungs are covered and enclosed by a soft, moist, very thin membrane, called the *pleura*. The interior of the chest walls is also lined with a similar membrane or *pleura*. In a healthy condition these two membranes keep themselves moist by continually exuding a small quantity of fluid. This moisture keeps them smooth, and when they rub together as we breathe, the two lungs in moving are not irritated, and breathing is painless and easy. Sometimes, as a result of cold, infection, or injury, this membrane becomes inflamed, and breathing becomes exceedingly painful and difficult. This disease is known as *pleurisy*.

Slow Burning within the Body.—The human body is in many respects like a stove. In the stove we put fuel; the fuel is consumed, and we get heat. In the body we consume food as fuel; it is slowly burned, and we get heat from this food-fuel. The tissues of the body are slowly burning or oxidizing all the time; that is, substances from the bodily tissues unite with the oxygen of the air.

Put a piece of bread into a hot stove and it quickly burns. The larger part of it passes off into the air as smoke and gases. Only a few ashes remain. A fire to burn well must have plenty of air. You open the damper of the stove to give more air, making the fire burn better. Air must unite with some

substance in every fire, else there would be no burning, and no heat. The blood carries food through the body, and its red corpuscles bring the important element of air—oxygen—from the lungs. The food and air join together in a slow process of burning. The gases (smoke) are carried back to the lungs to be forced out of the body. The ashes are gotten rid of by means of the skin and kidneys. By the slow burning of food within the body the proper degree of warmth is kept up, and besides, some of the resulting heat is turned into strength by means of which the body does its work, just as the steam-engine gains its power from the fuel it consumes. The amount of heat produced in the body in a single day is the same that would result if the amount of food daily eaten were burned outside the body. The body is more like a steam-engine than a stove, for both have the power of motion. Both move, both use fuel (food, coal), both take in air, both are warm, both give off smoke. In the body the smoke is invisible except on a frosty day, but in both it is quite the same thing; carbonic acid gas and water being the chief things which make the smoke in both cases.

The Air—Before and After.—Fresh air contains oxygen. Oxygen sustains life. Carbonic acid gas destroys life. We breathe in order to get oxygen from the air into our bodies, and to drive the poisonous carbonic acid gas from our bodies into the air. The blood, while in the lungs, unloads the carbonic acid gas and other impurities collected from all parts of the body to be exhaled, and loads up with oxygen from the air that has just been freshly inhaled. Exhaled air contains, then, certain poisonous matters. 1. Carbonic acid gas. 2. Invisible

poisonous gases arising from decaying animal substance, and called "organic waste matter." This animal substance you can readily detect by its odor as you enter a crowded room that is not properly ventilated.

In each breath, then, we trade something that is life-destroying (carbonic acid gas and organic waste matter) for something that is life-giving (oxygen). But we cannot breathe pure oxygen. It would cause too rapid burning within the body. Hence, in the air we breathe, oxygen is diluted by being mixed with nitrogen. There is a very small amount of carbonic acid gas in the air we inhale. The air we exhale contains one hundred times as much of this poisonous gas as the air we inhale. In each breath, we rob the air inhaled of one-fourth of its oxygen. Look at this table which shows the composition of 100 parts of inhaled and exhaled air:

	Oxygen.	Nitrogen.	Carbonic Acid Gas.	Organic Waste Matter
Inhaled air	21	79	.04	0
Exhaled air	16	79	4.00	1

Nose and Mouth Breathing Compared.—It is a very harmful practice to breathe through the mouth instead of through the nose. Air should always reach the lungs through the nostrils, which are devised by nature to strain the air, to warm it, to moisten it when too dry for the lungs. The nostrils being also the seat of the sense of smell, we are thus warned when the air is impure. If a person persists in breathing through the mouth, the throat becomes dry, cold air will chill the warmer blood in the capillaries of the lungs, and the particles of dust will not be strained out, which alone may cause much harm.

If one breathes through the mouth habitually, the lungs are sure to become diseased. One of the easiest ways to prevent taking cold is to breathe through the nose.

Adenoid Growths.—In the back part of the nasal passages, more especially in rapidly growing children, is frequently found, in little grape-like clusters, a form of growth that obstructs free breathing through the nose. These growths are called *adenoids*, and can readily be removed by any skillful physician. They should never be allowed to remain, for they not only interfere with breathing, but cause defective hearing, which is just as great a misfortune to a school child as defective vision. If the pupil cannot hear the teacher's questions perfectly, he cannot answer them correctly. If he cannot hear distinctly the teacher's explanations, how can he have a clear understanding of the problems explained? A large number of schools have wisely arranged to test the vision and hearing of all the pupils. The pupils who cannot hear well or are near-sighted are placed in the front part of the room where they can see the blackboard or hear the teacher's explanations with less difficulty.

As a result of habitual mouth-breathing, the face is distorted, the upper lip becomes shortened and thickened, the upper teeth stick out, and the face loses its pleasant expression. All these mouth-breathers have defective hearing, and do you know that many true cases of stupidity in school children exist in connection with defective hearing and mouth-breathing? You know how hard it is to give attention to study when you have such a severe cold that the nostrils are "stopped up," and for the time you can breathe only

through the mouth. The habitual mouth-breather has the same uncomfortable feeling all the time. He cannot study well. He cannot give the best attention. A physician should always be consulted when mouth-breathing has become a fixed habit.

One Boy's Debt.—From several hundred letters received by me from teachers and school superintendents, I select the following to show you how serious adenoid growths are. Archie, the little boy mentioned in this account, entered the first primary grade at the age of six years. The end of each succeeding year, for four years, found him larger and stronger physically, but mentally incapable of any better work than he did in his first school-year. At the beginning of his fifth year the teacher was obliged to continue him in his Second Reader, telling him, however, that he still ought to be in his Primer. His superintendent says: "One day in November I began noticing him. There he was, a boy eleven years old, sitting idly, his under jaw hanging down, vacant-eyed, and with that utterly expressionless face found in idiots. He seemed to take no interest in what was going on around him; when called upon to read he had lost his place, and his teacher scolded him for what she supposed was carelessness. The next morning I found Archie in one of the stores with some other children looking at the Christmas toys displayed on every side. I asked him what he wanted Santa Claus to bring him; he pointed to a little 'dumb watch.' But I said, 'Archie, why not wish for a watch like mine that ticks loud and runs. Just listen, now, and hear my watch tick.' I thus tested the little fellow's hearing, and found that he could hear my watch tick

only when within a *few inches* of either ear, while I could hear it easily at twenty feet. I felt that I had a clew. I took him to my own physician, who examined him, finding at the back of the nose adenoid growths, which had affected his hearing; in a moment he removed them, and the boy went back to school. The doctor and I told no one of what we had done, not even his parents nor his teacher; in fact I did not mention it in my home, for reasons which you will understand later. In about three weeks from the time the operation was performed, my little son, who is in the same room with Archie, said at the dinner-table, 'Papa, you ought to see how fast Archie is learning; he gets all the head marks in spelling, and he beats us all in reading.' His teacher next came to me and said, 'What have you done to Archie? His improvement is wonderful, he is the brightest one of his class.' I explained what had been done for the poor little fellow whom we had so mistreated for almost *five years*. At the close of this term's work Archie stood at the head of a class of twenty-two; for almost five years he had been at the foot."

Foul Air.—Air may be polluted in various ways. The following sources of foul air are among the most common: *Cellar Air*. Cellars are kept closed; thus no light and but little fresh air can enter. The decaying vegetable matter gives off injurious gases. Good health is often impaired by the foul air and gases arising from the cellar under the house. Unless the cellar is so built as to admit sunlight and fresh air, and is frequently cleaned, it becomes a reservoir of foul air, capable of causing much sickness that could be avoided. *Coal Gas* is frequently used in towns and cities for lighting, and it is a

deadly poison to the lungs. It sometimes escapes in large quantities from leaky gas-pipes, or it may be sent out into the room by a stove that does not draw well. Great care should be taken to prevent coal gas from mixing with the air we breathe, especially in our sleeping-rooms. Death by *asphyxia* frequently results from carelessness in this respect. *Sewer Gas* is a poisonous product arising within the drain-pipes of houses because the plumber did not properly construct them. In most of the cities and towns the plumbing of houses is under some sort of supervision in order that sewer gas may not leak into the house and render impure the air which we breathe.

Malaria.—A house or school building should never be located on low, flat ground, near a marsh or swamp. Air from stagnant water, or wet earth, may at certain seasons abound in mosquitoes. Malaria (ague, chills and fever) is carried by mosquitoes. A schoolhouse or a residence should always be built on a knoll or rise of ground, where perfect drainage may be had. If there is perfect drainage, the soil about the building cannot remain wet and will not become "sour," serving as a breeding ground for disease-laden mosquitoes.

Dust.—If the fine dust particles in the air are not too plentiful, the moist lining and the little hair strainers of the nose will prevent their getting into the lungs. Rain and snow storms wash the dust out of the air, making it fresh, sweet, and clean. Soft coal, where it is used to a great extent, is a source of irritating dust. All dust entering the lungs is harmful. For this reason it is much better to have the playgrounds about our

schools sodded rather than covered with cinders or dry earth. There will be less dust, therefore less disease. In some occupations laborers are continually exposed to the danger of inhaling large quantities of dust. Coal miners, pottery workers, pearl-button makers, flax workers, and tool grinders, are especially liable to asthma and similar diseases because of the dust-laden atmosphere with which they are surrounded while they work. The dust continually entering the lungs finally weakens them by causing repeated inflammation of the air-sacs and smaller air-tubes. On the other hand, certain of the finest laces can be made only in damp rooms. In some cities of Europe many poor women are employed in making this lace. We have, then, a number of "occupation diseases," that is, diseases caused by the conditions amidst which certain occupations are carried on.

Ventilation.—Enough has been said about the dangers of breathing impurities to show the necessity of a plentiful supply of fresh air in our houses, schools, halls, churches, and other meeting-places, which are often so poorly ventilated. In earlier days when our houses were heated by open fireplaces with their big "back-log," there was a roaring draught up the chimney, making perfect ventilation. To a great extent stoves are now used in place of open fireplaces. Stoves do not use much air, and consequently do not serve as a good means of ventilation. Steam and hot-water pipes are very satisfactory for heating, but when they are used we must provide some method for bringing in fresh air. Hot-air furnaces bring in fresh air that is heated on the way into the room. When a schoolroom is

heated by a stove, it should have a sheet-iron shield or jacket about it. As the air about the stove becomes heated it rises, and cold air rushes in under the jacket to take its place. Such an arrangement heats the room more evenly and prevents the pupils near the stove from being overheated. It is an excellent idea to have small ventilating flues built into the chimney around the smoke-flue or hole where the stove-pipe enters the chimney. These small ventilating flues furnish good outlets for foul air.

But a perfect system of ventilation provides an inlet for fresh air as well as an outlet for impure air. No system of ventilation is complete unless it provides both of these features. It has been found that in order to keep the air in a room fit for breathing, it is necessary to admit each minute about fifty cubic feet (or about fifty bushels) of fresh air for each person, or 3,000 cubic feet each hour. Of course an equal amount of foul air must be gotten rid of in the same time. Fresh air is a necessity. If it does not enter the room in sufficient quantity, the pupils become drowsy, languid, and begin to have what doctors call school-headaches. Children can never do the best school work without fresh air. It is a prime necessity to mental as well as healthy physical growth. We know that in schools where there is poor ventilation there is much greater likelihood of the pupils' "catching" diseases. We also know that in such schoolrooms children do not make the same rapid progress in mental growth that they do in those that are well ventilated. Pure air in our schoolrooms means clearer brains, fewer headaches, better lessons, and more enjoyment in our work.

Every school should have a recess each half-day, and during these recesses all the children should go out of doors, not only to play in the open air and fill their lungs with oxygen, but also to give the teacher an opportunity to open the windows and completely air the schoolroom. Class-rooms should be ventilated winter and summer at each recess and noon period, by opening all the doors and windows. While such ventilation is going on, the pupils in the yard or halls are not only getting exercise, but will also bring back with them fresh air in their clothes. The time spent in recesses will be more than made up by better work when school again assembles after such an intermission, for the mind will be quicker and the work will seem easier. The Prussian Minister of Education requires that the windows of class-rooms shall be open all night in summer weather; when the weather is cold they are kept open from the close of school till dark, and from four in the morning until school opens at seven o'clock.

How to Ventilate.—If there are no foul-air shafts for the escape of impure air, and no inlets for fresh air, a good method is to raise the lower sash of a window, and place a board under it so as to completely fill up the window casing. This will establish good ventilation between the two sashes. This method provides for constant change of air, and yet prevents draughts of air from entering the room and causing "colds." The schoolroom and the living-rooms of a house should be kept at a temperature as near 70 degrees Fahrenheit as possible; sleeping-rooms also should be well ventilated, since we spend about one-third of our lives in them. In our sleeping-rooms the temperature should not be above 60 degrees Fahrenheit.

Cleanliness of Schoolrooms.—If cleanliness does not exist in the schoolroom, no amount of ventilation will correct the evil. The pupils themselves can help a great deal in this matter by keeping their bodies perfectly clean, and also their clothing and shoes. There should be scrapers and foot-mats where shoes can be quickly cleaned before entering the schoolroom, and there should be basins provided where children can wash themselves when necessary. Cloaks, overcoats, hats, caps, gossamers, rubbers, umbrellas, all give off unpleasant odors, especially when wet, and on this account should never be taken into the schoolroom, but should be placed in the hall or the well-ventilated cloak-rooms especially provided in our best modern schoolhouses.

Very often schoolrooms do not have the proper kind of floors. Floors that collect a large amount of dirt and dust endanger health. If the boards of the floor are too soft, they splinter easily, and these splinters grind into dust; and besides, they hold moisture too long after being scrubbed, making the room smell musty. Close-fitting, "matched" flooring of maple, oak, or hard pine makes the best floor. To avoid raising dust the floor should be first sprinkled with wet sawdust before sweeping. Dry sweeping does not remove the dust, but simply drives it from one place to another. Schoolrooms should be swept daily and scrubbed often. Linoleum makes a good floor-covering. It is easily swept and washed, and deadens the noise made by the pupils' feet. It is in every way better than the coarse cocoa matting so often found in the aisles of schoolrooms. These are always collectors of dust and disease germs. The dust-trough that runs along the lower edge of the black-

board should be cleaned every evening after school. Only good, soft blackboard erasers should be used, and they should be dusted at the close of each school day. Each pupil in the school can do a great deal toward keeping the schoolroom clean. Since dirt breeds disease, and cleanliness insures health, is it not the duty of every child in your school to help the teacher in keeping the room as clean as possible?

Effect of Alcohol on the Lungs.—Alcohol acts directly on the “breathing center” in the spinal bulb at the base of the brain and thus diminishes the amount of air taken into the lungs. The walls of the minute air sacs may become so thickened as to be less elastic. Their size is thus gradually decreased, and the breathing capacity of the lungs is thereby reduced.

Summary.

CHANGES IN BLOOD DURING RESPIRATION.

1. Blood passing through the lungs is changed in color from dark purple (venous) to bright scarlet (arterial).
2. Organic matter and watery vapor are given off. In a poorly ventilated room it is this exhaled organic matter that causes headache and drowsiness.
3. Blood passing through the lungs gains oxygen and loses carbonic acid.
4. The arterial blood coagulates more readily because of the change in its composition caused by its passing through the lungs.
5. The blood is cooled.

EXERCISES.

1. In a history or encyclopedia read an account of the Black Hole of Calcutta.
2. What are the facts concerning the Grotta del Cane and the Upas Valley?
3. Discuss Fire Damp, Black Damp, and Choke Damp, that often work such serious injury to men working in mines.

CHAPTER X.

THE NERVES AND THE BRAIN.

You have already learned that the human body is made up of many parts, each of which has its own particular work to do. Stomach, skin, liver, bones, kidneys, muscles, heart, and lungs—each has a special task to perform, but all must work in harmony with each other in order that the body may act as a whole and be kept healthy. All of these members of the body must be under the control of some central authority or government; they must be parts or members of a system, just as the parts of a complex piece of machinery, for example, a locomotive, are under the control of an engineer. This control and direction of all the parts of the body in relation to each other, is in charge of and is exercised by the nervous system.

The Nervous System.—The term “nervous system” refers to all the nerves of the body, and includes the brain and spinal cord. The general object of the nervous system is to connect, control, and direct the actions of the different parts and organs of the body, so that they will work in harmony. Let us illustrate. You run the bases in a ball game: your heart beats more rapidly, more blood is pumped through it to the lungs, and more oxygen is required. You therefore breathe faster. The presence of the food in the mouth calls forth saliva from the glands, and a little later causes the gastric juice to flow from

the lining of the stomach. As you stand looking down the road, a little grain of dust gets into your eye; then the tear gland of the eye tries to wash out the cause of the pain. When you are frightened, cold chills run up your back and your heart stops beating for a moment. Your finger tip touches a hot iron, and you quickly jerk your hand away. A little snake runs across the path on your way to school, and before you know it you stop still; and if you are afraid, you shudder. There is something that makes all these organs and parts of the body work at the proper time. This something is the nervous system.

A thing that is not alive does not respond when touched or handled. If you handle a piece of iron, a lump of coal, or a block of wood, there is no movement in answer to your touch—there is “no sign of life.” Suppose you are walking through the busy streets of a great city, and you jostle against a lamp-post, a barber-pole, or a tree. You find that none of these objects is the least disturbed. There is no response of any sort




FIGURE 50.—Nervous System of a Man.




FIGURE 51.—Nervous System of a Grasshopper.

on their part. You, however, respond with a sudden start, your face changes expression, you almost lose your temper. With your hand you rub the bruised part of your body. You *feel*. The lamp-post, barber-pole and tree *do not feel*. Or, to express the same thing in a different way, you have a nervous system; the other things have no nervous system.

Nerve Messages. — The nerves are very much like telegraph wires. Your head, for instance, may be compared to a telegraph office. The brain in the bony skull-box is the central instrument that sends out and receives messages, and the little white thread-like nerves running all through your body are the wires connecting every part of it with the brain. You wish to write your name. The brain sends a message to the hand, and it begins to move in just the way it should to make the letters composing

your name. The message is taken from the central office, or brain, to the muscles of the hand by means of the nerves in almost the same way that a telegraph or telephone message is transmitted along copper wires. This is a *motor* message, being an order to move. Or, perhaps a bee stings you on the hand; at once a message is sent rapidly along special little nerve-wires to your brain, and you have a sensation of pain. This is a *sensory* message. It conveys a sense impression to the brain.

The Parts of the Nervous System.—

The nervous system consists of (1) the brain, (2) the spinal cord, and (3) the nerves to and from the brain and the spinal cord. The



FIGURE 52.—Section through a portion of the human Brain; showing the number and depth of the convolutions and the arrangement of white and gray matter.

brain and the spinal cord are called nerve centers. The reason for that we shall soon see. The nervous system is composed of two kinds of substance in every way different from each other. One of these is the “white matter,” the other the “gray matter.” Nervous tissue is the finest tissue in the whole body. It is the “master tissue”; for it controls, directs, and regulates all other tissue.

The Brain.—By the brain is meant the whole mass of nervous matter which is contained in the bony box called the skull.

On the outside it is grayish in color. Under its gray cells the brain is white, for this part consists of nerve fibers. It is within the brain that many of the nerve fibers begin. The brain is connected, in some way, with all parts of the body.

The human brain is not smooth, as are the brains of the owl, parrot, frog, chicken, squirrel, or marmoset. Its outer surface has many folds, or wrinkles, as you see on page 151. By observing closely you will find that in the human brain these wrinkles are greater in number and deeper than in the




FIGURE 53.—Brain of Parrot. FIGURE 54.—Brain of Owl. FIGURE 55.—Brain of Cat.

brain of the cat or the monkey. The older we grow, the more we are educated, the more numerous and the deeper do these folds become. The fissures between the folds, or convolutions, furnish nice little channels through which the rich, red, arterial blood can flow over the surface of the brain to feed and nourish the hard-working cells that are continually hungry for oxygen. The brain needs a very large amount of blood in order that it may do its great work. Though the brain weighs only one-forty-fifth as much as the rest of the body, it uses one-eighth of all the blood in the body. To work, to grow, to become

AN AVERAGE HUMAN BRAIN.



FIGURE 56.—Viewed from above.




FIGURE 57.—Side view.

educated, and to keep in good health, the brain must have an abundance of rich, pure blood. The more the blood flows over the brain surface, the deeper do the fissures become, and the greater their number. This makes it correct to say that the more intelligent and better educated the person, the greater are the number and depth of the fissures of the brain.




FIGURE 58.—Brain of a Monkey.

Size of the Brain.—It is not the animal whose brain is the largest and the heaviest that is the most intelligent. It is rather the animal whose brain is most convoluted,—most wrinkled,—and the one in which these wrinkles are the deepest and the largest, that has the highest order of intelligence, because in such a brain there is more brain surface and more gray matter rich in cells to do the work that the brain must perform. A

brain with a great many wrinkles has more surface than one of the same size with fewer convolutions. Look at the picture of the brain of Gauss, the celebrated mathematician. (Figure 59.) Your teacher will tell you what wonderful mental ability this great scholar possessed. Notice how many convolutions and how deep they are. Such a brain has an unusually large surface, and therefore an unusually large amount of gray matter filled with nerve cells, and is a better brain than one with less surface, less gray matter, and fewer cells.

While it is true that some of the greatest scholars the world has known had large brains, it is true also that the largest brains known have been those of insane persons. I have before me now on my table as I write, the brain of an insane man and the brain of a highly educated young woman. The brain of the insane man is much larger and heavier than the other, but no one would think of saying that he was more intelligent. The woman, with her fine brain and its many convolutions,




FIGURE 59.—Brain of Gauss, the celebrated mathematician and astronomer. (Vogt.)

was a celebrated artist. The man had been idiotic almost from birth, had always had criminal tendencies, had never been able to read or write, and was violently insane during the last years of his life. The woman's brain, while smaller, has more and deeper wrinkles, more brain surface, and more gray matter. That of the man, while larger, has fewer and more shallow fissures, less brain surface, and less gray matter. The woman was very intelligent and well educated. Her brain was developed. The man was always stupid and could not be educated. His brain was not developed.

The Divisions of the Brain.—The brain consists of three parts or main divisions. (1) The large brain, or *cerebrum*; (2) the small brain or *cerebellum*; (3) the spinal bulb, or *medulla oblongata*.

The *cerebrum* is the largest division of the brain, being about four-fifths of the whole. It is divided into halves or hemispheres. The gray matter here, as in the rest of the brain,




FIGURE 60.—Brain of a Hottentot.

lies on the outside, and forms a gray rind from one-twelfth to one-eighth of an inch in thickness, according to the degree of development or education. The thicker this gray outside layer,—that is, the more gray matter,—the better is the person educated. The *cerebellum* lies under the back part of the large brain and is joined to it. It also has the gray matter on the outside and many fine little fissures, giving the cerebellum, when cut through, a leaf-like appearance, called *arbor vitæ*.

The *spinal bulb* is the smallest division of the brain, being only an inch and a quarter long and about an inch in thickness at its largest part. It connects the rest of the brain with the spinal cord.

The Work of the Cerebrum—Receives Sensory Messages.—

The various parts of the body are continually sending news




FIGURE 61.—Showing the various Brain centers.

to the cerebrum, telling what is affecting them from without. Thus the nerves of the eye take messages of things seen. The nerves of the ear of things heard. The finger tips contain fine nerve endings that can feel acutely, and by them touch messages are sent to the brain. We get the news of the outside world by means of such experiences as seeing, hearing, touching, smelling, tasting, and the like. These different kinds of news gatherers and news carriers are called the senses. All

the messages that come through the eye are carried to the lower portion of the back part of the brain. This is called the visual center. Any activity of the brain cells within the center of vision, no matter to what such activity is due, gives rise to sensations of vision. Thus, even with the eyes closed, if you fall striking the back part of your head, you "see stars." This is because the jar has affected the back part of the brain, which is most active when we see things, much more so than any other portion of the brain. If disease should attack this part of the brain it would result in total blindness, even if there were nothing the matter with the eyes. Messages of hearing are delivered to the portion of the brain just above the ears. If this brain center is injured we become deaf, though our ears remain perfect.

Sends out Motor Messages.—Besides receiving messages, the gray matter of the cerebrum, or large brain, directs the motions of our bodies and their parts. The part of the brain lying just beneath the top of the head and toward the front of the ears, sends out all the orders for motion, whether it be playing the piano, using the typewriter (see finger center), or moving the muscles of the face, arms, legs, or those finer muscles employed in speech. Speech is one of the highest acts of the mind. The lips, tongue, and vocal cords obey the brain cells of the "speech" center. If this part of the brain were injured, we should lose the power of speech. Sometimes a clot of blood forms in the little fold or wrinkle at the speech center, and in such a case one cannot say the simplest word, such as "yes" and "no," until a piece of the skull bone over the speech center is removed and the little hard clot of blood washed

away. Such a person can still make noises with his mouth, but cannot talk; he can understand what is said to him, for the sense of hearing is not affected; he can write, for the brain center that directs the motion of the fingers is still in good order.

Some time ago, in Germany, my attention was called to an interesting case of loss of speech in one of the hospitals of Berlin. A German army officer had been thrown from his horse during one of the military parades which took place in the celebration of the anniversary of the battle of Sedan. In falling, his head struck the hard street pavement. At first he was unconscious. Soon after his return to consciousness it was discovered he could not utter a single word. Every attempt to speak resulted in dismal failure. Nothing came of his trials but a series of meaningless sounds. After five weeks an examination of the brain itself was determined upon, and it was found that the trouble was due to an injury to the speech center itself. A small portion of the skull being removed, a little hardened clot of blood was found directly over the speech center (see figure on page 155). This blood clot was carefully removed and the wound sprayed with a jet of warm distilled water. Three weeks after this operation was performed, the patient had fully regained his ability to speak.

Education of the Whole Brain.—In order that all parts of the brain be developed, it is necessary that they all be exercised. When we see things, only one part of the brain is active, and only one part developed thereby—the visual center. The rest of the brain is practically idle. In hearing, another part of the brain is exercised. And so in case of each

kind of sense experience, only one portion of the brain gets any exercise and acquires the development that naturally results from this activity. In order to have the whole brain properly developed, every one of its parts must be exercised, otherwise some portions die of disuse and inactivity. To be really educated there must be education through the activity of all the senses. There must be training of all the muscles. Manual training is of great value, not only in teaching the use of tools, but in giving to us a development of certain portions of our brains that would otherwise die from disuse. You know how flabby our muscles become, and how they finally atrophy, if they are not exercised. The same thing occurs in the case of the nerve cells of the brain. Those that are not exercised die and can never be created again. If they drop out, none ever take their place.

Each study in school is for the purpose of giving us a certain kind of mental training, a particular kind of brain exercise. Arithmetic gives us brain training with reference to memory, while nature study helps us in training the powers of observation. The boy who lives on a farm develops good observing powers, because he spends so much time out of doors that he is continually seeing interesting things. Many children in the crowded tenement houses of the city have never seen a bee or a chicken, and do not know that leathern things come from the skins of animals, wooden things from trees, or milk from cows. They do not know even that meat comes from animals. Such children have their powers of observation blunted because they are shut in and unable to see what the more fortunate boy in the country, and smaller towns and cities, can

see. The child who has no chance to observe is cheated, and can never be educated in the same broad way and to the same degree that he could were he more fortunately surrounded.

Every study in the school, every activity in work or play, can accomplish some special object along the line of mental training and brain development. For this reason we sometimes study subjects we do not like very well, because no other study could give us the same kind of mental exercise.

Work of the Cerebellum.—The little brain, or cerebellum, is of great service in helping us to balance the body in walking or standing. If it is diseased or injured we become dizzy and cannot walk straight. The reason a drunken man staggers and is unable to walk properly is because the alcohol he has taken makes the blood gather or “congest” over the cerebellum. This pressure of poisoned blood prevents the balancing center from acting perfectly. If a bird has its cerebellum injured, it cannot fly, but will flutter its wings in an aimless manner.

Work of the Spinal Bulb.—The spinal bulb, or medulla, not only serves as a means of conveying messages between the brain and spinal cord, but it is the seat or center of control of some important self-acting, or involuntary, muscles. The center of breathing is in the spinal bulb. If this little part of the spinal bulb be injured, breathing stops, and the person dies instantly. For this reason this place is called the “vital knot.” The spinal bulb is also the seat of the centers of sneezing and swallowing.

The Brain is a Center.—You can now see why the brain is called a center. It directs all the important muscular activities. It is the central station to which all the sense messages about

things outside of our bodies are telegraphed. It is the physical basis of all our mental activities. Without the brain we could not see, hear, or have any sense experience. We could not remember or imagine things. We could never feel pleasure, we could never talk to our friends, we could not even love our parents. We could not direct, control, or educate the muscles, were it not for the brain. How important it is, then, for us to keep it in a healthy condition.

The Spinal Cord.—The spinal cord is the great “trunk line,” made up by joining in one bundle the nerves from all parts of the body that go to and from the brain. It is a long tube of nervous matter and extends through the whole length of the spinal canal in the backbone. It is, therefore, from fifteen to eighteen inches in length in the adult. Differing from the brain, in the spinal cord the white matter is on the outside, and the gray matter is within. The cord contains both nerve fibers and nerve cells. This makes it possible for it to do both kinds of work. It not only carries the commands of the brain, but does some work itself because of the cells it possesses. (1) It is a pathway to and from the brain, carrying sense impressions to the brain and motor impulses from the brain to the muscles. (2) It performs some activities without the brain’s help, and thus saves the brain a large amount of work, especially in the lower animals. A frog with its head cut off can perform some movements quite well. A bug known as the Praying Mantis, will continue to fight its opponent a long time after its head has been severed. It does not need its brain to fight, the spinal cord is enough.

The spinal cord also contains nerve centers that tell the

cells throughout the body when to eat and grow, and inform the arteries how much blood to send to each cell. We put the food into the body, it is taken up by the blood, and the spinal cord tells the tissues when and where to use the food. It is the center of the *sympathetic* system of nerves. We have no control over the action of the spinal cord. We cannot feel it acting and we cannot keep it from acting. The spinal cord performs its important work without our being compelled to think about it. It acts when we are asleep as well as when we are awake.

Nerve Fibers.—You have perhaps already observed that there are two kinds of nerve fibers. (1) Those that carry messages from the sense-organs, like the eye, ear, and skin, to the brain, and (2) those that carry messages from the brain to the different parts of the body, directing them in their work. Thus the mind through the brain, and the brain through the busy little telegraph wires, or nerve fibers, receive word when the skin is cold, when it is in pain, as from a sharp pin, when it is burned, as with a hot iron, when it is tickled, as with a straw or feather. Likewise when the beautifully colored red rose or the delicately tinted sunset attracts the eye, a great number of little nerve fibers carry the message to the visual center at the back part of the brain, and the delightful object is perceived by the mind. In a similar way the pleasant taste of fruits, the bitter taste of medicines, the agreeable odor of the fragrant flower, and the delightful strains of music, arise from impressions on the sense-organs. These impressions are at once hurried to the brain for the mind to perceive, remember, and think about.

In a similar way, when the mind decides to do anything, the brain sends the message to the muscles best fitted to do the work. If we are going to draw a picture, the message is sent to the fingers, and not to the toes. If we are right-handed, this message is sent to the right hand, not to the left. If we are going to sing, the message is sent to the vocal cords to stretch just tightly enough to make the proper note. If we decide to study hard, the brain rivets our eyes on our books, and we do not see what is going on around us. We give attention to the teacher; that is, our mind decides to hear the teacher's explanation of a problem, and we do not hear the noises outside of the schoolhouse, but only what the teacher says.

Speed of the Nerve Messages.—The nerves act with great quickness. Sometimes when we wish to say that something acts very quickly, we say that it is “as quick as thought.” Yet there are things that travel faster than we can think. Light, electricity, and even sound travel faster than the telegraphic messages from eye, ear, or skin to the brain. The nerve messages from the ear travel faster than those of any of the other senses, faster even than the nerve messages from the eye. The slowest nerve messages are those that carry impressions of pain to the brain. They travel at the rate of twenty-six feet per second, while the fastest messages of hearing go at the rate of two hundred and fifty feet per second. The average speed of the nerve messages, taking all kinds into consideration, is one hundred and ten feet per second. If our hand is burned by contact with a hot iron, we first have an impression of touch, then heat, and last of all, pain, received by the

brain, for sensations of touch travel faster than those of heat, and of heat faster than those of pain.

School Headaches.—The brain sympathizes with all the other parts of the body. If the stomach and other organs of the body do not work properly, the brain sympathizes with them, and we have a sick headache. If we are not breathing pure air, or if the schoolroom is too warm and close, and we are compelled to breathe the same air over and over again, because of poor ventilation, we first become so dull and sleepy that we can hardly study, and finally we have a severe headache. If we fail to take exercise to make our blood circulate well, we suffer from headaches.

Kinds of Headaches and Their Causes.—Children should never have headaches; but they frequently suffer from them because of irregularities, carelessness, and ignorance on their own part with respect to such things as proper food, exercise, amount of sleep, and ventilation. They come as warnings that certain conditions are wrong and must be changed to prevent long and serious illness. Mother Nature kindly warns us by means of headaches whether we are abusing our bodies or living in the right manner.

Headaches Due to Poor and Insufficient Blood.—These occur very frequently in children between the ages of eight and fifteen years. They generally occur at the top of the head, sometimes in the forehead, and consist of a dull, boring pain, usually most severe early in the morning. These headaches are usually accompanied with a slight dizziness and feeling of faintness. In a person suffering from this kind of headache there is a paleness of the gums and roof of the

mouth, showing that there is not rich blood enough to nourish the body properly. Blood-making foods should be eaten, and blood-circulating exercise should be taken. These two things will do more to insure health and freedom from this kind of headache than all the drugs in the world. Milk, eggs, beef, mutton, and such nourishing foods should be eaten. Rich foods, such as pastry, should be given up entirely. Meals should




FIGURE 62.—Showing location of Headaches, according to their causes.

occur at regular hours. Exercise should be taken every day to the extent of creating an appetite and assisting digestion.

Headaches Due to Indigestion.—These headaches are common to children of all ages, and are due to errors in eating. They are generally located in the forehead. They come on suddenly and continue until their cause is removed. They are easily recognized by the fetid breath, the coated tongue, distress in the stomach, and constipation or diarrhoea. I have known them to arise in many cases from the custom of eating cold lunches, and from eating too rapidly.

Headaches Due to Ear Disease.—These headaches are extremely painful, and are usually located just back of the ear. Even a gentle touch at this locality makes the pain unbearable. These headaches are due to the formation of pus, as often occurs after such diseases as scarlet fever.

Headaches Due to Eye Strain.—These headaches occur either in children who have eye defects or in those who study and read in poorly lighted rooms. If light is reflected on the blackboard so as to dazzle the eyes, or if the writing on the blackboard is too small to be read easily, or if the child is "far-sighted" or "near-sighted," such headaches are very likely to occur. Reading print that is too fine, or too large, on poor paper, with poor light, also will cause these headaches. They are quite similar to other "nervous" headaches. The pain is located either at the back part of the head or at the temples above and back of the eye. Excitement also will cause nervous headaches, as will fatigue due to overstrain in school work.

Headaches from Fatigue Poison.—Fatigue is a poison. When we are fatigued by work and worry there is a poison present in the blood just as truly as there is if we have typhoid fever or diphtheria. If the blood is poisoned by fatigue as a result of mental overstrain, the brain is first affected. The brain, using much more blood in proportion to its size than do the other parts of the body, suffers most if the blood is poisoned from fatigue or any other cause. When one is out of his head, or delirious, during a raging fever, it is because of the poisons in the blood due to the rapid burning of bodily tissue. The brain must continually have a new supply of blood. The brain cells are continually calling

for oxygen. If the corpuscles bring poison instead of oxygen, the brain cells feed on poison. They suffer from this, and cannot do their work honestly. They cannot be depended upon.

The headache resulting from fatigue is a dull, burning, heavy pain (not a sharp, shooting pain) in the front part of the head. It is a warning for us to lay aside work and worry for a little while, and take brisk exercise in the open air.

Other headaches to which children are subject are those present at the beginning of such illnesses as typhoid fever, scarlet fever, and diphtheria. Children suffer from headaches that result from malaria (especially in some of the Southern States and in other "ague" districts). Any poison in the system will produce a headache. I know of a little girl who suffered from headache nearly every day. Every effort was made to find the cause, but without success, until it was noticed that she was in the habit of buying a certain kind of chewing-gum wrapped in tinfoil. The lead in the tinfoil came in contact with the gum, and produced lead-poisoning. When she gave up this habit, she no longer had headache.

Rest.—The brain, as well as the rest of the body, would soon fail to do good work if compelled to work too long or too hard. Rest is necessary for all parts of the body. It is especially necessary for the brain. The best form of rest is change of the kind of work rather than absolute idleness. The hardest kind of work for a child is to sit or stand perfectly still. Idleness is not rest. If the mind is tired, the best thing in the way of rest is brisk physical exercise. This is the reason we have recesses in our schools. Recesses should not be spent in the schoolroom, but should be used as an opportunity for

free play and outdoor exercise for both boys and girls. Young children in the first two or three grades should have more recesses, even if they are shorter, than older pupils. Exercise brings a new supply of blood to the brain, and gives it new life, making the mental work of study and recitation much easier.

We do not spend an entire day in the study of one subject in our schools. Why would it not be a good arrangement to study and recite arithmetic all day Monday, language lessons all day Tuesday, spelling all day Wednesday, and so on? We all know that such a school program would be ruinous. There would be none of that delightful mental rest that comes with change of subjects after short intervals. We should be so tired of one subject before the day was over that we could no longer give attention to it, and could not drive our minds and brains to do any more work. The brain in such a case would be no longer able to digest the facts pertaining to this one subject. It would be like the stomach of the man who agreed to eat one quail a day for thirty days. Brain and mind rest comes best with frequent changes of program. The recitation and study periods of any one subject should not be so long as to make our brains weary of that subject, giving us a feeling of mental disgust so far as that particular study is concerned. Not only should the study and recitation period of each subject be comparatively short, but each subject should be followed by one that is a complete change; that is, one that calls into activity other portions of the brain, and gives rise to mental operations quite different from the ones that have been going on. Thus arithmetic should be followed by such a sub-

ject as reading, and reading by elementary science or nature study—a complete change, therefore, a rest.

Sleep.—Sleep is the only form of complete and general rest. During sleep a less amount of blood flows over the brain surface, and there is rest from activity quite similar to that of trees that hibernate or sleep in winter, when the sap goes down from the branches to the roots. If a boy or girl eats and sleeps well and regularly, securing a sufficient amount of sleep every twenty-four hours, it can scarcely be said that his brain is overworked.

In some of the large cities, such as London, New York and Chicago, recent investigations have shown that hundreds of poor boys are compelled to work forty hours each week, in addition to the time spent in school, at such employment as selling newspapers, delivering milk, and running errands. Many of these boys are compelled to begin their outside work at three o'clock in the morning, and carry on their school work under great strain. During the afternoon session they often become so sleepy, as the result of nature's demand for rest, that they cannot do good school work.

The average amount of sleep required at—

- 4 years of age is 12 hours,
- 7 years of age is 11 hours,
- 9 years of age is 10 1-2 hours;
- 10-12 years of age is 10 hours,
- 12-14 years of age is 9 hours.

If there is any great departure from these averages the child is not in normal health. Disturbances of digestion are often the cause of sleeplessness. Poorly ventilated and over-

heated rooms also cause restlessness and disturbed sleep. A bedroom window should be kept at least partially open during the entire night. Children under fourteen should be allowed a little more sleep in winter than in summer, and when they are growing most rapidly. It is a deplorable fact that very young and growing boys and girls are, especially in winter, taken to concerts and other evening entertainments. It is not surprising that they come to school the next day tired, when they should be rested, the fatigue showing in the bagginess of the eyelids and the dark circles around the eyes. Coming to school in this unrested condition, they are unfit for the best mental work.

Children should never go to bed hungry. When hungry, one cannot go to sleep readily, nor sleep so soundly. Instead of going to bed hungry, one should take some easily digested food, such as bread and milk, crackers, or even a glass of milk without anything else. Good milk, you remember, is a perfect food, and besides it promotes, rather than retards, sleep. Overwork, overexcitement, or the reading of horrible or exciting tales just before bedtime, also constitute a frequent cause of serious disturbance of sleep. Trouble and worry likewise are sleep-robbers.

During sleep the brain cells regain their strength. Sleep does most good when it is regular. A person gets the most benefit from sleep if he goes to bed at about the same hour each evening. The beneficial rest of mind and body that comes so naturally and completely with sleep cannot be secured in any other way. All animals that have well-developed and highly organized nervous systems must take rest in sleep.

Dreams.—Sometimes when the rest of the brain is asleep, a few of its cells for some reason keep acting. They act in so lively a manner as to leave memories when we awake, as if they were real occurrences. These activities of a few brain cells during sleep constitute our dreams. We dream most impossible things at times, which goes to show that only a few cells have been active. When more are active, as when we are awake, our ideas are clearer, for then the cells act more honestly, and correct each other.

Habit.—I know an old man who, for twenty years, had been what is known to railroad men as the “night caller,” his work being to call those engineers and firemen who were obliged to run the night trains. Reaching an advanced age, after such a long term of faithful service, the railroad superintendent decided to give him more pleasant employment. Instead of being compelled to work the entire night, exposed to all sorts of weather, he was offered a position which would pay him a little better salary, and at the same time exact shorter hours of labor, which, best of all, would be in the daytime. At first the old man gratefully accepted, and entered gladly upon the new work. After a few days he became dissatisfied with this new and better position, and this dissatisfaction so grew upon him that in a short time he came to the railroad official and begged that he might be permitted to go back to his old-time night work, even at a salary less than he was then receiving. That is, he was desirous of exchanging what ordinarily would be termed comfort for discomfort, only because he had worked so long at night that he could not feel satisfied with other work. He had learned to sleep better in

the daytime than at night, and his whole life had become the reverse of that followed by the majority of men. Men who have grown old in prison have asked to be readmitted after having served their sentences, and on this request being denied, have committed some crime that involved their being sent to prison again. People like to do things as they have always done them—like to live as they have always lived.

If the brain cells have acted in the same way a few times, they tend to act in exactly the same way again. When you bend your arm, your coat or dress sleeve wrinkles in exactly the same manner each succeeding time. When a piece of paper is once folded, it folds more easily in the same place the second time. A door-lock works better after having been frequently used. A piece of machinery works more easily, there is less resistance, after it has been run some little time. Our brain cells are subject to the same rule. Brain cells that act together once, act together more readily a second time, still more readily the third time, and so on. They form the *habit* of acting together. If our brain cells in the speech center act in such a way as to make us say, "I done it," for "I did it," or any other grammatical error, it is easier for them to act together the second time and cause us to make the same mistake. The more they act together in using wrong language or profane words, the harder it will be to overcome this habit. Our nervous system, our brain cells, may become our strongest ally, or our worst enemy, according to the habits formed. If the proper brain cells have acted together from the first, then good habits are formed that help us at every stage of our existence. How important, then, that we begin right, in order

that our nervous system may form habits of helping rather than hindering us. We must acquire habits. We cannot help acquiring them. Shall they be good or bad?

Character.—The habits acquired determine character. All of our habits of life and action, whether mental or physical, have some sort of basis in the physical organization and training of our bodies. The first command, in the form of a nervous impulse, carried from the brain to certain groups of muscles in order to cause some definite form of activity picks its way, as it were, in order to find the path of least resistance. The next impulse from the brain to bring about similar muscular activity will follow this path that has already been used. In the course of time this nerve pathway becomes so well marked, so deeply cut that it is a "fixed habit" of action. We all know how difficult it is to change a fixed habit.

Groups of nerve cells that have once acted together tend to act together again. The more they are associated in their activity, the more easily and readily do they act on each succeeding occasion. Have you not observed that a person in learning to play the piano must closely attend to every movement of the fingers, but after long practice his fingers seem to strike the proper keys without any special effort or direction? Certain of the brain cells have become so accustomed to work together in the long periods of practice, that they act almost of their own accord, accurately and quickly, just as the eye in glancing at the sheet of music perceives the note that should be sounded, and sends this message to the brain. Habitual

actions are always performed with less effort, in less time, and more accurately than new activities could possibly be.

Our nervous systems become accustomed to certain ways of living, and certain modes of activity. The paths connecting the brain cells concerned in these frequent activities, are the easiest ones for the brain impulses to employ. The more one coasts down the snowy hillside, the smoother does the path become, and the faster and farther does his sled travel. The more one does a certain thing, the more likely is he to do it again. This is illustrated in every one of our habits. If these habits are good, our nervous system is our ally, and it is comparatively easy for us to do what is good. We do not have to struggle and battle against habitual tendencies; instead, our habits help us. If these habits are wrong, then they are as a millstone round our necks in our efforts at correct living.

This principle of habit applies in every particular to the practice of using alcoholic beverages. Each succeeding time the taste for drink is indulged, the less does one's power of resistance become. The real meaning of the word "habit" is "that which holds us," and when a form of action becomes a habit, we are held in firm grasp. Let me illustrate. A college mate of mine, a fine-appearing young man belonging to one of the leading families in this nation, had been in the habit of taking a social glass of liquor. From some cause he became seriously ill, and his mother, who was traveling in Europe, was cabled for. By the time she crossed the Atlantic to be at her boy's bedside, he became stronger and almost well, and with the thought of surprising his mother and allaying her anxiety, he planned to go to New York and meet her at the steamer on

its arrival. During the ten days of his illness he had not tasted any sort of liquor, because of the doctor's orders. In going from the college to the railway station, enjoying the delightful morning air, he passed by a saloon. He had been warned by his physician never again to take alcoholic drinks. He was determined to obey this injunction, but as he was passing the saloon door his whole nervous system seemed to cry out for drink, and weakened as he was because of his period of illness, he could not resist. He entered the saloon, drank the liquor, and this brought on a relapse of the fever, from which he died—*because, through habit, his nervous system was his enemy rather than his ally.*

Healthy Brain Requires Healthy Body.—The brain cells are the first to suffer if the blood is not pure, if the air is bad, if the food does not digest, or if anything else interferes with our bodily health. The best brain work is easiest to the person having a healthy body. Proper physical exercise is of great value in brain health and brain training. A sound mind in a sound body should be the result of all education on the part of the school, the home, and the individual himself.

EXERCISES.

1. Debate in class: "Is the dog or the horse the more intelligent animal?"
2. Write, in the form of a composition, an account of a dream you have had.
3. Give a written account of the earliest event in your life, which you now remember as having occurred, stating your age at the time of its occurrence.

CHAPTER XI.

THE EYES AND THEIR CARE.

Our bodies are truly wonderful. Perhaps the most wonderful and delicate organ of the human body is the eye. Have you ever thought what great care nature has taken to protect the eye? It is set deep in a bony socket, the edges of which serve as a strong guarding ring; the eyebrows overhang it so as to keep water or perspiration on the forehead above from running into the eye; the eyelids are fringed with lashes, and serve as curtains, closing over the eye instantly when the light is too strong. In the same manner the eyelids protect the eyeball from dust and dirt. The nose also helps to protect the eye from blows or jars from the front or side. That the eye, so necessary to comfort and success in life, is highly prized by Mother Nature, is shown by the safeguards and means of protection provided. Much of the health and care of our eyes, however, depends entirely upon ourselves. If we mistreat them we are sure to suffer in many ways. Much carelessness with respect to the use of our eyes will cause harm that can never be remedied.

Description of the Eye.—The eye is a globe filled with a clear fluid. It has three coats or layers. The outer one (*sclerotic*) is white, and this is what is called the white of the

eye. The second layer (*choroid*) is black, so as to absorb surplus light, that the object looked at may be clearly seen. It serves the same purpose that the black lining of a photographer's camera does. When the photographer takes a picture, he covers his head and the camera into which he is looking with a black cloth to shut out surplus light. The only light he desires to enter his camera is that which comes direct from the object, the picture of which he is taking. The inner coat, or third layer, is a thin membrane called the *retina*. It is made up of many nerve cells, and is the sensitive plate of the eye on which all images of objects must be received before the objects themselves can be seen.

At the front of the eye is a clear, round window, called the *cornea*. Back of this is the *iris*, a round, muscular curtain, with a small, round, black hole in it, called the *pupil*. The iris is blue, brown, gray, or black, and gives the eye its color. The pupil becomes larger or smaller so as to regulate the amount of light that enters the eye. In very bright light it becomes quite small so as to shut out many of the rays. In dim light it becomes very large so as to permit all the light possible to enter the eye. Have you not observed that after you are in the dark for a few minutes you can see better than when you at first entered the darkness? This is because the pupil of the eye requires a little time to expand, and thus adjust itself so as to receive as much light as possible. When you enter a brightly lighted room, after you have been in the darkness, objects seem blurred. You cannot see things clearly because too much light enters the eye, and the pupil must become smaller (which it does in an instant) before the

eye can have a clear picture on its retina. Why can a cat see much better in the dark than a person?

Behind the pupil and close to the iris is a flattened, double-curved body called the *lens*. It is like a magnifying glass, in bringing all the rays of light together into one bright




FIGURE 63.—Section of an eye looking at a pencil. *c*, *c*, cornea; *w*, white of eye; *cm*, ciliary muscle; *a*, *a*, aqueous humor; *v*, vitreous humor; *i*, *i*, iris; *l*, *l*, lens; *r*, *r*, retina; *on*, optic nerve; 1, 2, pencil; 1', 2', image of pencil on the retina.

spot. The lens of the eye gathers together the rays of light, just as does the lens of a magic lantern in order to throw a clear picture on a screen. In the eye the sensitive retina is the screen, and the optic nerve carries the impression of this picture to the visual center at the back part of the brain, and thus produces vision. The *vitreous humor* is a colorless fluid, like the white of a raw egg, filling the large portion

of the eyeball back of the iris and lens. The *aqueous humor* is a similar but somewhat thinner liquid, filling the small portion of the eyeball between the cornea and the lens.

How We See.—The light reflected from the object enters the front of the eye at the cornea, passes through the aqueous humor, the pupil, the lens, and the vitreous humor, and throws a picture of the object, upside down, on the screen called the retina; and this is connected with the visual center at the back part of the brain by means of the optic nerve. When this impulse, or impression, reaches the brain, we see. If the optic nerve is cut, or dies from disease, we become blind, not because our eyes are no longer good, but because their connection with the brain is destroyed. Sometimes a growth (*Pterygium*) occurs over the cornea, or again the lens may become opaque (*cataract*). Either condition prevents light from reaching the retina, and if such defects are not remedied blindness results. But nowadays the surgeon does his work so delicately that the diseased coating can be scraped off, or the lens removed, and sight be restored. Much blindness is caused by improper care of the eyes.

The Eyes Move.—Each of the eyes can be turned in any direction by means of six muscles. This arrangement enables us to watch objects from every point of view. By means of these muscles, we can rapidly glance up, down, to the right, to the left, or roll the eyes about. The muscles usually guide both eyes together, just as we guide a team of horses with the reins. In the eyes, however, there are six pairs of reins.

Being Cross-eyed.—Sometimes one or more of the muscles

is not of the right length, and both eyes will not be guided alike. One eye will then look at one object, while the other looks at something else. Such a person is *cross-eyed*. By means of an operation the offending muscle can be shortened or lengthened, and the cross-eyed person is cured. The operation is most successful when it occurs in childhood.


Tears.—While we are awake the eyes are in almost constant motion. To prevent friction from rubbing against the lids, as well as to wash out little dust particles, and thus prevent injury, each eye is moistened by a saltish liquid, called *tears*. These tears are secreted in a gland above and toward the outside of each eye. Each gland is about the size of an ordinary bean, and is connected with the inside of the nose by means of a small tube. When one weeps, or cries, the tears run faster than this tube or duct can carry them into the nose. Then they run down the cheeks. Tears are useful in keeping the eyeballs clean.

Near-sightedness.—You may have observed that some persons, to see clearly, must hold the book, newspaper, or other object being looked at, close to their eyes. This is called *near-sightedness*. Near-sighted pupils are apt to lean over their desks, causing round shoulders. Others make themselves near-sighted through the habit of sitting in a stooped-over position, as in the bad positions shown in the following pictures.


Far-sightedness.—Other persons cannot see objects close to them as well as they can those at a distance. This is called *far-sightedness*.

Spectacles.—All persons with defective vision, whether suffering from near or far-sightedness, should wear well-fitted

spectacles, which will make it possible for them to see as well as any other person, and without discomfort. In far-sightedness they must wear spectacles with lenses of such curvature as to cause near objects to be seen clearly. In near-sightedness the lenses must, of course, be of just the opposite curvature.



Bad Positions.



Good Positions.

FIGURE 64.

After middle life, and as we become older, most of us will find our eyesight becoming defective. This is due generally to hardening of the lens, so that it does not respond to the action of the muscle, and because of this the lens can no longer adapt itself so as to see objects at different distances. The eyes should be examined by a skilled oculist without delay, and

suitable glasses should be used. This condition of defective vision should not be neglected. As the years advance, "stronger" glasses will be necessary.

The Blind Spot.—The place on the retina where the optic nerve enters the eye is totally blind. This spot has no nervous elements sensitive to light. To prove the existence of the blind spot, close the right eye and look steadily with the left at the cross in Fig. 65, holding the book directly in front of, and moving it to and from the face. At about one foot from the

face the black disk entirely disappears; when nearer than this or farther from the face, it is seen. In this simple experiment, it is absolutely necessary to keep the left eye focused on the cross. The blind spot is about one-thirteenth of an inch long in the average human eye.

Care of the Eyes.—Trouble with the eyes may arise from a number of causes. If the whole body is weak and the health poor, the eyes are also apt to be weak. Continued stomach trouble frequently causes serious and permanent eye trouble. Poor circulation of the blood always affects vision. One should




FIGURE 65.

never study or read early in the morning before breakfast, when the stomach is empty, for such a practice will quickly cause inflammation of the eyes. A cold causes serious discomfort with respect to vision in much the same way that it develops a sore throat, by inflammation of the delicate membrane lining it. After any serious illness, during convalescence, great care should be taken in the use of the eyes. Many diseases, such as scarlet fever, measles, and diphtheria, seriously weaken the eyes, so they cannot do the usual amount of work until there is perfect restoration to health. Pale ink, greasy slates, dirty blackboards, and hard lead pencils that do not make a black mark, are very trying to the eyes.

Eyesight In School. Directions to Pupils.

1. Sit upright, sit square.
2. Keep your eyes at least twelve inches from your work.
3. Write on a slope, not on a flat table.
4. Read with your book well up; do not lay it down flat.
5. Do not read very small print.
6. Do not work in a bad light.
7. If you cannot properly see your work, tell your teacher.

Out of School.

1. Do not read lying down.
2. Do not read by twilight, or by a poor light, or when the eyes are tired.
3. Do not face the light in reading.
4. Do not look steadily at the sun or a very bright light.
5. When your eyes feel tired after reading for a time, rest them by looking at objects at a distance.

Poor Print and the Eyes.—Badly printed school and other books read by children cause undue strain of the eyes. The type should be plain, clear, and sufficiently large. It should be Roman rather than Gothic. This book is printed in Roman-faced type, and of the proper size for school books. After a number of tests upon a great many children in the laboratory of one of our largest universities, it was found that the style and size of type used in this book is that which is most easily read by persons older than nine years. It is called Long Primer.

The following show the various sizes of type:

(Double Pica.)	(Great Primer.)	(Pica.)
The size and style of type used in		
(Long Primer.)	(Bourgeois)	(Minion.)
printing the pages of	this book is	more easily read
		than any other.

None smaller than the one indicated as Long Primer should ever be used in school books. The largest type here shown is too large for any school book. Type that is too large is as injurious to the eyes in study, as type that is too small.

Impressions from old and worn-out type are apt to be imperfect. The long letters become broken or worn off at the ends, the a and e are not distinct, and the b and h, as well as the p, g, and q, are hard to distinguish. The lines should not be too close together, and should not be too long. A cream-tinted paper is easier on the eyes than pure white. Straw-colored manila paper is far better than white paper for pencil work by artificial light. School tablets made of manila paper are both cheaper and better for pencil work than white paper. A soft pencil should be used, as it will make a plainer mark.

Testing the Eyes.—A child with normal eyesight ought to be able to read the pages of this book in a good light at a distance of forty inches, and as close as six inches, and at all distances between these two. A child that cannot read it as far as from fourteen to sixteen inches from the face should have his eyes examined by an oculist. A rough test can be made with the following heavy black letters, looked at from the designated distances with each eye separately.

O F

Can you read these letters at the distance of forty feet?

P H E

Can you read these letters at the distance of thirty feet?

Z P L R D F

Can you read these letters at the distance of twenty feet?

A F E T B X V

Can you read these letters at the distance of fifteen feet?

V B S H O K N E D A

Can you read these letters at the distance of ten feet?

FIGURE 66.—Test-type Letters.

In thus testing your eyes place the open book in good light against the wall of the schoolroom. Test each eye separately. Keep both eyes open. Do not close the eye not being tested, but hold a card, a book, or your hand in front of it. Start at a distance of about fifty feet and walk *toward* the "test-type" letters, keeping your eye fixed steadily

on them. If your eyes are as good as they should be, you will discover that you can distinguish the two largest letters at a distance of forty feet. Then walk still closer, and note carefully at what distance you can read each of the other rows of letters. Observe whether your right eye is stronger or weaker than your left eye. These tests will be exact enough to reveal whether or not your eyes are normal. If they are not, you may find in this fact the true reason for headaches, from which you may suffer at times. In case your eyes are defective, it is always a good plan to consult an oculist. Defects of vision are always more readily cured when one is young. You can safely use your eyes until they begin to ache or burn. They should never cause pain from use. If they do, something is wrong. At the first sign of such discomfort, it is best to stop work and give the eyes a rest.

QUESTIONS FOR STUDY.

1. How do birds compare with other animals in keenness of vision?
2. What is meant by such expressions as "watch like a hawk," "eagle-eye," and the like?

EXERCISE.

Write an account of what is meant by color-blindness.

CHAPTER XII.

THE HYGIENE OF THE EAR.

The ear is almost as delicate and fully as interesting as the eye. It is even more complicated. Before considering the care of this important and wonderful instrument, we will briefly observe its structure.

Each ear is made up of three distinct parts: the external ear, the middle ear, and the inner ear.

The External Ear.—The outer ear is simply a funnel to catch sounds, which are carried through the middle ear to the inner ear. It consists of the part which is seen standing out prominently on either side of the head, and also the auditory canal, extending as far as the drum of the middle ear. The auditory canal is nearly one inch in length. You have seen a person partially deaf curve his hand about his ear so as to make this shell-shaped funnel larger, and thus catch more sound. In some animals the outer ear is movable and can therefore be adjusted to make the sense of hearing more acute. Have you not observed how dogs and horses prick up their ears when trying to listen closely to an unfamiliar sound? The *concha*, or shell-shaped funnel of the external ear, consists of thin, corrugated pieces of cartilage, covered with skin on both sides.

Ear Wax.—The auditory canal is lined with a continuation of the skin on the inner surface of the *concha*. Within the

canal, this lining contains glands that secrete a fluid which moistens and protects the parts, especially the ear-drum. This fluid is bitter, and prevents insects from crawling very far into the ear. It catches any dust or dirt that might otherwise enter too far into the auditory canal. You will notice that this canal is curved. Because of this curve, you cannot see so far as the ear-drum when looking inward. A cinder, insect, or other harmful object, is thus less apt to injure the ear-drum than if there were a straight channel from the outside. When the fluid of the auditory canal hardens, it becomes wax. You should never use a sharp instrument in removing this, as there is grave danger of injuring the lining, causing serious inflammation, similar to the inflammation that exists when one is suffering from earache.

The Ear-Drum.—There is a thin membrane across the end of the auditory canal, making the boundary between the external and the middle ear. This membrane, together with the tissues to which it is attached, is called the ear-drum. The drum-head, the thin, delicate partition to which we have just alluded, is readily set in vibration by the sound waves received from the external ear through the auditory canal. If it did not vibrate we could not hear, for the sound waves would not then be transmitted. The least puncture of the drum-head destroys its ability to vibrate in harmony with the sound waves received from without. It is essential that this delicate membrane be kept from injury of any sort.

The Middle Ear.—Just beyond the drum-head is the small cavity known as the middle ear. Stretched across this cavity is a chain of very small bones, which, from their shape, are

called the *hammer*, the *anvil*, and the *stirrup*. The handle of the hammer is attached to the inner surface of the drum-head, while its head forms a joint with the anvil. The anvil is also directly attached to the stirrup. At the bottom of the middle ear is a small tube, affording a passage from the




FIGURE 67.—Section through the Ear.

upper and back part of the throat. By means of this *eustachian* tube, for such it is called, a supply of air, so necessary to the health and perfect action of the middle ear, is kept up. The drum-head would sag inward if there were no air pressure from within the middle ear. This would prevent proper vibration, and seriously interfere with hearing. The adenoid growths described in Chapter IX., by

clogging the eustachian tube, impair hearing. They are probably the most frequent cause of defective hearing in children.

The Inner Ear.—This is the most complex portion of the organ of hearing. It has three parts: the *vestibule*, a small chamber not larger than a grain of wheat, next to the middle ear; the *semicircular* canals, joined to the vestibule, and the *cochlea* or snail-shell. The three semicircular canals in each ear are filled with fluid, and serve as spirit levels for the body. By their help we quickly judge of the position of the body, especially the head. A person whose semicircular canals have been destroyed by disease can rarely be made dizzy, no matter how long his body is rotated. The cochlea is connected with the auditory nerve, and is the most important part of the ear, because it changes the sound waves into nervous impulses to be transmitted to the hearing center of the brain.

Some animals, as fish, have only an inner ear. The inner ear is the real organ of hearing. The external ear conducts sound to the middle ear. The drum of the middle ear, with the bones and eustachian tube, makes more clear and distinct the sound waves received from the outer ear.

Care of the Ears.—The essential parts of the ear, being deeply seated in bone, are in less danger than the eyes, and do not so frequently suffer from injury. Still, the ears do become affected. Hearing is thus impaired, and even destroyed.

A very common danger results from carelessness on the part of some, especially young children, in introducing foreign bodies into the ear. Some children will thoughtlessly put the end of a penholder or pencil into the auditory canal. A piece of lead may break off and lodge against the drum-head. For-

eign bodies of this kind are by no means easily removed, and if their removal is attempted by an unskillful person, the drum-head may be punctured, causing irreparable injury. Water must be regarded as such a foreign body, liable to cause injury if it fills the auditory canal. For this reason, in diving and ducking, great care should be taken.

A surplus collection of wax may close the auditory canal and cause temporary deafness. If a pin, toothpick, or other pointed instrument is used to remove this wax, there is great danger of injury to the drum. The best method is to drop a little warm water into the ear to soften the wax; after which it may be removed by syringing the ear with warm water. If an insect should get into the ear, it can be killed with warm, salty water, and afterward washed out. Insects that have entered the ear can sometimes be coaxed out by holding a light quite near the external opening. They are attracted by the light, and turn around and crawl toward it.

A blow on the ear is always dangerous and may cause sudden and permanent deafness. The force of the air compressed into the auditory canal and against the drum may burst the drum, even though the blow itself were not severe enough to cause much pain. Loud sounds, such as the firing of a cannon, sometimes cause deafness. As a rule, such deafness is only temporary. If the loud noises are frequent or continuous, permanent deafness may ensue. Boiler-makers very often become deaf. Some drugs, such as quinine, make the ears ring. This disturbance is but temporary, lasting only a few hours, but may, after a time,

from excessive doses, develop into a permanent impairment of hearing.

Defective Hearing and Dullness.—Such diseases as scarlet fever and diphtheria often cause partial deafness in one or both ears. When this occurs in a very young child, it is not readily detected by others, and he grows so accustomed to his misfortune, that by the time he enters school he fails to realize that his hearing is less acute than that of other children. Or the same condition may result from adenoid growths closing the air-passage from the throat to the middle ear. He does not distinctly hear the questions or the explanations of the teacher, and is sometimes charged with inattention. For this reason it is well to have the hearing as well as the eyes of children tested on first entering school. Marked dullness of children in school work is generally the direct result of defective hearing.

QUESTIONS FOR DISCUSSION.

1. Which sense is the more important, vision' or hearing? Why?
2. What other senses have we besides vision and hearing?
3. Which of our several senses is the first to go to sleep when we go to bed?
4. What is ventriloquism?

CHAPTER XIII.

THE TEETH AND THEIR CARE.

The teeth cut and grind the food and mix it with saliva. Their work in thus preparing the food for digestion in the stomach and intestines is very important, and should be thoroughly done. It is necessary that the teeth be protected and cared for.

The teeth are different from any other part of the body in that they cannot, of themselves, recover from injury. If the skin is torn, a muscle cut, a bone broken, repair begins at once; they eventually heal, and are soon practically as good as ever. An injury to a tooth is permanent. It has no power to mend itself: it is utterly unable to build over with new growth, as is the case with the other tissues of the body.

Not only do injured or decayed teeth cause pain, but they interfere with the general health in various ways. A person with decayed teeth cannot chew his food fine, if he would, and chewing with such teeth not only interferes with the later digestion, but of itself may cause pain. If it is painful to chew the food because of imperfect teeth, the person so affected soon forms the habit of bolting his food without proper mastication. Again, decayed teeth are often a source of poison to the blood, and in this manner may also jeopardize the general health of the individual.

Structure of the Teeth.—Each tooth has its *crown*, or top; its *fang*, or root, and its *neck*, or portion between the crown and the root. Looked through vertically, a tooth is seen to consist of several distinct substances arranged in layers. In the interior is the pulp, a soft substance supplied with nerves and blood vessels. These nerves and blood vessels enter the tooth through a little hole at the tip of the root. If a nerve or the pulp be exposed to the air, pain or aching will result. *Dentine* is the name of the substance lying next to the pulp. At the crown it is covered with *enamel*; at the root, with *cement*. The dentine comprises the larger part of the tooth, and is a form of bone tissue, composed of both mineral and animal matter. The brilliant white layer, or enamel, which covers the tooth at its crown, is the hardest substance of the body. The enamel is an armor-plate, protecting the exposed portion of the tooth from decay. A small hole or crack in the enamel is soon followed by decay of the dentine and pulp. The enamel must be sound, if the tooth is to remain healthy.




FIGURE 68.—Enlarged vertical section of a Tooth.
1. Enamel; 2. Dentine;
3. Pulp. 4. Blood vessels and nerves.

Kinds of Teeth.—The child begins to get his first set of teeth when about six months old, and soon has them all, twenty in number. Between the ages of six and thirteen, according to the state of his general health, the teeth of this temporary set begin to loosen, and are supplanted by a permanent set of twenty-eight teeth, half of which are in the upper and half in

the lower jaw. At the age of from twenty to twenty-five, four more are added. These latter are the four farthest back in a complete set, and are called "wisdom teeth."

The teeth are divided into four kinds, because of their different shapes. Beginning at the middle of either jaw and proceeding backwards, we find the teeth placed in the following order: The first two on either side of the middle have chisel-shaped crowns and are the *incisors*. They are adapted to cutting or biting off the food. The third tooth on either side is the *canine*. It is almost round, very strong, and very firmly set. The next two are the *bicuspid*s, and have flat crowns. The next three are much larger than the others, with broad, flat crowns, well suited to grinding the food. They are called the *molars*.

Care of the Teeth.—We are careful to keep our nails clean, because our companions would notice the dirt. But unclean teeth are also open to such inspection, and nothing mars one's appearance more than unsightly, yellow, decayed teeth. A toothbrush and a little silk thread are all the machinery required to keep the teeth clean. Three minutes a day is ample time for this purpose. The preservation of the teeth is not only necessary for one's appearance, but is also vital to the possession of the best health. The care of the teeth is largely a habit; this habit once formed, you would no more think of going to school without brushing your teeth than of going without washing your hands and face or brushing your hair. Teeth that are kept clean cannot decay. Decay always begins upon the surface, and not within the tooth. By cleaning the teeth, the acid secretions that attack their lime salts are removed, as well as the germs of decay.

Much time is wasted by pupils because of toothache and its companion, earache. One cannot apply himself to study when he has a jumping, thumping toothache. "A stitch in time saves nine." Particles of food, if allowed to remain in the mouth, get lodged in the teeth, and decompose. The enamel is attacked, and finally destroyed. After this, but a short time is required for the decay of the body of the tooth.

A toothbrush should be used at least twice daily—in the morning, directly after breakfast, and in the evening, before going to bed. The toothbrush should be soft, and must not be employed so vigorously as to cause the gums to bleed. Lukewarm water should be used; if it contains some salt, so much the better for the teeth. If a good tooth powder cannot be secured, white castile soap will answer very well. We must be especially careful to clean the teeth after eating candy and confections, for sweet substances, when they decompose, form acids. These acids are severe in their attacks on the lime in the teeth.

With a soft wood, or quill toothpick, we can remove the larger food particles. Metal toothpicks are injurious. With a piece of silk thread, or a small rubber band, we can clean between the closest fitting teeth. Cracking nuts with the teeth often breaks the enamel. It may also be cracked by sudden cold, as when we drink ice-water. The saliva deposits a yellowish brown substance, called *tartar*. This generally occurs at the line where the surface of the teeth and gums meet. If this deposit is not removed, it may extend toward the root and loosen the teeth. The teeth should be examined twice a year by a dentist, and any cavities promptly filled.

CHAPTER XIV.

DISEASE GERMS.

You are aware of the harm resulting from dust's entering the lungs. But still more injurious are the various kinds of live dust that cannot be seen with the naked eye. By live dust we mean little organisms called *bacteria*. Many of them are the causes of our worst contagious diseases. Some bacteria are beneficial, others are harmful.

Disease Germs.—Our bodies are good soil for certain germs of disease. Some of these germs will grow in the human body, but not in the body of an animal. Some diseases, as tuberculosis, are common to both man and some animals. The disease germs of tuberculosis may live and flourish as well in the body of a cow as in the body of a man. In fact, persons may take tuberculosis by drinking milk from cows infected with this dreadful disease. We know that the following diseases are caused by germs: tuberculosis, typhoid fever, grippe, diphtheria, cholera, erysipelas, pneumonia, bubonic plague, lock-jaw, and leprosy. The little germs, or bacteria, causing different diseases, differ from one another in their appearance. The bacteria that cause typhoid fever do not and cannot cause diphtheria. Though these germs are so small as to be invisible to the naked eye, yet when seen with a powerful microscope many of them can readily be distin-

guished from one another. To the student of the diseases mentioned, these minute germs appear as different from one another as grains of wheat and corn do to you. Some of the best known forms are shown on this page.



Diphtheria.



Typhoid Fever.



Asiatic Cholera.



Tuberculosis.



Erysipelas.



Lock-jaw.



Pneumonia.

FIGURE 69.—Bacteria.

The Danger.—These germs are about us on every hand. They may be in the air, in our food, in the water we drink. In pioneer days man was afraid of wild animals that might attack him and take his life. Nowadays we know that we may be assailed at any minute by countless millions of invisible creatures, attacking, poisoning, and destroying our bodies, that they may feed themselves. To-day a person is healthy

strong. To-morrow he may drink a glass of impure water containing germs of typhoid fever. These industrious little bacteria soon derange the entire bodily system, and threaten life. A person having consumption may expectorate on the seat of a car, a store, a church, or a schoolhouse. This sputum contains thousands of disease germs that are capable of causing consumption in any one whose body affords suitable soil for their growth. The sputum dries. This drying does not kill the germs. They become mixed with other dust in the air we breathe, and may find lodgment in our lungs.

Conditions Favoring Disease Germs.—No condition is more favorable to disease germs than impure air. You have seen the gardener's hotbed in which he forces the growth of plants. A schoolroom improperly ventilated is a hotbed of infection and contagion. Impure air affects the nervous system. The awake child becomes listless, drowsy, inattentive, and filled with fatigue poison. Physical growth is stunted because the children cannot help but be poorly nourished when they are compelled to breathe foul air. Appetite and digestion are broken. Sleep, after a day in a stuffy schoolroom, is disturbed. In this condition children become the ready carriers of contagious and infectious disease.

In a poorly ventilated room the poison germs of disease are concentrated. Every cubic foot of air may be full of bacteria. In a well-ventilated schoolroom the victims of the contagious diseases are few. The air is not so laden with disease germs, and the child's power to resist disease is greater. If a room is filled with impure air, the reverse is the case; and such a schoolroom, if one of the pupils takes whooping-

con-
qu-
of on
spread
Ho
known
Chi
ing-cups
Mea
clothing-
Who
the throa
Scarl
by secret
mitted b
desks, cat
Gripp
clothing;
rigidly as
Diphth
up in secr
the furnit
sometimes
known to b
Time R
germs are
fore the sy
fest. The

cough, diphtheria, or scarlet fever, many, if not all, of the pupils are liable to contract the same disease.

Filthy surroundings of any kind, as well as uncleanness of one's person, afford the same favorable conditions for the spread of contagious diseases as does impure air.

How Disease Germs are Transmitted.—Some of the best known contagious diseases of children are spread as follows:

Chicken-Pox—Indefinite; probably by the breath, drinking-cups, and similar means.

Measles—By excretions from the nose; by the breath; by clothing.

Whooping-Cough—By the breath; by expectorations from the throat and lungs.

Scarlet Fever—By contact with cast-off particles of skin; by secretions from the throat and nose, which may be transmitted by various means, such as clothing, books, school desks, cats, and dogs.

Grippe—By a germ conveyed by travel, baggage, and in clothing; contagious. Latest authorities isolate cases as rigidly as small-pox, because of serious results.

Diphtheria—By the breath. The germs may be coughed up in secretions from the throat and lodge on clothing or on the furniture or the walls of the sick-room; very persistent, sometimes causing disease after becoming thoroughly dry; known to be conveyed by house cats.

Time Required by Various Disease Germs.—After disease germs are received into the body a certain time elapses before the symptoms of the disease they cause become manifest. The following table shows the period, in the different

forms of sickness, before the disease develops from the germs present.

Disease	Begins usually on the	But may at any time between
Scarlet Fever	4th day	1 and 7 days
Diphtheria	2d day	2 and 5 days
Small-pox	12th day	1 and 16 days
Chicken-pox	14th day	10 and 18 days
Typhoid Fever	21st day	1 and 28 days
Measles	12th day	10 and 15 days
Mumps	19th day	15 and 24 days
Whooping-cough	14th day	7 and 15 days

Typhoid Fever and Water Supply.—The relation between typhoid fever and impure water is clearly shown in the accompanying diagram (Fig. 70), which presents the comparative death-rate from this disease in the city of Munich, Germany, extending over a period of thirty years. During the period from 1854–1859 the inhabitants of Munich drank water from wells. The city had no system of sewerage, and consequently many of the wells were contaminated by drainage and seepage. The deaths from typhoid fever during this period of neglect were alarming in their number. In 1866 the city authorities began the construction of a system of sewers for part of the city. This resulted in a partial improvement of the water supply, and consequently the deaths were reduced nearly one-half (see second column). This system of sewerage was extended in 1874 to other parts of the city, and the improvement of the water supply resulted in a still further lowering of the death-rate (see third column). In 1881

the city authorities began to condemn and fill up many old wells, and extend the sewerage system; they also gave the people purer water to drink, with the result that in 1884 the deaths from typhoid fever were reduced to 1.4 for every 10,000 inhabitants. That is, in 1854, when the people of Munich drank impure water, the number of deaths from this dread disease was *seventeen times as great* as it was after the city had a good general water supply.

If drinking water is suspected of being impure, all danger can be removed by boiling. Disease germs, such as typhoid bacteria, are killed by boiling, while freezing has little or no effect upon them.

How Bacteria Are Destroyed.—Disease germs are constantly about us, and yet in only comparatively few cases do they gain a hold upon the body and produce sickness. Why are they not more successful in their attacks upon the healthy body?

First—The fluid part of the blood and lymph, called plasma, in a healthy person is of such a chemical nature as to be able to destroy germs of disease.

Second—The white corpuscles of the blood seem to be especially endowed with the capacity of a successful detective. They have the power to seek out the bacteria of disease, which they at once envelop and destroy.




FIGURE 70.—Death Rate in Munich from Typhoid Fever.

Third—People are becoming more observant of sanitary rules. If we keep clean by washing thoroughly every day, properly nourish our bodies, eat digestible foods, take plenty of exercise in the open air, sleep eight or nine hours every night in well-ventilated bedrooms, the microbes of disease will soon go out of business. Bacteria cannot thrive without suitable soil; the causes that render the body liable to successful attacks upon it are poor nutrition (partial starvation), fatigue, impure air, mental depression, and unwholesome food.

Antitoxin in Diphtheria.—The germs of diphtheria can be raised outside the body in gelatine and beef-broth. The poisons they produce may be injected into the blood of a horse. When this is done, there develops in the plasma of the horse's blood a substance that will kill the germs of diphtheria. This germicide is called *diphtheria antitoxin*. It can be drawn off with the blood of the horse. The blood is allowed to clot, and the clear part (serum) contains the antitoxin. This is preserved in tightly sealed glass tubes and can be injected into the blood of a person suffering from diphtheria, where it tends to overcome the poison and cure the disease. Diphtheria antitoxin is being successfully used by physicians in battling against this dreadful scourge. The report of the city health officer of Chicago well illustrates the success of antitoxin in the cure of persons ill with diphtheria. In the three years since the use of antitoxin began, 1896–1898, there was an actual saving of 1,950 lives by means of this diphtheria germ-killer alone. In 129 cases where antitoxin was used the first or second day of the disease, there was not a single death: while in 114 cases treated with antitoxin

the third day of the disease, there were but three deaths from this disease which was formerly so fatal.

Vaccination.—Cows are subject to a disease that is a mild form of small-pox. By vaccination this same disease may be transmitted to a person. If the vaccine “takes,” it causes but little trouble, and the person vaccinated is proof against small-pox. The practice of vaccination was introduced by Jenner, who must be regarded a benefactor of all mankind.

Disinfectants.—There are substances that really destroy disease germs. Such substances are called disinfectants. These chemicals have the power of purifying the air of a sick-room, and destroying the germs of diphtheria, scarlet fever, and small-pox, that may be lurking in the clothing, bedding, and other articles. There are three methods of disinfection: (1) fire; (2) dry heat; (3) chemical poisons. If the bedding, clothing, and rags used in the sick-room in a case of scarlet fever, for example, are of little value, they should be completely destroyed by burning. Furniture, combs, brushes, and the like, should be washed in a 2 per cent solution of carbolic acid. A person caring for and handling the sick person should wash his hands in carbolic acid, 2 per cent solution, or mercuric chloride, one part to 500 parts of water.

After the termination of a case of contagious disease, it is necessary to cleanse and disinfect thoroughly the room and all articles in the room, or other things which may have been exposed, so that the disease may not spread to others. The room should be first disinfected with formaldehyde gas or by the fumes of burning sulphur, the former being preferred because sulphur fumes bleach colored fabrics and tarnish

picture frames and brass work. The room should be properly prepared by securely closing all openings and cracks. All surfaces should be exposed as much as possible; closet doors and drawers of dressing cases opened and left open, and the contents of the closets and drawers removed and scattered about; bedding and clothing suspended from lines stretched across the room, or spread out on chairs; books opened and their leaves spread so as to allow access of the gas to all parts as freely as possible. For a room of ordinary size (1,000 cubic feet), one pint of formalin to seven and one half ounces of permanganate of potash should be used. Or if sulphur be used, three pounds of sulphur should be burned. After the room and its contents have been exposed to the gas or fumes for six hours, the room may be opened and aired. All washable goods should be boiled, and the woodwork and floor scrubbed with a two-per-cent solution of carbolic acid or other good disinfectant. Coffee, sugar, coal tar, and other substances are often burned in a room to destroy odors. They simply neutralize the offensive odor with one more powerful, but will not destroy disease germs. They are deodorizers, and not disinfectants.

Pure air, pure water, sunlight, and personal cleanliness are nature's disinfectants. Let us use them in our battle against the six D's: dust, dirt, darkness, decay, disease, death.

QUESTIONS FOR DISCUSSION.

1. Are there any bacteria that are beneficial?
2. How are some bacteria employed to rid us of certain pests, such as the chinch bug, which destroys fields of grain in many localities?

CHAPTER XV.

SOME DISEASES OF MODERN LIFE.

There are a number of diseases occurring to-day that were practically unknown in ancient times when people lived more simply. In this day and age, with its rush and stress, the anxiety arising from sharp competition, the changed conditions amid which people toil, the crowding together in cities, the long distances between the home and one's place of work, and the increased liability to fatigue, with less inclination and fewer opportunities for out-of-door recreation, have caused forms of disease that are peculiar to modern life.

There are also many kinds of employment associated with the varied industries of modern times which were unknown in the earlier history of the race. Many occupations that came with the introduction and perfection of so much wonderful machinery, which made possible the busy factory, whirring mill, glaring furnace, and noisy railroad, have given rise to forms of disease previously unknown. To such diseases the term "occupation diseases" is applied.

Comparatively recent, too, are certain disorders of mind and body, due not only to excitement, stress, worry, and overwork, but more especially to the more extensive use of alcoholic drinks and narcotic drugs. Of the diseases of modern life, those arising from the more widespread indul-

gence in alcohol and narcotics are by far the most serious in respect to the number of persons involved and the havoc wrought in the average individual case.

Alcohol and Disease.—In former times alcoholic drinks were used almost entirely by the comparatively few belonging to the wealthier class. The production was limited. Excessive use of alcohol began with the art of distillation, which made it possible to produce strong whisky and similar drinks from corn and potatoes in an inexpensive manner. With this more extensive use of the alcoholic drinks has arisen a group of mental and physical disorders that are becoming more and more alarming in character and degree. Alcoholism is not inborn or instinctive. It is acquired. One who becomes accustomed to the use of alcohol as a beverage soon feels the need of it habitually. The longer this habit exists in an individual or a nation, the more fixed and vicious does it become.

“What shall I say for the personal habits you must form if you wish for success? Temperance is first upon the list.

* * * * *

“Vices which burrow into people’s souls, as the Guinea worm burrows into the naked feet of West Indian slaves, are less mischievous when seen than when out of sight. Now the true way to deal with those obstinate animals, which are a dozen feet long, some of them, and no bigger than a horse hair, is to get a piece of silk around their *heads*, and pull them out very cautiously. If you only break them off, they grow worse than ever, and sometimes kill the person who has the misfortune to harbor one of them. . . . Just so of all the vices, and particularly of this vice of intemperance.”—*Dr. Oliver Wendell Holmes.*

Alcohol Lessens Resistance to Disease.—One's power to resist attacks of disease may be seriously weakened by the alcohol habit. We all know how this disease-resisting power varies in different individuals. Of two persons walking side by side or employed at the same place of business, breathing similar air, living under like conditions in the same house, exposed to the same climate, the body of one may prove to be more suitable soil for the lurking disease germ than that of the other. One has less disease-resisting power than the other.

Now there are well-established instances where this power to resist disease was weakened by the alcohol habit. Not only does alcohol render certain individuals more liable to contract disease, but it often makes that disease more fatal in their case than it is among the very moderate or the non-drinkers of the community. This is illustrated again and again in pneumonia, a disease with which we are familiar. Pneumonia in a man who has habitually indulged in alcoholic drink is more severe from the very first, more rapid in its course, and more serious in its results than it is in the temperate man.

"Chronic alcoholism is always a most serious consideration in pneumonia; for all medical experience agrees in finding a much higher death rate in this class of cases than in the average case."
—*Preble*.*

The same condition of the alcoholic patient that is met in pneumonia is found in a large number of other diseases.

* Dr. Robert B. Preble, "Pneumonia," Chicago, 1905.

"When alcohol is taken habitually it injures the whole constitution; all tissues and organs, and especially the blood, manifest sooner or later a changed condition, with which susceptibility to disease is increased. Not only does alcohol intoxication call out diseases and disturbances that the non-drinker does not have, but it is an old experience that in epidemics of cholera, dysentery, and smallpox, drinkers are attacked in larger numbers, and with greater intensity, than non-drinkers."—*Dr. Baer, Imperial Board of Health, Berlin, Germany.*

Diseases Due to Alcohol and Narcotics.—The injury that is wrought by alcoholic drinks and narcotics occurs chiefly through the direct effect upon the nervous system. First, there are certain acute diseases caused by the direct action of alcohol on the nerves and the brain. Second, there are diseases of the other parts of the body because of the influence of alcoholic drinks upon the nerves that govern the nutrition of these organs.

The Mind and Nerves.—While a member of the medical staff of one of the largest insane asylums in the world, the author had an opportunity to study the causes of mental and nervous disease in more than three thousand patients, and found that the alcohol habit was both directly and indirectly the cause of more cases of insanity and serious nervous disease than all other factors put together. The havoc wrought by alcohol in this particular alone is appalling.

Of course there are many patients in our insane hospitals who have never used alcohol; but there is not a single form of insanity known to the brain specialists of to-day that cannot be produced by alcoholism.

In one person alcoholic excess will produce a state of continued excitability (*mania*). In another there will be continued depression and sadness, with tendency to suicide (*melancholia*). Then in still others we have a shrinkage of the brain cells—a brain hardening—resulting in *general paralysis*. In addition to these, in his experience, the author has found many other forms of mental disease arising from alcoholic excesses.

Dipsomania is the name given to a form of mental and nervous disease in which there is such strong craving for drink that the person is not responsible for his acts committed to secure alcohol. It becomes a mad thirst. He is insane.

Delirium Tremens is a form of temporary mental disease, due alone to alcoholic excess in persons whose nervous systems have been poisoned and shattered by the prolonged use of large quantities of alcoholic spirits. At the height of the attack the person is a raving maniac.

Clearly to understand these extreme results of the alcohol habit, it would be well to note the effect of even a small dose of liquor upon one not used to it. A very small quantity will excite the brain centers and cause the person first to become restless and talkative and then light-headed and unable to think clearly. He is too dizzy to walk steadily and is overcome by stuporous sleep, from which he awakes without feeling refreshed; indeed, he feels quite the opposite. The temporary congestion of blood in the brain has caused severe headache. If he takes a larger dose of liquor, his fingers and tongue tremble, his speech becomes indistinct, he reels about as he tries to walk, his skin becomes numb, and he sees double.

After several such experiences the brain and the nerves get used to the small dose of liquor. A larger quantity is then required to beget the same degree of excitement; and as a result of this the structure of the brain, the spinal cord, and the nerves becomes more and more impaired, and their normal power gradually becomes less and of poorer quality. Such a person becomes less inclined to mental effort of any kind. As the alcohol habit becomes more and more fixed, he becomes more and more unable to comprehend his own degradation and loses his sense of self-respect; and the final, complete physical, mental, and moral destruction of such an individual is, in a large number of cases, simply a question of time. The similarity between the frenzy of the drunken man and that of the maniac is readily seen. In fact, drunkenness might be called a short attack of insanity.

The Will Power is Weakened.—There should be no need of dwelling on the ruinous effects of strong drink upon one's power of self-control. One of the most serious effects of continued indulgence of the appetites is the weakening of the will. No one should eat food that is harmful, simply because it tastes well. There are foods that please the palate, but that, if eaten, would ruin the digestion. We should always deny ourselves unwholesome foods or drinks, however much we may "like" them.

But, as good old Dr. Oliver Wendell Holmes says, "We cannot disguise the fact, however, that men drink because they like it, much more than because of any good which it does them, beyond such pleasure as it may temporarily afford; and this is precisely the point that all arguments fail to

reach. *Pleasure is a bird in the hand which foolish persons will always choose before the two birds in the bush which are to be the rewards of virtue.* Intoxication offers to the weak or ill-managed brain a strange, pleasing confusion, a kind of Brahma's heaven where naught is everything and everything is naught, and where all perplexities at last resolve themselves into the generous formula, *It's of no consequence."*

By denying ourselves unwholesome food or drink, not only do we insure ourselves the possession of healthy bodies, but we exercise control over the appetites and thus greatly strengthen the will. Every act of self-control strengthens the will just as proper exercise strengthens a given muscle. Success in life is assured to the person who has developed a strong, sturdy, determined will. He will leave no duty undone; all his obligations will be squarely met; promises will always be kept, and no pledge be left unfulfilled.

The Stomach.—Chronic catarrh of the stomach (*chronic gastritis*) in adults is most frequently due to hard drinking. In fact medical men agree that this is the only frequent cause of this disease. The distilled liquors, such as whisky and brandy, do greater injury than do wine or beer. The harm done by alcoholic drinks often leads one to eat unwholesome foods; for the stomach has become so disordered that the appetites are deranged. In treating chronic catarrh of the stomach, the physician forbids alcoholic beverages, because nearly all cases are the direct result of alcoholic excess. Alcohol chemically irritates the mucous membrane that lines the inner wall of the stomach and distends the glands

that secrete the gastric juice, so that excessive amounts of mucus are discharged into the stomach. Sometimes this mucus is so great in amount that it surrounds the particles of food taken into the stomach and thus prevents the gastric juice from doing its part in digestion; for the food is covered with a thick coat of slimy mucus through which the gastric juice cannot readily pass.

You recall that the movements of the stomach are a very important aid to digestion. Now the stronger alcoholic drinks all interfere with the motive power of the stomach, reducing its activity by paralyzing the sympathetic nervous centers that govern digestion. The experiments of Fleischer and others clearly show that *alcohol prolongs and hinders the process of digestion*. We can readily see that if the undigested food is retained in the stomach, it will sour and ferment; and chronic disease is bound to result. These conditions, if kept up, cannot fail in the course of time to produce dyspepsia.

"Catarrh of the stomach is a most common symptom of alcoholism. The toper has a furred tongue, a heavy breath, a sinking sensation at the stomach; and the appetite is usually impaired or deranged."—*Dr. William Osler*.

The Liver.—Alcoholism causes the liver to harden and shrink. The true liver substance gradually ceases to act and finally dies. The substance between the liver cells or lobicles increases in size and hardness. This substance between the liver cells is of no aid to digestion; for it neither secretes nor excretes anything, but simply serves to hold together

in one compact mass the countless little liver cells that do the work. When this connective tissue that holds the liver cells together increases in amount and hardness, it encroaches upon the space occupied by the little liver cells and squeezes them out of shape and prevents their proper action, so that they die from disuse (*atrophy*). Among medical men this disease is called *cirrhosis* of the liver. In England, where it is quite common, it is called "gin-drinker's liver."

The harmful effects of strong drink upon the liver is readily seen when we recall that, on being absorbed, the alcohol is carried directly by the portal vein to the liver. The liver is the first filter reached by the alcohol-laden blood. The fine blood capillaries in the liver reach all the liver cells and the tissue between them. The alcoholic poison in the blood thus attacks directly the liver substance. Soon the liver becomes unfit to perform its important work. When the liver is "out of order," health is sure to be impaired.

"Cirrhosis of the liver is most commonly found in those who drink the strongly distilled liquors, and less frequently in those who indulge excessively in wine and beer, and least of all in non-drinkers. This disease is found oftener in men than in women, and usually occurs in middle life. This is in harmony with the fact that the chief cause is the abuse of alcohol."—*Prof. A. Strumpell, M.D., "Text-Book of Medicine."*

The Heart.—Alcohol overstimulates the heart, causes the heart muscles to be overworked, deprives the heart of a certain degree of rest so necessary to perfect health, and, from overaction, develops a weakness in the nerves that control the action of the heart muscle. If the disturbing effects of alco-

hol are continued for years, the heart muscle degenerates, and deposits of fat occur between the muscle fibers, taking the place of real muscle substance; the muscles lose their elasticity, the heart chambers often becoming dilated, especially the left ventricle; the heart walls are greatly thinned, so that this important organ gradually loses its power and becomes more and more unable to exert the degree of force necessary properly to pump the blood to the various parts of the body. The pulse becomes weaker and less regular; and the heart valves do not close tightly, permitting the blood to leak back through the heart instead of sending it on and out through the arteries to the various parts of the body.

“What is of greatest importance in connection with dilated heart is the direct poisonous action upon the heart muscle produced by alcohol if present in sufficient amount.”—*London Lancet*.

The Blood Vessels.—The blood vessels, especially the arteries, are affected by alcoholic indulgence. The disease of the arteries (*arterio-sclerosis*) in which these vessels are lengthened, thickened, and hardened, and lose their elasticity and become more tortuous and twisted, is most commonly caused by addiction to strong drink. The arteries in such an individual become so inelastic, thick, and hard that they feel like pipe stems under the skin. The thickening of the walls of the arteries makes the capacity of these blood tubes smaller, and the heart has to pump harder to make the blood circulate throughout the body.

“Alcohol is the most common cause of arterio-sclerosis. It is the chief special factor in causing this disease of the arteries, which

is a sure sign that these important vessels are wearing out."—*Dr. A. R. Edwards, Professor of Medicine in Northwestern University.*

The Blood.—The blood becomes poorer in quality. Its red corpuscles are unable to carry so much needful oxygen to the various tissues of the body. The temperature of the body is not normal, and this of itself is a bad indication.

"Alcohol increases the waste matter in the blood, making it less fit to supply the bodily tissues."—*Dr. W. N. Edwards.*

The Kidneys.—In the alcoholic individual the kidneys are compelled to work beyond their power in excreting the waste products and removing them from the blood. This overwork may cause acute kidney disease (Bright's Disease). Such a condition in the kidneys reacts upon the rest of the body—heart, blood, eyes, etc.—because the poisonous waste products that are ordinarily removed by the kidneys cannot be taken care of when these organs are diseased.

"In chronic alcoholics the kidneys are often increased in size, showing that degenerative changes have taken place in these organs."—*Dr. Formad.*

The Skin.—In Chapter V we discussed the intimate relation that exists between the skin and the kidneys. If the kidneys do not do their work well, excessive work is thrown upon the sweat glands of the skin. If the skin fails to do its full amount, the kidneys are called upon to do more than their share of excreting waste products. We have seen in the preceding paragraph how the kidneys may be injured by alcohol. To even up matters, the skin should do more work to

make good the loss due to diseased kidneys; but the contrary is the case. The skin has an increased amount of blood sent to it, and the blood capillaries become distended, the face becoming flushed and the skin feeling hot. But the sweat glands are interfered with in their activity. They do not rid the body of certain waste products as they should.

"The drinker feels warmer after he takes his toddy; but, as a matter of fact, the alcohol has lowered the temperature of the body. Alcohol dilates the little blood vessels of the skin. This condition may become permanent, giving the skin, particularly the face, a constant flushed and red appearance. The nerves controlling the circulation of the blood in the skin are paralyzed by alcohol."—*Dr. Distrée, University of Brussels.*

The Lungs.—In the lungs of one addicted to the use of alcohol the walls of the air cells are apt to relax and lose their elasticity. Sooner or later these walls of the tiny air sacs become thickened, the size of the air sac is reduced, and the breathing capacity of the lungs is gradually decreased. Shortness of breath, smothering sensations, and asthma are not at all uncommon among habitual drinkers. We have already learned that there is less resisting power to overcome certain acute lung diseases, notably pneumonia, among those enslaved by alcohol. This limited breathing power or air starvation soon takes away from the individual his power of endurance and decreases his general bodily vigor.

"The records show most conclusively that it is the men who totally abstain from the use of spirits as a beverage who last longest, have the least sickness, and do the most and best work. As a general rule, an energetic brandy drinker in the jungle is not worth

his salt, and as a companion in a serious undertaking is not even to be regarded as a possible candidate.”—*W. T. Hornaday, Explorer and Naturalist.*

The Muscles.—We have already seen how the nerves that control the action of the muscles are affected by alcoholic poison. This is evidenced in the tremor of the fingers, the staggering gait, and the stammering, lolling tongue of the intoxicated person. He cannot control his muscular activities. It is with great difficulty that he can walk, run, talk, or stand. He tries to direct his muscles to do a certain thing, and like as not they do the opposite.

Not only is this true, but it is also a fact that muscle tissue itself may be destroyed by continued indulgence in alcohol. Lasting changes in the muscle structure often take place. The changes in the heart muscles of alcoholics have already been discussed. Likewise in the voluntary muscles fat cells may take the place of healthy muscle tissue. We are all aware how strictly alcohol and narcotics are forbidden to the young man in training for competition in athletic contests.

“If by the aid of the microscope we examine a very fine section of muscle taken from a person in good health, we find the muscle firm, elastic, and bright red in color, made up of parallel fibers with beautiful crossings; but if we similarly examine the muscles of a man who leads an idle, sedentary life, and indulges in intoxicating drinks, we detect at once a pale, flabby, inelastic, oily appearance.”—*Henry Monroe, M.D.*

The Sense Organs.—When we recall what harm alcohol may do to the brain and the nerves, we can readily see how

it may injure the proper activity of some of the organs of sense which are really a part of the nervous system.

Instances where long indulgence in alcohol has caused a blunting of the senses of *hearing, touch, taste, smell, temperature, and pain* are numerous. The derangement of these senses is marked in cases of alcoholic insanity and is clearly in evidence in the temporary insanity of *delirium tremens*. The taste for alcohol is itself acquired. The first drink of whisky did not taste agreeable to the one who is now its abject slave. Learning to like the taste of whisky is itself a derangement of the sense of taste. Such an individual is not apt to relish the common articles of food unless they are excessively seasoned. His sense of taste has been blunted. Similar evidence of the effect of alcohol upon the accuracy and acuteness of the other senses could be presented.

"In most persons alcohol acts at once as an anesthetic and lessens the rapidity of impressions and the perfection of the senses."—*E. A. Parkes, M.D.*

"The acuteness of hearing is often impaired by alcoholic drinks."—*Scougal*.

"*Amblyopia* (dimness of vision) is frequently due to the presence of poisonous materials in the blood. These poisonous materials may be produced within the body itself, as in certain diseased conditions such as *uremia* or *diabetes* (kidney diseases); or they may be introduced from without, as in the case of tobacco, alcohol, and lead."—*Dr. L. Webster Fox, in "Diseases of the Eye."*

We have thus passed in review the more important of the harmful effects that may be caused by the use of ardent spirits—diseases that are much more common now than they were

in ancient times. No one drunkard ever suffered from all the diseases that we have listed, and many of these diseases may occur in persons who never use alcohol, but some one or more of the diseased conditions we have discussed is quite certain to develop in the body of the habitual drinker.

Narcotics.—Some drugs have the power of making the cells of the brain unable to work for a time. They stupefy the brain, deaden the senses, and produce what seems to be sound sleep. Any substance that thus deadens the senses and tends to produce unconsciousness is a *narcotic*. Morphine, opium, chloral, cocaine, laudanum, chloroform, ether, and the bromides are narcotics. Tobacco has the effect of a narcotic on most people. At certain periods of a disease, as in the delirium of a fever, when sleep must be secured, or in a surgical operation when the unconscious stupor of the patient is necessary to success, the narcotic drugs are a great boon. They have their priceless value as medicine, but, like other medicines, should be given at the proper time and in proper doses prescribed by the physician in charge. Taken habitually the narcotics cause diseased conditions to arise, shatter the nervous system, and weaken the mind.

The abuse of *morphine* has greatly increased during the last few years. The morphine habit is most vicious. It impairs the mental traits, deadens the senses, weakens the will, destroys the memory, and blunts all moral sense. No opium fiend or victim of the morphine habit can ever be believed. He seems unable to tell the truth.

Opium is a gummy substance made from the juice of the

poppy. It is used in various forms: (1) Gum opium, which is rolled up in pills and smoked; (2) laudanum, a solution of alcohol and opium; (3) sulphate of morphia, or morphine, and solutions containing it; (4) paregoric, soothing syrup, and various patent medicines containing opium as an important ingredient.

Oftentimes an opiate is taken by an individual who cannot sleep because of anxiety and worry. The ease with which he drops to sleep and forgets his troubles induces him to take it again under similar, but less urgent, circumstances. But soon he learns that the amount must be steadily increased to get the desired results if he continues to use this drug. Sooner or later he becomes enslaved to the opium habit—is an opium fiend, and no longer a free man. All of the digestive processes are deranged, the brain and the nervous system are diseased, and character is degraded for all time.

Cocaine also is extensively used in modern life. This narcotic drug is as pernicious as opium. The number of its slave victims is on the increase because so many patent medicines sold to relieve pain—soothing sirups, liniments, catarrh cures—contain this drug. The cocaine habit is easily formed and is almost impossible to cure.

Tobacco has the effect of a narcotic on most people. That the healthy body has no need of it is quite well evidenced in the effect it produces, as a rule, upon the beginner. The dizziness, faintness, headache, and nausea go to show that the healthy body, especially of the young person, strongly rebels against its use. There is a difference of opinion as to the effect of tobacco on the adult. Much seems to depend

on the individual. Certain things are definitely known, however, that indicate the harmful nature of tobacco. It always increases the blood pressure. This surely tends to cause, sooner or later, a diseased condition of the blood vessels, especially of the arteries (*arterio-sclerosis*). It tends also just as certainly to instability of the heart. "Tobacco heart" is a form of heart disease that results from excessive and habitual use of this narcotic. The feeling of palpitation and the irregularity of the pulse, in a person suffering from this disorder, are caused by the toxic (poisonous) effect of the nicotine in tobacco upon the nerves that control the heart's action.

"The pulse of every habitual user of tobacco will show irregularities in the heart's action. Tobacco users frequently suffer with palpitation, *angina pectoris*, and other symptoms of derangement of this organ. About one-fourth of those who smoke have narcotism of the heart."—*W. H. Riley, M.D., Superintendent of Colorado Sanitarium.*

The chief mental effect of excessive use of tobacco is that it encourages dreaming rather than doing.

"Tobacco encourages revery—the contemplation of the possible, which is a charming but unwholesome substitute for the performance of the duty next at hand. If we divide our friends into the *if things were so* and the *as things are so* sections, the nicotizers will probably be found most numerous among the former."—*Dr. Oliver Wendell Holmes.*

Effect of Tobacco on the Young.—The prevalence of physical, mental, and moral weakness in boys as a result of

the tobacco habit has become appalling. The use of tobacco by the growing boy has no defenders. Every one who knows anything about the subject need not be told that tobacco is especially injurious to the young. The growing boy *always* suffers from its use.

It stunts growth, weakens the nerves, stupefies the brain cells, interferes with digestion, and in many ways counteracts the benefit of good food, besides diminishing the natural appetite. It contains nicotine, and this is a poison. Tobacco is a frequent cause of weak eyes, is apt to irritate the linings of the mouth and throat, and in many cases seriously affects the heart.

"Any boy who smokes before the age of twenty-one runs the risk of growing up with a poor brain and nervous system."—*H. F. Hewes, M.D., Harvard University.*

The Cigarette Evil.—The cigarette habit saps the bodily vigor, stupefies the intellect, and perverts the moral nature of many boys and young men. In a number of States laws have been enacted preventing the sale of cigarettes to boys; and in some others still more advanced ground has been taken in the enactment and enforcement of laws prohibiting within the State the manufacture or sale of cigarettes to any person. That States take such extreme measures against the cigarette evil is plain evidence of the harmful effect of this vice, especially on growing boys. The extent and seriousness of injury wrought by the cigarette has been well stated in a recent address by Judge Stubbs,* of the Indianapolis Juvenile Court,

* *An Address before the Indiana State Teachers' Association, December, 1904.*

who has to deal with youthful criminals exclusively. He has reached the conclusion that the great increase in the number of offenses against the law committed by boys is due chiefly to the cigarette. During the eighteen months immediately following the establishment of the Juvenile Court, he had before him for various crimes six hundred boys who were users of the cigarette, most of whom were cigarette fiends. He says, "I have found that in nearly every case where a boy was arrested for a serious offense he was a user of the cigarette. I am convinced that the cigarette is at the bottom of most of the criminality among boys."

The testimony of experienced school superintendents and teachers who are dealing constantly with boys in school life and school work, is uniformly against the cigarette. All school people seem to agree that this vice lowers the worth of a boy in every particular.

"In regard to the use of cigarettes among school boys, as to their evil effects, I would say from my own personal observation and the experience of many teachers who have observed their effects, that first, they sap the physical energy of the one addicted to them; second, they very much weaken the ability of the user for mental work; third, they weaken the will, causing the user to yield readily to temptation that would lead him into evil ways."—*Superintendent T. E. Fitzgibbon, Columbus, Indiana.*

"The tendency of the habit is to enervate the boys to such an extent that they are unable to compete with their fellows either in their studies or in their sports. They do not compare favorably with other boys in moral character."—*Superintendent J. W. Carr, Dayton, Ohio.*

"In my experience here of eleven years, no cigarette smoker has been graduated at the head of any class, and I have signed over

three hundred diplomas since coming. Cigarette smokers are fitful and uneven in their work. Most of them have stunted their growth and show it in lack of muscle, lack of staying power, bad skin color, and lack of intellectual grip."—*Professor S. B. McCracken, High School, Elkhart, Indiana.*

Not only in the school, but also in the store, the shop, the bank, or the office, the boy addicted to cigarettes is regarded as inferior. Business men are coming more and more to the conclusion that it does not pay to hire a boy who is in the grip of this habit. Merchants, manufacturers, and professional men, who naturally wish to employ boys that will be most valuable to them, refuse to employ those who are cigarette users.

"A Chicago boy confessed last week that out of ten places to which he had applied for work the head of not one had neglected to ask him if he smoked cigarettes. In a number of instances he was made to show his fingers."—*Chicago Tribune.*

The Patent Medicine Habit.—There are people who become addicted to the patent medicine habit much as the drunkard becomes enslaved to the alcohol habit. The stupor caused by these patent medicines is as bad in every way as the ill effects of opium smoking or alcoholic excess. Patent medicine drunkenness is just as bad as any other form of drunkenness. Many of the most advertised patent medicines contain as their chief ingredients a poor quality of whisky or diluted alcohol with a laxative. About \$75,000,000 are spent annually in America for these patent medicines. As a result many persons are now addicted to alcoholism by having

first become innocent purchasers of some much advertised "tonic"; others have become cocaine fiends from the use of "catarrh remedies," "catarrhal powders," or "soothing sirups"; and still others have been killed by the excessive use of "headache powders" containing, unknown to the purchaser, drugs that depress the heart's action.

Healthy Bodies and Minds Need No Stimulant.—The individual who is physically sound and mentally sane is so chiefly because, in the rush and stress of modern life, he has not resorted to any artificial means, such as alcohol, to whip him on to success, or narcotic drugs to deaden the feelings of fatigue and allay nervous excitement. He has learned the joy of possessing a body strong in limb, rich in clean blood, steady in nerve, clear in brain, and needing no stimulant other than pure air, good food, and invigorating sunshine. He feels that it is a matter of manly pride and moral duty to keep his body clean, vigorous, and wholesome.

"All stimulants, narcotics, tonics, which affect the nervous system in whatever way, reduce the truthfulness of sensation, thought, and action. Toward insanity all such influences lead; and their effect, slight though it be, is of the same nature as mania. The man who would see clearly, think truthfully, and act effectively, must avoid them all. Emergency aside, he cannot safely force upon his nervous system even the smallest falsehood. And here lies the one great unanswerable argument for total abstinence—not abstinence from alcohol alone, but from all nerve poisons and emotional excesses."—*David Starr Jordan, President of Leland Stanford Junior University.*

Some Occupation Diseases.—There are, as we have said, some diseases of modern times that are due not to the influ-

ence of alcohol nor to that of narcotic drugs. Neither are they due to the crowded condition of our cities or to the increased effort for existence required by the keener competition in business life. But they do arise from *the nature of the work* in which the person is engaged. They are, strictly speaking, "occupation diseases."

Chronic Lead Poisoning is seen in typesetters, typefounders, painters, potters, and others compelled, in the course of their work, continually to handle objects in which this mineral is an ingredient. The poison takes hold slowly, but none the less surely.

Chronic Arsenic Poisoning is acquired in arsenic works and glass factories, or from handling colored papers, as in the manufacture of paper flowers.

Chronic Mercury Poisoning is found among those working in shops where thermometers, barometers, and mirrors are made.

Cigar makers are sometimes affected with a nervous disease—a sort of palsy (*nicotine tabes*)—from the continued handling of tobacco.

Caissons Disease is a nervous ailment—a spinal-cord disease—affecting bridge builders and those compelled to work in tunnels and caissons where increased pressure of the atmosphere is kept up in order to carry on the work under water.

Millers, bakers, stone masons, and others whose employment leads them to breathe dust-laden air are very liable to some of the lung diseases, as *bronchitis* and *empyema*, due to the constant tickling irritation in throat and lungs which compels frequent violent coughing.

A person cured of any of these occupation diseases by change of work and surroundings is exceedingly liable to contract the disease again if, for any reason, he returns to his old time trade.

CHAPTER XVI.

PHYSICAL EXERCISE.

The study of the human body, whether such study is brief or extended, soon convinces one that neglect is one of the greatest foes to health. One form of neglect that frequently causes serious and widespread injury is the failure to take exercise. To be healthy we must exercise regularly and judiciously. By exercising judiciously, we mean that the right amount and proper form of exercise must be taken. Want of strength, incomplete growth, lack of development, loss of symmetry—all these may result from disregarding our duty to take daily exercise of the right kind.

Exercise Necessary to Health.—We have learned that constant use of a muscle makes it larger, harder, and stronger. But exercise should be for the entire body, and not for a single group of muscles. We cannot afford to develop one particular part of the body and neglect some other portion. Perfect lungs and a healthy heart are of much greater value to a person than a few extra bunches of muscles. Judicious exercise promotes health because it accomplishes, among other results, the following:

1. It stimulates growth.
2. It makes growth symmetrical.

3. It develops skill, quickness, accuracy, strength, and endurance.

4. It incites the organs to do their best work.

5. It develops poise of body.

6. It acts as an incentive to the best mental work.

Exercise according to Development.—The five-year-old child should not attempt the same forms of exercise as the boy or girl of twelve, any more than he would try to wear the same clothes. Such forms of exercise are not adapted to his stage of development. The same exercises that are beneficial at certain periods of growth, at others prove of no value, or are positively harmful. There are four periods of development of which we will speak with a view of presenting the forms of exercise best suited to each period.

First Period—From Six to Nine Years of Age.—Exercise during this period should be such as will incite growth by animating the organic activities, such as breathing and the circulation of the blood. The forms of exercise must also be of a kind that will cause the formation of more blood. This is checked by the compulsory sitting posture of the schoolroom. The exercises of this period, to do the most good, should be in the open air, and should be recreative games and plays, because these animate the nerves and increase joy. Cheer, you remember, is necessary to the best growth. That exercise which we most enjoy will, as a rule, do the most good.

The best exercises during this period are the easy games of motion, such as "Ring Around a Rosy," "London Bridge is Falling Down," "King, King Calico," and some of the simpler games of "Tag."

The exercises that should be forbidden during this period are any and all of those that tend to strain even a small number of muscles, for they are likely to consume matter needed for growth and development. Rope jumping is generally injurious during this period, because of the condition of the heart, especially between the ages of eight and nine years. Later it is a good exercise if indulged in in moderation.

Second Period—From Nine to Fourteen.—The exercises during this period of rapid growth must continue to assist in the formation of blood, as during the first period. In addition we must have exercises that tend to create an easy carriage of the body and a graceful walk. Dancing the easier waltz steps, marching, or military drill, will accomplish much in this direction at this important stage of development. Exercises during the latter part of this period should also develop skill. The forms of exercise especially suited to this period are tactics and calisthenics in the gymnasium, and in the open air the more lively games calling for more vigor than those suggested for the first period. Good games for this period are "Race-Tag" and "Prisoner's Base," which are played as follows:

Race-Tag.—The leader of the game stands on an elevation of the playground, or in front and in sight of the players who have formed parties at a distance of from two to six paces from one another. The leader swings a disc, painted white on the one side and black on the other. The parties have chosen their colors. The disc is suddenly held in such a way that either side, white or black, becomes visible, when the team, whose color is seen, must run, the other team giving chase and trying to secure as many prisoners as possible by holding or tagging

them, before they can reach the boundaries of the playground. Prisoners are barred from further participation, and form in the rear of the disc-holder. The game can also be played in such a manner that the side whose color is shown shall quickly drop prone on the ground, those who are tagged before dropping, or the last to drop to the ground, being barred out. In this last form the players may intermingle.

Prisoner's Base.—The players are divided into two equal parties, each having a goal and a prison, a square base at the right end of the goal and immediately in front of it. The goals may be from 30 to 75 feet apart, and from 20 to 30 feet wide. One of the party now steps forward and challenges the opposing party to catch him if it can. If he should be caught or tapped by any one of the opposing party before he can reach his own goal again, he is made prisoner and brought to the base or prison of the enemy, where he remains until rescued by some one of his own party. This can be done only by a swift runner, who must tap the prisoner or join hands with him before he can be caught, when he may proceed to his own goal again unmolested. Both parties continue these sallies until the party that is successful in capturing the most of the opposing party, so that it is forced to surrender, wins the game. After each sally, or challenge, the player must return to his base, before attempting another sally.

Simple ball games, such as "One Old Cat," should be played when the boy is from nine to eleven years old, but when he becomes twelve he should begin to play such games as shinny, polo, hockey, and the more intricate game of baseball, which will develop his skill, courage, and judgment. There

should be exercise in the gymnasium during the latter part of this period to cultivate skill on apparatus.

Exercises, especially during this period, should never be continued to exhaustion, but should stop when fatigue begins to manifest itself.

Third Period—From Fourteen to Twenty.—This is essentially the period of greatest development, and is therefore the one in which the greatest care must be used in selecting judicious exercises. There must be, first of all, those exercises that incite the heart and lungs to strong activity. These organs practically complete their development during this period. The girl or boy who has weak lungs at the age of eighteen or twenty, will probably be similarly affected through life. The games must be such as to develop skill, daring, and courage. There should be baseball games, and any other games that develop alertness. It is during this period that we should develop the "hair-trigger," race-horse kind of muscle, rather than draft-horse muscle. Quality rather than quantity is desired. Quickness rather than bulk should be the object. Short races, running, jumping, swimming, and rowing are excellent at this age. There should, however, be no heavy exercises of endurance at this period. One great mistake made by boys at this age at their school "athletic meets," is to imitate the colleges in the events contested. No one should attempt to run a mile before he is twenty, nor should he take part in tug-of-war contests. Such events call for too great endurance for this age. The football games of high-school boys should embrace two halves of not more than twenty minutes each—fifteen would be even better.

Fourth Period—From Twenty to Thirty.—It is during this period that the individual is capable of his highest achievements in skill and quickness. Easy calisthenics are of no practical benefit during this period. There should be exercise calling for endurance and general exercise of strength. Quickness and skill in the use of one's muscles can rarely if ever be developed after the age of thirty. The same is true with respect to gracefulness of bodily movement.

Gymnastics and Games Compared.—Gymnastics are an excellent innovation in our modern schools. They correct posture, and are a change from mental work, but often there is such a sameness about such exercises that one does not obtain enjoyment as from play. Gymnastics, like work, soon become monotonous. The boy on the farm gets his exercise out of doors. He gets up early, does the chores, and walks a long way to school. He is laying the foundation for a healthy body in after life. But his exercise comes in the form of work, and "all work and no play makes Jack a dull boy." Games accomplish something for the growing boy and girl that work alone cannot supply. Games train the mind as well as the body. They develop judgment, quickness, determination in an easy manner, and without any special effort in this direction, because of the enjoyment experienced. In baseball the boy develops judgment, skill, daring, and courage. One cannot learn to distinguish between balls and strikes without exercising judgment. He must use skill in batting. It takes daring to try to steal a base when pitcher and catcher are alert, and courage is certainly needed when one is called upon to "slide for the home plate." Learning to swim or skate requires de-

termination and self-reliance. And so there are a number of manly qualities that are furthered and fostered by health-giving sports. Gymnastics, under the direction of a teacher, are excellent for the purpose of correcting special defects of posture in sitting, standing, and walking. But no system of gymnastics can take the place of rollicking, romping play out of doors. The best gymnastics are those which approach play as nearly as possible.

Lack of exercise during school work is much more common than excessive exercise. The general health of girls often becomes impaired, digestion is enfeebled, the circulation is not good, and nervousness is manifest. Tendency to lung diseases, such as consumption, is greatly increased. The effect on bodily figure shows itself in flabby muscles, drooping shoulders, flat chest, stooping walk, and curvature of the spine. Girls should play and romp with the same freedom that boys do. Health is as necessary to a girl as it is to a boy. But perfect health is impossible without good and sufficient exercise.

Walking is one of the most natural methods of exercise. It is convenient and pleasurable, and should be taken with a zest, and not from a sense of compulsion. It is suitable to all persons and all ages. If properly taken, it is a mode of activity that calls into action all the muscles except those of the arms. It deepens breathing, assists digestion, and improves circulation. Walk erect with the hips pushed back and the chin out, and look the world in the face.

Running and *jumping* are forms of walking and are likewise beneficial to those for whom they are not too violent.

A brisk walk, however, is better than a slow walk. If a man could move his legs proportionately as fast as an ant, he would travel at the rate of about 800 miles an hour. *Bicycling* is a popular form of exercise. Its advantage is that it is in the open air and exhilarating. There is, however, grave danger of over-taxing the heart if one yields to the temptation of long runs or excessive bursts of speed. As in any other, this exercise should not be continued to the point of fatigue. The handle-bars should be high enough to allow a fairly upright position. A poor saddle will do great injury. *Tennis* is a fine game, suitable for girls as well as boys. It will develop every muscle of the body. It is not a violent exercise, does not make the muscles sore, and there is no danger of injury. It develops quickness, skill, keenness, and judgment. *Football* is a game of brains as well as brawn. It develops will, courage, obedience to orders, and has good disciplinary effect. It tends to make active, fearless, cool-headed men. The objections to this game arise because of the injuries that occasionally result. These are comparatively few, and would be slight if the rules of the game were enforced. No vigorous exercise exists in which there is absolutely no risk. There is no more danger in the game of football for a well-developed boy than there is in climbing trees by his younger brother, and surely no boy should be permitted to grow up without climbing trees. The Duke of Wellington said the battle of Waterloo was won on the football field at Rugby. One cannot play football without the consciousness that he has a place to fill, and that he must fill it. The team work, or concerted action, in football is one reason of its great value.

General Suggestions.—Exercise should be taken regularly. Violent exercise should not be indulged in within a half-hour before eating nor within two hours after a hearty meal. In preparing for athletic contests, the increase in exercise should come gradually, so that the heart and lungs will not suffer from over-exertion. Clothing worn while exercising should be comparatively light in weight and should be loose-fitting so as to admit of the freest possible activity of the muscles. Great care should be taken to avoid taking cold. When warm from exercise there is a temptation to sit on the ground or in a cool place. A cold may be thus contracted which may lead to fatal lung disease.

Next to the destroying effects of strong drink, in any of its forms, upon nerve, brain, and mental action is the harm wrought by alcohol upon the muscles and the activity. The man who is employed at hard labor, using his muscles to their fullest capacity of strength and endurance, naturally inquires if there is not some artificial agency—a tonic or stimulant—that will give his muscles greater strength and endurance, and thereby render them less likely to be fatigued. Some do not begin their day's work until they have taken an alcoholic stimulant in some form, and thus whipped their bodies into activity. They say they take this alcoholic poison to tone up their muscles. Are they deceived? Does alcohol increase strength as wholesome food increases strength? Does it make their muscles more accurate in carrying on the tasks of the day in obeying the behests of will?

Occasionally we hear men say that the glass of liquor makes them *feel* stronger. Experiments show conclusively

that such feelings of increased strength are deceptive. They are not a true guide. A large number of experiments made with scientific care show quite conclusively that alcohol, in both small and large doses, reduces both the power, accuracy, and endurance of the muscles. The man who makes use of such a *stimulus*—applies the alcoholic whip to his body—is deceived, for instead of increasing strength it robs his body of muscle power. The man who *feels* stronger after partaking of some alcoholic beverage does so because strong drink in any of its forms acts as a narcotic and benumbs and deadens his sensibility to fatigue. He feels stronger because he is less able to feel tired. But it is only the feeling of fatigue that is gone. The harm wrought by excessive fatigue becomes more and more serious, no matter to what extent the feeling of weariness is gone. When the effect of the alcoholic drink that has deadened his sensibility to fatigue—that has made him light-hearted and unable to feel tired—when this effect has passed off, the individual always feels even more exhausted.

Strong drink in any of its forms always diminishes the power and endurance of the muscles as well as their ability to make precise movements. Men addicted to drink are not allowed to work at the trades where quickness and precision of movement are essential. All are aware of the fact that soldiers and athletes are not allowed to use liquor during periods of prolonged exertion or when undergoing special training that is to render them “fit as a fiddle.”

Again, to grow fleshy is not to grow strong. Alcohol not only tends to serious and lasting injury of the power and

endurance of the muscles, but injures the very structure of the muscles themselves. It makes them weak, pale, and flabby. It prevents the will from having perfect control of the muscles, and thereby impairs their precision of action.

“Fatty degeneration” is the name given to the change in muscle structure caused by alcohol. This change in tissue is caused by particles of fat being deposited around the muscle structure and between the finest muscle fibers. In course of time so much fat may be deposited as really to take the place of the strands of muscle. The muscle tissue dies. The fat remains. People who become fleshy as the result of alcoholic beverages are, as a rule, neither so strong nor so healthy as those who have more sinewy, hard muscle and less fat. Beer makes some persons fleshy. This is nothing in its favor. It never increases muscle strength.

“If we examine with a microscope a fine section of muscle taken from a person in good health, we find it firm, elastic, and of good bright red color, made up of parallel fibers with beautiful crossings; but if we similarly examine the muscle tissue of a man who leads an idle, sedentary life, and indulges in alcoholic drinks, we detect at once a pale, flabby, inelastic, oily appearance.”—*Dr. Henry Monroe.*

In the habitual drinker, who is apparently so robust, there is instead of elastic muscles strong as cords of steel a lot of inert fat utterly devoid of strength. It is the part of wisdom to avoid all alcoholic liquors, for they not only interfere with the growth and development of the muscles, but also diminish their power, endurance, and precision.

"The uselessness, if not the harmfulness, of even moderate doses of alcohol rests on better evidence than scientific deduction and experiments. In connection with the sanitation of armies, thousands of experiments upon large bodies of men have been made, and have led to the result that in peace and war, in every climate, in heat, cold, and rain, soldiers are better able to endure the fatigues of the most exhausting marches when they are not allowed any alcohol. A similar result is observed in the case of the navies and on thousands of commercial vessels belonging to England and America, which put to sea without a drop of alcohol. Most whalers are manned by total abstainers."—*Bunge*.

"To-day it is a great feather in the headgear of the advocates of military total abstinence that Lord Kitchener's recent victory was won for him by an army of teetotalers, who made phenomenal forced marches through the desert, under a burning sun, and in a climate famed for its power to kill or prematurely age the unacclimated. Indeed, it is said that never has there been a British campaign occasioning so little sickness and profiting by so much endurance."—*Washington Star*.

"The influence of alcohol upon muscular work has been established permanently. It has been demonstrated that man works better when he does not use these pretended stimulants. The physiological experiments of Destrée have established that alcohol is a paralyzer of muscular work. It excites at first; but this excitation is altogether transient, and is followed immediately by depression."—*Dr. De Vaucleroy, Professor of Hygiene, Belgium Military Institute*.

“In a number of experiments carried out with the idea of ascertaining the effect of alcohol upon muscular force, it was found that in every case where alcohol was taken, muscular force was diminished, even when so small an amount as one-half dram (one-half a teaspoonful) of alcohol was used. In these experiments it was found that non-abstainers were affected as well as abstainers. The deceptive nature of alcohol was manifested in every case, each individual feeling sure that he could accomplish more than he could before taking the alcohol.”—*Dr. Charles Stewart.*

Tobacco also destroys muscular tone and precision. For this reason its use is always prohibited among athletes in training for contests on the track, gridiron, diamond, and all aquatic sports where power and endurance of muscle are so vital. In these contests it is the team or crew made up of individuals possessing the strongest muscles, with greatest endurance and most perfect control that is most certain to win. Training-tables are established that the athletes may eat only the most wholesome foods, and to increase the muscular efficiency of the men as well as to avoid direct harm the use of tobacco is absolutely prohibited. Rich foods make fat and unmake muscle. The individual cannot attain the highest degree in efficiency in athletic training and partake of such foods. Likewise tobacco is a bar to the attainment of athletic perfection, and for this reason the prohibition of its use by candidates for the various teams is rigidly enforced.

A noted marksman, the most celebrated wing-shot of his day, lost his wonderful skill through the use of tobacco. It

interfered with the steadiness of his muscles, made them untrustworthy, and he lost the championship, according to his own account, because of his giving himself into the power of the tobacco habit.

Those who desire to excel in pursuits that require delicacy of touch, precision of movement and perfect control cannot afford to use tobacco in any form, for it is certain to unfit them for the satisfactory performance of their work.

QUOTATIONS.

"We have not to train a soul alone, nor only a body, but a man; and we cannot divide him."—*Montaigne*.

"A sound mind in a sound body is a short but full description of a happy state in this world; he that has these two has but little more to wish for, and he that lacks either of them will be but little better for anything else he may possess."—*John Locke*.

"The truth is that happiness is the most powerful of tonics. By accelerating the circulation of the blood, it facilitates the performance of every function, and so tends alike to increase health when it exists, and to restore it when it has been lost. The extreme interest felt by children in their games, and the riotous glee with which they carry on their rougher frolics, are of as much importance as the accompanying exertion."—*Herbert Spencer*.

CHAPTER XVII.

FIRST AID TO THE INJURED.

Very often a little knowledge of what is best to be done in case of accident may save life. Accidents will happen in the best regulated schools, and it is important for us all to know what is the wisest course to pursue until the doctor comes. The following accidents are most common:

Fainting.—When this occurs it is usually because the room is overheated or poorly ventilated. Place the patient on his back with his head low, no pillows of any kind being used. Loosen all the clothing about the neck. Place the patient in a current of air, or quickly carry him outside if possible. Keep the crowd back by all means. Sprinkle a little cold water on the face. Never pour anything down the throat of an unconscious patient, for it may cause him to choke to death.

Suffocation.—Sometimes a peachstone, tin whistle, marble, or similar object, is thoughtlessly held in the mouth. It may then slip back into the larynx, obstructing breathing. Call a doctor immediately, for such an accident is always serious. In the mean time try to reach the foreign object by placing your finger in the back of the patient's throat. Even if the object cannot be reached, vomiting is thus caused, and this may dislodge it.

Bleeding from the Nose.—This is quite a common occurrence among children, and, as a rule, is not alarming. Place the patient erect in a chair, or have him stand, and induce him to stretch both arms high above the head. Press the tip of the nose between the finger and thumb, or press the upper lip. Put a piece of ice or a cold cloth at the back of the neck. This cold shock will cause the blood vessels to shrink. Loosen the collar so as to allow free circulation. Also apply cold water to the nose and forehead. If these measures do not stop the hemorrhage, inject cold water containing a little salt or soda into the nose. During an attack, do not blow the nose, as this will start further bleeding.



FIGURE 71.—Bandage in Arterial Bleeding.

Bleeding from an Artery.—If the blood comes in jets or spurts, it is an artery that is bleeding. This may prove serious. Fortunately, at most parts of the body the arteries are deeply buried in the flesh. A severed artery calls for prompt action. Put firm pressure upon the bleeding part between the wound and the heart. The pressure is best applied, in case the wound is in the arm or leg, by taking a folded handkerchief, tying a knot in its center, and placing this knot over the artery. Tie it loosely around the limb, but with a good knot. Place a stick

under the bandage and twist it round and round until tight enough to stop the hemorrhage. (Fig. 71.)

Bleeding from the Veins.—The patient should lie quiet. Raise the bleeding member, and wash the wound with cold or hot, but *clean*, water. Dirty water may introduce bacteria into the wound. Then tie a pad of soft clean linen so as to press firmly upon the injury.




FIGURE 72.—Removing a Foreign Particle from the Eye.

Foreign Bodies in the Ear or Nostril.—

A thoughtless child will sometimes push an object into the nostril or ear until it is beyond reach. If it is a pea, bean, or grain of corn, the heat and moisture will cause it to swell. It is best to go to the physician at once and have the object removed. If the obstruction is in one of the nostrils, and blowing the nose will not remove it, it would be best to seek a physician.

Foreign Bodies in the Eye.—Cinders and dust particles get into the eye in spite of its excellent protection. This causes severe pain. Rubbing the eye makes matters worse. Open the eye, and perhaps tears will wash out the offending particle. Or draw the upper lid down over the under one; the lashes of the under lid may remove the cause of irritation. A still better method is to place a match or wooden toothpick on the top of the eyelid, then catch hold of the lashes and turn the lid back. (Fig. 72.) The particle will in all probability be seen clinging to the under surface of the lid and can be easily removed with the corner of a handkerchief.

Burns.—The best application for a burn is a solution of common cooking soda, using about a tablespoonful of soda to a glass of water. Afterwards apply vaseline. A mixture of equal parts of linseed oil and lime water is excellent for dressing burns. Apply loosely with cotton.

Bee Stings.—The stings of bees, wasps, hornets, and yellow-jackets are relieved by first bathing in hot water and squeezing out the poison. Then apply the solution of soda mentioned in the preceding paragraph. This same treatment will also relieve in the case of nettle stings. Ammonia also is excellent in these injuries, and in mosquito bites. Boys also know that binding mud over a sting gives relief. Be careful always to extract the “stinger” before treatment is applied.

Burning Clothing.—Quick work is necessary when a person's clothes catch fire, for in a very few minutes he will be enveloped in flames and so severely burnt that recovery will be impossible. Place such a person flat on the ground immediately; smother the flames with a coat, shawl, blanket, piece of carpet, or anything at hand. If on fire yourself, do not run for help, but lie down flat, and roll over and over on the ground or floor to smother out the flames.

Sunstroke.—When overcome by the heat, or suffering from a sunstroke, lie down in a cool, shady place. The face and hands should be sponged with cold water. As soon as possible the patient should be removed to a cool room, and placed on a couch with his head elevated. Apply cold cloths, or better still, the ice-bag, to the head, back of the neck, and spine, and warmth to the legs and feet. A drink of hot coffee or tea, or beef extract, will stimulate the weakened heart.

Broken Bones.—There is no urgent need for treating a broken limb before the surgeon arrives. If it is necessary to move the patient, he should be carried on a board, door, or an equally solid improvised stretcher, rather than loosely in the arms, so as to prevent the broken limb from being moved before the doctor comes.

Frost Bite.—Immediately rub the frozen parts with snow or apply very cold water. When they begin to sting and burn, cease the rubbing. Ordinary coal oil also is an excellent application for frost bite. Treatment should always take place in a cold room before the frozen parts have become warm. The patient should then become warm gradually.

Learn to Swim.—Every child should be taught to swim and to float. Besides being an excellent exercise in and of itself, swimming is an accomplishment that may be of service in saving the lives of others. A cool-headed, expert swimmer may save a boat-load of people.

Treatment of the Drowned.—[As given in Bulletin 14, Michigan Board of Health.] Three things to be done: Restore breathing; restore animal heat; restore the circulation of the blood.

RULE 1.—*Remove all obstructions to breathing.* INSTANTLY loosen or cut apart all neck or waist bands; turn the patient on his face, with the head down hill; stand astride the hips with your face towards his head, and locking your fingers together under his body, raise it as high as you can without lifting the forehead off the ground (Fig. 73), and give the body a quick jerk to remove mucus from the throat and water from the windpipe; hold the body suspended long enough to count

slowly ONE, TWO, THREE, FOUR, FIVE, repeating the jerk more gently two or three times. Then act by Rule 2.

RULE 2.—Keep the patient face downward, and maintaining all the while your position astride the body, grasp the points of the shoulders by the clothing, or, if the body is naked, thrust your fingers into the armpits, clasping your thumbs over



FIGURE 73.—Resuscitation from Drowning. (Position 1.)

the points of the shoulders, and *raise the chest as high as you can* (Fig. 74) without lifting the head quite off the ground, and hold it long enough to count *slowly ONE, TWO, THREE*. Replace him on the ground, with his forehead on his flexed arm, the neck straightened out, and the mouth and nose free. Place your elbows against your knees, and your hands upon the sides of his chest (Fig. 75) *over the lower ribs, and press downward and inward with increasing force* long enough to count slowly ONE, TWO. Suddenly let go, grasp the shoulders as before, and raise the chest (Fig. 74); then press upon the ribs (Fig. 75).

These alternate movements should be repeated ten to fifteen times a minute for an hour at least, unless breathing is restored sooner. Use the same regularity as in natural breathing.

DO NOT GIVE UP TOO SOON.—You are working for life.



FIGURE 74.—Resuscitation from Drowning. (Position 2.)

Any time within two hours you may be on the very threshold of success without there being any sign of it.

RULE 3.—After breathing has commenced, **RESTORE THE ANIMAL HEAT.** Wrap him in warm blankets, apply bottles of hot water, hot bricks, or anything to restore heat. *Warm the head nearly as fast as the body, lest convulsions come on.* Rubbing the body with warm cloths or the hand, and slapping the fleshy parts may assist to restore warmth, the circulation of the blood, and the breathing also. The rubbing of the limbs should always be from the extremities toward the body. If the patient

can SURELY swallow, give hot coffee, tea, or milk. Place him in a warm bed; give him plenty of fresh air; keep him quiet.

Beware! Avoid Delay.—A MOMENT may turn the scale for life and death. Dry ground, shelter, warmth, or stimulants, at this moment are nothing—ARTIFICIAL BREATHING IS EVERYTHING—is the ONE REMEDY—all others are secondary.

Do not stop to remove wet clothing. Precious time is



FIGURE 75.—Resuscitation from Drowning. (Position 3.)

wasted and the patient may be fatally chilled by exposure of the naked body, even in summer. Give all your attention and effort to restore breathing by forcing air into and out of the lungs. If the breathing has just ceased, a smart slap on the face, or a vigorous twist of the hair will sometimes start it again, and may be tried incidentally, as may also pressing the finger upon the root of the tongue.

Before natural breathing is fully restored, do not let the patient lie on his back unless some person holds the tongue forward. The tongue by falling back may close the windpipe, and cause fatal choking.

If several persons are present, one may hold the head steady, keeping the neck nearly straight; others may remove wet clothing, substituting at once clothing which is dry and warm; they may also chafe the limbs, rubbing toward the body, and thus promote the circulation.

Prevent persons from crowding around the patient and excluding fresh air; also from trying to give stimulants before the patient can swallow. The first causes suffocation; the second, fatal choking.

Poisons.—A few of the common drugs kept about the house are more or less poisonous. The proper antidote for each poison kept in the house should be known. It is a good rule to procure, at the time any poison is purchased, the best antidote for that poison. When a person has taken poison, three things are to be accomplished: (1) to get rid of the poison; (2) to neutralize what remains in the system; (3) to remedy the effect already produced.

Whenever it is suspected that a poison has been swallowed, an emetic should be given. The most common emetic is mustard; mix a tablespoonful with a cupful of warm water; give half of this, and in a few moments give the remainder. Compel the patient to drink large quantities of warm water. Provoke vomiting by putting the finger or a teaspoon at the back of the throat. If mustard is not at hand, use a strong solution of alum or common salt. After the vomiting it is well to give a glass of milk, containing the well-beaten whites of two eggs. It must be remembered that these suggestions are given as directions until the doctor arrives. A physician should always be summoned because of the necessary after-treatment.

CHAPTER XVIII.

PRIVATE AND PUBLIC SANITATION.

If a person lived alone on an island in the Pacific Ocean, he might with perfect propriety do exactly what he pleased. He might beat a drum all night and disturb no one. He might keep his hut in any condition, either clean or dirty, and interfere with the rights of no one. But if that same island should become filled with people, it would seriously interfere with the rights of the other people should anyone see fit to beat a drum all night. So there has developed in what is called Society, which means people as helpers of one another, certain very definite ideas of what one may or may not do, for to do what one wants to do may seriously interfere with the rights of others. Boys themselves are very particular about this very thing. They are very unwilling that other boys should interfere with their own rights, as for example, those of the playground. And they are right in so doing.

We know that it is not right for another to come to us and beat us so seriously that we are ill from the effects. Then is it not equally wrong for another to expose us to a disease that will also make us seriously

ill, or perhaps lead to our death? Certainly it is. And for these reasons, which are planted in the natures of everyone, Society has made necessary rules to protect itself from the acts of those who are not careful of the rights of others. We have police laws, which are intended to prevent certain persons from wronging others. And of late years we have come to believe that those who scatter disease among their fellow men are equally to be restrained from so doing, and all intelligent persons now believe that this restraint is right. Indeed, we are more often wronged by those who scatter disease among us than by those who make an assault upon us. A large proportion of those who die before they reach old age do so because of the carelessness of those who, usually from ignorance, have caused the others to become afflicted with disease.

For this reason, Society, or the State, has enacted laws for the protection of its people from the carelessness or ignorance of those who scatter disease. These laws have created what are called *Boards of Health*, whose powers and duties are described in the following pages.

BOARDS OF HEALTH.

Every well-organized town, city, and state has a board of health. The duty of such a health board is to use every possible means to preserve the public health. To do this it must provide for the proper inspection of the food and drinking-water supplies. It must see to it that the air is kept

as pure as possible and that waste and refuse are destroyed in a way that will not expose people to the danger of disease. When a contagious disease appears in a community, it must take measures to prevent its spread. Thus, a smallpox patient is taken to a "pest house" or isolation hospital, and a home in which there is scarlet fever is quarantined. Again, these boards of health do much by teaching the people, through bulletins, lectures, and other means, how to avoid the different diseases. They tell them clearly how to prevent any particular disease from gaining hold upon them. It is also the work of the board of health to see to it that any house, schoolroom, or other building in which a contagious disease has existed be thoroughly disinfected, and the disease germs destroyed before they do further harm.

One-third of the cases of sickness and a third of the deaths in early life that occurred in our state last year were from preventable causes. All "catching" diseases are due to some kind of germs, and thus these diseases are spread by germs. While this is somewhat startling, yet there is consolation in knowing that "catching" diseases are preventable; and enough is now known about the way and manner of their spreading to prevent most of the sickness and death from germ diseases. Some of the most serious diseases belonging to this class are tuberculosis, typhoid fever, malarial fever, yellow fever and diphtheria.

The suffering caused by these diseases is beyond human conception; for not only does the person who has the disease suffer greatly, but also those who love these unfortunates. Who can number the fatherless or motherless children, the

persons widowed by the loss of their companions, or the homes that are grief-stricken through the death of a promising son or daughter? The number of people dying from tuberculosis in the United States each year is about 150,000. This is an average of 410 per day, 17 every hour, or about 3 every five minutes, and the pity of it is that most of the sickness and death from tuberculosis could be prevented. And not only are the homes of our state thus made sad and desolate, but the loss to the families and the state, when computed in dollars and cents, is almost staggering.

In a certain state tuberculosis and typhoid fever produced in one year 616 deaths from consumption and 566 deaths from typhoid fever, in all 1,182 deaths, which if figured at the value the courts have determined for a life, namely \$5,000, would make the cost \$7,820,000. To this should be added the cost of the sickness, which in tuberculosis is about \$300 and in typhoid fever \$100, making a grand total of \$8,216,400 a year the cost of deaths from these two preventable diseases. Would it not be economy for the state to spend more money for prevention, so that so much would not be required to be spent for sickness and death?

We shall try to show you what these diseases are like, what causes them, how they are carried, and how they may be prevented, then *you* too may help in preventing this great loss of life with its attendant sickness and suffering, and awful waste of money.

Distribution of Disease.—Among the known ways in which preventable disease is spread may be mentioned the following: by personal contact, by food, by water, by cloth-

ing or other infected articles, by infected air, and by insect carriers; such as flies and mosquitoes. Let us inquire into the life history and habits of these insects, and we can readily see the reason why they are dangerous pests to have in our homes, or around us in our daily lives.

THE COMMON HOUSE FLY.

Breeding Places and Life of the Fly.—The principal breeding place of the common house fly is the decaying animal and vegetable matter found in barn-yard manure, particularly in horse manure. It is estimated that from 85% to 90% of the house flies are hatched and reared in ordinary




FIGURE 76.—"Typhoid Fly" or Common House Fly.

horse manure. The average time from the laying of the eggs in the breeding place to the development of the adult flies is about ten days. The eggs hatch in from fourteen to twenty-four hours, reaching the *larval stage*; their larvæ are known

only as maggots or worms. This stage lasts from five to seven days, depending largely upon moisture and temperature. At the end of this period they seem to seal themselves within their skin, forming a hard case around them, and often burying themselves in the soil. They are now known as *pupæ*; this stage lasts about five days, during which time the remarkable transformation into a fly occurs, when they emerge from their shell in the shape of an adult fly; and thus their development is completed.

The average female fly lays about 120 eggs, and it is estimated that in temperate climates, these 120 eggs are multiplied from twelve to thirteen times in a season. Assuming that one-half of the eggs produce female flies, and that one-half of the total number of larvæ are destroyed by their natural enemies before they develop into the adult flies, the number remaining of those produced by a single female fly during the course of a summer season would make an appalling total in figures. Try to figure it out and after you have arrived at the correct result, you will begin to realize the importance of doing something to prevent the breeding of flies.

Habits.—Naturally, insects that are bred and reared in filth would be expected to have filthy habits. And thus we find that the common house fly continues the filthy habits of his early life, feeding on the filth of the barn-yard and the outside toilet, and the decaying animal and vegetable matter wherever found.

The odor of foods in the house and stores, together with the warmth and protection afforded therein, makes these

places desirable homes for the fly; and while, as above stated, he is fond of filth, yet he also relishes almost all kinds of foods, particularly those containing sugar or milk, and all kinds of meats. It can reasonably be expected that a fly having just gained entrance into the house has come from some filth-producing, or disease-breeding place, and it is because of this that his presence in the house or in the store or shop becomes exceedingly dangerous. This is particularly true of flies that breed in human excrement, carrying to food or drinks, as they often do, the germs of intestinal diseases, such as cholera, dysentery, or typhoid fever.

Natural Enemies.—House flies have a number of natural enemies, which greatly reduce their numbers. First, there is the worm, known as the house centipede, which devours the fly in great numbers. There are also certain kinds of beetles that devour the pupæ or undeveloped flies as well as a reddish mite that is very destructive to the fly in the latter part of the fly season. They also suffer from several diseases. Flies are often found sticking to the window pane, with a white-looking material radiating from the fly upon the glass in every direction. This is an illustration of death caused by the fungous growth upon the fly.

Dangers of Food Infection.—From experiments and observations one is warranted in the belief that a very large portion of the cases of typhoid fever and the intestinal diseases of childhood are undoubtedly due to the infection of food or milk by the fly.

Moreover, it has been proved that the living, active

germs producing tuberculosis may be distributed by the house fly, either by carrying the infectious material upon his legs, after having fed upon filth as we have mentioned,



FIGURE 77.—Fly-speck, greatly magnified, showing dangerous germs.

or by carrying sputum, or by depositing fly-specks upon the food. Flies that have been experimentally fed upon tubercular sputum leave in their fly-specks the tubercular bacilli in a living, active state, and one eminent bacteriologist reported that a single fly-speck contained as many as 5,000 tubercular germs. One

of the State Boards of Health reported the result of examination of fly-specks found upon a lemon pie, in a certain bakery, which was to the effect that the fly-speck contained a large number of pus-forming germs.

“How doth the busy little fly
Improve each shining minute!
And where he finds a lemon pie
Plants germs of death within it.”

It is true, therefore, that those regulations of some of the State Boards of Health requiring food products to be protected from the house fly are in accord with scientific findings ascertained by numerous investigations. And it is safer to patronize grocery stores where foods and fruits are protected from flies and dust.

Intestinal Diseases of Children.—There can be no question that many of the intestinal diseases of bottle-fed babies are due to fly infection. It seems that a favorite place for flies to congregate is upon the baby's bottle, particularly the nipple, in order that they may feed upon the particles of milk; and thus the nipple becomes infected with germs producing intestinal fermentation and intestinal diseases. It reminds us of Tilton's poetry, a part of which reads as follows:

"Baby Bye, here's a fly,
Let us watch him, you and I;
There he goes, on his toes,
Tickling baby's nose."

Some one has suggested that this be revised to read as follows:

"Baby Bye, look at that fly
Through the microscope, you and I;
All kinds of woes are on his toes,
Which he wipes on baby's nose."

Typhoid Fever from Fly Infection.—In 1898, during the Spanish-American War, a terrible epidemic of typhoid fever among our soldiers encamped at Chickamauga Park, Tennessee, was found by a commission of scientific men, appointed by the Federal Government to investigate the cause of the epidemic, to be due to the infection of food by the fly. It was observed in the mess tents of the soldiers that flies were seen which had upon their wings and feet, lime, which had been used in the water closets as a disinfectant. A careful examination of these flies revealed the

fact that they carried upon their legs and wings other material besides lime; namely, excreta of the soldiers containing the typhoid germs. And thus was established the connection between the fly and the epidemic of typhoid fever.

Prevention.—The common house fly, we have shown, is one of the greatest enemies of the human race. The final solution of the fly nuisance must rest entirely on prevention; that is to say, we must do away with its breeding places. Its destruction, after it is hatched, can never be accomplished, as it comes in such great multitudes as to make that task too great. The fact that the majority of the house flies are reared in horse manure would seem to point the way for the successful abatement of the fly nuisance. Indeed, it is now thought that if the manure were either properly and effectively screened from the fly, or were disposed of by cremation, or buried, or scattered upon the fields of the farms; and if the outside toilets were made fly-proof and every householder was careful that no decaying animal or vegetable matter was permitted upon his premises, the fly would soon be exterminated.

Screens.—The next step in prevention is that of the thorough screening of the home and of all places where foods are manufactured, prepared, sold, or kept. It is particularly important that the sick-room be kept absolutely free from flies, especially where there is one suffering from tuberculosis or typhoid fever. It is quite as important that this should be done as that the mosquito should be kept out of the room containing a yellow fever or malarial fever patient. Until recent years screens have been used to exclude the fly and

mosquito largely on the ground of personal comfort; but now we know that the principal benefit derived from the use of screens is that of preventing sickness and disease.

Among other preventive measures are those of fly-paper, both poison and sticky, fly traps, or the "fly-swatter," all of which have various degrees of utility.

Boy Scouts.—One of the cardinal principles of the Boy Scouts is that the Scouts should be of service to *others* and to the community in which they live. This high ideal was put into practice by a number of the Boy Scout organizations in Kansas in the year 1911 by working in co-operation with the State Board of Health in its anti-fly campaign. Not only were the towns and cities given a most thorough cleaning, *but* the breeding places of the fly were destroyed. Wire "swatters" were made by the boys, and one provided free to every home in the city. Large fly traps were placed on the streets, and anti-fly literature distributed among the people. The Boy Scouts did splendid work, and their organization may be of great service to better health if local health boards will only show them what is to be done. Many a boy, after a day's work in an anti-fly campaign, may truthfully say,—*"I saved a life today."*

Fly-Paper.—The following paragraph tells how to make good sticky fly-paper at a very low cost.

Take two pounds of resin and one pint of castor-oil, boil together until they are well mixed, pour off in open-mouth bucket, take an ordinary paint-brush and smear while
• hot on any kind of paper—an old newspaper is good—and place several about the room. A dozen of these may be

made at a cost of one cent. It is an effectual tanglefoot, and placing it on old newspapers makes it easy to handle. It can be pinned to a window curtain or a table-cloth, avoiding thereby blowing about the room and sticking upon the furniture, etc.




FIGURE 78.—Our Greatest Enemy.

THE HOUSE FLIES.

See the city with its flies;
 Deadly flies!
 What a world of sickness and of death
 The word implies!
 How they're swarming, swarming, swarming,
 In the summer's balmy air;
 Every residence they're storming,
 On the edibles they're forming,
 And they leave death's message there!

With their specks, specks, specks,
Typhoid germs, consumption flecks,
And other dread diseases which most frequently arise
From the flies, flies, flies, flies.
Flies, flies, flies—
From the filthy visitation of the flies!

—*Pensacola Journal.*

The Kansas State Board of Health has prepared the following catechism on the house fly:

HOUSE FLY CATECHISM.

1. Where is the house fly born? In filth, chiefly in horse manure and outhouses.
2. How long is the life cycle of his birth? About ten days from the time the eggs are laid until the mature fly is born.
3. What are the steps in the transformation from the egg to the fly? The egg, the maggot, the pupa, the fly.
4. Where does the fly live? Where there is filth.
5. Is there anything too filthy for the fly to eat? No.
6. Does the fly like clean food, too? Yes, and it appears to be its delight to wipe its feet on clean food.
7. Where is its favorite place of feeding? The manure heap, the outhouse and the spittoon.
8. Where does the fly go after leaving the manure pile, the outhouse and the spittoon? Into the kitchen, dining room and bedroom.
9. What does he do in the kitchen, dining room, and bedroom? He wipes his feet on the food, bathes in the milk, and annoys the sleeper.
10. Does the fly visit those sick with typhoid fever, consumption, smallpox, and cholera infantum? He certainly does, and may call on you next.

264 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

11. Is the fly dangerous? Yes, he spreads disease.
12. How does he spread disease? By carrying infection on his legs and wings, and by "fly-specks" after he has been feeding on infectious material.
13. What diseases may the fly thus carry? He may convey typhoid fever, tuberculosis, cholera, dysentery and "summer complaint."
14. Did the fly ever kill anyone? He killed more American soldiers in the Spanish-American War than the bullets of the Spaniards.
15. Where are the greatest number of cases of typhoid fever and summer complaint? Where there are the most flies.
16. Where are the most flies? Where there is the most filth.
17. Is the presence of flies, therefore, an indication of near-by filth? It most certainly is, and that is disgraceful.
18. Why should we "swat the fly"? Because he is the cause of much sickness and death.
19. How may we successfully fight the fly? By destroying or removing his breeding place, the manure pile, by making the outhouses flyproof, and keeping our yard clean; by screening the house, by the use of the wire "swatter," and sticky fly-paper.

SWAT THE FLY!

Health Epigrams.

Swat the fly!

God bless the man who first invented screens.

A pair of unheavenly twins, the fly and mosquito.

Screens are cheaper than doctor bills.

The typhoid fly loves to wipe his feet on baby's bottle and the family cake.

The fly problem is the problem of teaching the nation to be clean.



AMERICAN MEDICAL ASSOCIATION PRIZE CARTOON SERIES

FIGURE 79.—Several Reasons why Flies should be Unwelcome Guests.

There are too many short coffins being sold in America the result of fly infection.

Flies, dirty milk, and careless mothers spell "infant mortality." From food and filth to flies and fever.

MOSQUITOES.

Mosquitoes, unlike flies, breed only in stagnant water; but they are as great a nuisance as flies in some localities, and in addition, may spread malaria and yellow fever. If you keep water from standing around your premises, if you drain or fill pools of stagnant water, if your cistern or rain-barrel is mosquito-proof, if you will not permit old cans and bottles around the premises to catch rain water, you will have little trouble with mosquitoes.




FIGURE 80.—A Mosquito of the Genus *Anopheles*, whose Bite conveys Malaria.

Malaria.—The term "malaria" literally means *bad air*. This name conveys the old idea of the source of the disease; namely, that it is due to breathing the bad air of swamps and marshes. Now we know that malaria (ague, chills and fever)

is due to the bite of a certain kind of mosquito—the *Anopheles*—a picture of which is here shown. If this mosquito

bites a person whose blood is infected with malaria, it draws into its body the malaria germ, and it injects it into the next person that it bites. An effective way of avoiding mosquito bites is to destroy the eggs and the freshly hatched mosquitoes by pouring small quantities of coal oil on the water in their breeding places. These breeding places are usually stagnant ditch water, the still water at the edges of streams, and swamps and pools, especially those over which a green scum has gathered. Minnows, young sunfish, or goldfish placed in such a pool will destroy large numbers of the eggs and young of these poisonous insects.

Yellow Fever.—It is now settled that yellow fever is conveyed by the bite of a certain species of mosquito—*Stegomyia fasciata*. To prevent the spread of this disease—the dread of the South—is comparatively easy. There would be no epidemic of “Yellow Jack” if the following measures were taken: (1) Keep the yellow-fever patient closely screened so that no yellow-fever mosquito can become infected by biting such a patient. (2) Keep the homes screened so that well persons will not be bitten by these mosquitoes. (3) Destroy the yellow-fever mosquitoes by destroying their breeding places; for example, by filling up or draining the pools and marshes, or by using kerosene enough to make a thin film on




FIGURE 81.—*Stegomyia fasciata*, the Mosquito whose Bite conveys Yellow Fever.

the surface of the water where their young are hatched. Such measures have kept yellow fever from becoming epidemic in Havana, where it was formerly such a deadly scourge.

Health Epigrams.

A rain barrel full of water—a house full of mosquitoes.

Wire screens in the windows may keep crape from the door.

A little oil on the stagnant pond is better than mourning on the door.

The wise mother screens the baby's cradle and wears a smile, the foolish mother does not and may wear mourning.

GARBAGE.

The safe disposal of waste from the kitchen is a big problem, especially in cities. The open slop barrel in the country and the loosely covered garbage can in the city are alike sources of great danger to public health. The little dried particles of waste are soon powdered into dust that blows about the streets. This dust is usually "live-dust": that is, it is alive with bacteria that may cause disease.

In the large cities where the city maintains an incinerator or furnace, the city waste is disposed of easily and safely. In the smaller cities and towns, the accumulation of garbage and waste is a serious problem, for decaying vegetables and scraps of meats afford a breeding and feeding place for flies, and food for rats and mice, besides making harmful odors from the gases of decomposition. It is a good plan to burn all house garbage in the kitchen stove where it is possible.

FOOD INSPECTION.

Wholesome, nutritious foods are necessary for building a strong, healthy body. Previous to the enactment of national and state food and drug laws, many of our foods were adulterated, making them cheaper, poorer in quality and often harmful or poisonous; but since these laws have been enforced, the condition of the food supplies has been much improved.

Most of the states and the larger cities employ food inspectors, whose business it is to see that places where foods are handled are in a clean and sanitary condition; to examine perishable products as to their fitness for food; and to secure samples for analysis. These acts of the government have brought about better conditions, although much is yet to be done in order that the health of the people may be safeguarded from injurious foods and drugs.

Before the passage of these laws, most of the ground spices were adulterated with ground cereals, shells, or olive pits; much of the "maple" syrup was never near a maple tree; canned corn was sweetened by saccharine, a harmful coal-tar product; sausages and oysters were embalmed with preserving substances; "buckwheat" flour contained but little buckwheat; much of the cheap jams and jellies never saw any fruit, being made from glucose, artificially flavored and colored; and so on down a long list of the foods. Is it any wonder that some radical measures were necessary to protect the public welfare?

Milk Inspection.—Formerly, a large number of city children died, especially during the hot months, because of



FIGURE 82.—At which Shop shall we buy?

unwholesome milk. A large per cent of the cases of *cholera infantum*, or summer complaint, in city children are, without

doubt, caused by impure milk. City boards of health now use strict measures to insure clean, fresh, pure milk to the city home. This is no easy task, as the milk supply of a great city must be brought from a distance. It is conveyed from the dairy to the railroad or trolley station, then shipped by train and taken to the wholesale milk depot, where it is obtained by the dealer, and finally it reaches the "milkman," who leaves it at the door of the city home many hours after "milking time." The great distance from which it comes, and the numerous delays incident to its passing through so many hands from cow to consumer, make the milk supply of a city from eight to twenty-four hours old before it reaches its destination. Clean milk kept at the proper temperature will remain fresh for many hours; but improperly handled, unclean milk tends to sour. To prevent its souring, some dealers put in a so-called "preservative," such as a few drops of formaldehyde. These preservatives are always injurious, even poisonous. To prevent their use, most city boards of health require that milk be shipped in clean sealed cans or bottles that cannot be tampered with. At the city depot the inspector examines the milk on arrival; and if it is not fresh or clean he condemns it. But inspection at the city end of the route alone would not head off the evil. A more timely inspection is made at the stock farms and the dairies to forestall the shipment of milk from diseased cattle or of dairy products prepared carelessly or in unhealthful conditions. Now that it is so widely known that milk is inspected, the dealer is very careful not to bring unwholesome milk into the city; for not only

does he lose the milk and what it cost, but he is subject to a heavy fine, and is, besides, in great danger of losing his license to sell.

But it is not children alone whose lives are imperiled by impure milk. Many wide-spread epidemics of typhoid fever have been traced to the milk supply; and to the same source have been due a number of epidemics of diphtheria and scarlet fever. Is it any wonder that cities exercise the greatest care to insure that the milk furnished is clean, pure and wholesome?

Health Epigrams.

The food of the child determines the future physical well-being of the citizen.

In the health of the people lies the strength of the nation.

Every child is entitled to pure food, water and air.

It is not what you eat, but what you digest that nourishes you.

WATER SUPPLY.

The greatest problem of a city is to secure an abundant supply of wholesome water. The many small wells in our towns and cities are a constant menace to health, for undoubtedly they cause numerous cases of typhoid fever and other "water-borne" diseases every year. In a city with a dense population, the chances for soil pollution from out-houses or leaky sewers are greatly multiplied. This pollution, in turn, is liable to get into the underground water supply of the well, or by surface drainage to get directly into the well. That wells in the country are often polluted by

surface drainage is also a well-known fact. It is because of this difficulty in getting good water from sources near at hand that a city will spend thousands, sometimes millions, of dollars in damming streams and building reservoirs far from the city itself; in purchasing large tracts of land around the reservoirs to insure against possible contamination of the water; and in constructing miles and miles of aqueduct to bring the water to the city mains.

Where the water is "suspicious" in city, town, or country, it can be purified and rendered absolutely safe by boiling for fifteen minutes. Boiled water tastes flat and insipid, and many persons on this account prefer the filtered water; but a filter readily becomes unclean and may itself become a serious menace to health.

Terrible epidemics of typhoid fever have been traced to a polluted water supply. In 1885, that of Plymouth, a mining town in Pennsylvania, which incurred a total cost of half a million dollars and sent scores of vigorous men to an untimely grave, was directly due to the contamination of the village water supply, a mountain stream; and in 1890-91, that in Lawrence, Lowell, and other Massachusetts cities on the Merrimac, was traced to the pollution of that river. In 1901, nearly 500 cases of typhoid appeared in a portion of New Haven, Connecticut, in a single month. The epidemic was confined to a portion of the city receiving its water supply from a single reservoir that furnished no water to any other part of the city. Examination of the water in the reservoir showed that it had become infected with typhoid germs from the occupants of a single house

near by, and thus carelessness had caused the fearful epidemic. The great epidemic of Asiatic Cholera in Hamburg, Germany, in 1892, was due to infection through the city water supply. That part of Hamburg known as Altona was free from the epidemic because its citizens used purified water, though from the same stream (the Elbe) that, in its impure state, caused the cholera in Hamburg proper.

Common Drinking Cup.—Have you ever stood in some public place where there is a common drinking cup, and watched




FIGURE 83.—The Common Drinking Cup.

the people come up and drink? If you ever do so, you will never drink from such a cup again. Here comes a tramp, and after he has spat out a chew of tobacco, he takes the edge of the cup between his dirty lips, and drinks. Then a man with consumption walks up, does the same and leaves on the cup a million germs of his disease. Now comes one who is recovering from diphtheria, takes a drink,

and adds his deadly germs. Then, possibly, a young and ignorant mother, with her baby in her arms, takes this same horrible cup and holds it to the pink lips of her baby. In a few days she "wonders where baby got diphtheria."

It is quite certain that many cases of tuberculosis, diphtheria, pneumonia, sore throat, measles, scarlet fever, meningitis, and other terrible diseases have been contracted from the use of the common drinking cup. Under no circumstance should anyone use such cups or glasses, for fear of contracting disease. Besides, it is filthy to do so. You would not use some one else's tooth-brush. Nor should you use his drinking cup. The public drinking cup is now forbidden by law in all public places in many states. It is better to suffer thirst than to drink from such a cup.

Common Towel.—The use of a common towel in public places is almost as dangerous as the use of the common drinking cup, as certain diseases, especially diseases of the skin and eyes, may be transmitted by a towel.

An investigation conducted by one of the State Boards of Health of roller towels and other towels in common use in six different cities indicated that one-fourth or 25% were polluted by dangerous bacteria. Following this investigation an *order* was issued by the Board of Health to prohibit the use of the common towel or roller towel in all schools, railroad trains and hotels in the state.

AIR CONTAMINATION.

The large quantities of soft coal burned in the immense factories of the modern city, the dirt of the streets as it dries and becomes pulverized into dust that fills the air, and numerous other causes are apt to render the air we breathe unclean and unwholesome. The lungs of a person who lives in smoke and dirt-laden atmosphere collect, in the air cells and

finer bronchial tubes, quantities of dirt and coal dust that after a few years form hard, rough bodies, resembling cinders, in the very lung tissue itself. This means that the lungs of the city dweller, the miner, or the engineer are less able to withstand attacks of disease than are the lungs that have breathed only the clean air of the country.

If a crowded room is poorly ventilated, the people in it are gradually becoming air-starved; and air starvation is almost as bad as food starvation. Cellar air, arising from underneath the living rooms of a country house surrounded with pure atmosphere, or sewer gas generated because of imperfect plumbing in the modern, otherwise perfectly equipped city home, may cause such a condition of physical weakness as to render the person so affected an easy prey to diseases that he would otherwise successfully resist.

COLDS.

The disease which is ordinarily called a *cold* is usually the result of bacterial infection; that is to say, hot, stuffy or ill-ventilated rooms in which other persons suffering from a cold have been, are likely to produce cold infection in others. In other words, most colds are not the result of exposures to low temperature or to so-called "draughts." Have you observed that if one member of a family has a cold, usually all the remainder will "catch cold"? The same is true in the schools. Therefore, the best place to catch a cold is not out-of-doors, or even in "draughts," but in close, stuffy, ill-ventilated and infected schoolhouses, churches, and theaters.

The frequency of colds in winter is chiefly due to the fact

that at this time of the year we are crowded into houses and schoolrooms, keeping the doors and windows closed in order to keep warm, and thus we provide the conditions for the cultivation and transmission from one to another of the germ-producing disease.

When it is remembered that the principal treatment for consumption is the "open-air" treatment, both winter and summer, one should realize that plenty of fresh, pure air will never hurt anyone, but on the contrary, will keep his bodily strength and vigor up to a high state of resistance, so that he is not so likely to take cold or any other infectious disease. Of course, it is well to remember that cold air is not always pure air. One cannot have pure air without proper ventilation. The various diseases of the lungs, such as consumption, pneumonia and bronchitis are often made possible by reason of living in impure air, or air contaminated with injurious, irritating dust, smoke or gases. Everyone not sleeping out of doors or on a sleeping porch, should have the window open in his bedroom at night in order that plenty of pure air may be had during all hours of sleep.

Health Epigrams.

A light overcoat is better than a heavy cold.

Many a cough ends in a coffin.

There never was so cold a day but a little fresh air was healthful.
"Catching cold" is an accurate expression, because most colds are catching, or contagious.

A stuffy room is the germ's best ally.

Unventilated gas stoves are a menace to health.

PLUMBING AND SEWAGE.

Sewage emptying into a river or a lake, or seeping through the soil into a shallow well, is one of the chief sources of contamination of the water supply. All sewage, as we know, is apt to contain disease germs. For this reason the safe disposal of sewage is one of the greatest necessities that is met by the authorities of any community.

If the drain pipes leading from a house are not tightly joined, or consist of a poor material, as porous tile, some of the sewage will escape from the leaky pipes into the ground immediately surrounding the house. This sewage-soaked soil is a constant menace to the health of the household. For this reason the department of health of a large city employs men to examine the plumbing of buildings to insure the occupants against liability to disease from such cause.

Since an improper disposal of sewage may pollute the drinking water and cause typhoid fever and other water-borne diseases, it is one of the chief duties of a board of health to prevent sewage pollution of the water supply. In the country each family must be its own "board of health." Care should be taken in the location of barns, outbuildings, cesspools, and slop holes, so that they cannot by any possible means drain into the well from which the household receives its water supply.

CHAPTER XIX.

FARM SANITATION.

Theoretically, the farm should be the most healthful place to live, but a study of rural life as it relates to sanitary conditions, by President Roosevelt's Country Life Commission, reveals the fact that, as a general rule, it is not. The advantages of a naturally purer air and scattered population are often off-set by improper location of water supply, outside toilets or barn in their relation to the house. On the other hand, the dense population of a city with its attendant possibility of soil and street pollution, and daily contact with large numbers of people is, in turn, less endangered because of modern sanitary conveniences such as street cleaning, garbage collection, sewerage systems and city water supply, the purity of which is zealously safe-guarded. As the people of rural communities become more prosperous, and as they learn the necessity for living better, if they are to enjoy good health and be efficient in their work, they are improving their homes and home surroundings.

The people in the cities are greatly interested in the sanitary conditions of the farms, as they are dependent thereon in a large measure for their food supply, which might easily become contaminated if unsanitary conditions

existed. For example, the milk might be rendered unwholesome if produced in an unclean barn or milking lot, or if the cans were washed with polluted water; or the butter might be contaminated if made by one who was suffering from some infectious disease, or if it were unprotected from the house fly or dust.

Location of House.—The house should be located on an elevation, if possible, so that there will be good drainage away from the house, and a free circulation of air during the hot, still days of summer. If possible, also, sightliness of location should be taken into account, for the home should be made beautiful and attractive, not only because of the pleasure attendant upon pleasant surroundings, but because they are a real factor in keeping one healthy.

There should be plenty of space left for a large yard and playground for the children, with room for flower beds, shrubbery and trees. Yet the trees should be so planted as not to prevent the sun's rays from coming into as many windows of the house as possible, for no better disinfectants exist than bright sunlight and pure air. The chief trouble with many farm houses is that they have been located with a view to convenience rather than to sanitary conditions and attractive surroundings.

Water Supply.—Probably the greatest source of danger to the majority of country homes is the improper location, or the improper protection, of the water supply. If the supply is from a spring, outside toilets should be so far removed as to allow of no possible source of contamination.

It should be walled up and covered, and the water conveyed out through an iron pipe, so that there is no possible chance for any animal, or any injurious or poisonous substance to get into the spring. If the supply is a "dug well," it should not be near the outside toilet, barn or hog lots, for fear of contamination. Also it should be walled up with brick or stone, the top of the curbing carried up at least a foot above the surrounding soil. It should be tightly covered around the pump, the ground being filled in around the well so as to slope in all directions for the purpose of shedding water and not allowing any surface water to get into the well.




FIGURE 84.—Wrong Construction of a Well.




FIGURE 85.—Model Construction of a Well.
Such a Well will be Safe and Sanitary.

Drilled wells are usually the safest supply, providing they are properly cased and filled in tight around the top

to prevent surface water from reaching the well by following down around the casing.

The greatest care should be exercised not to throw any polluting material on the ground near the well. Many a case of typhoid fever or other serious illness has been caused by the careless throwing of slops and garbage into the yard. If the location of the well is in a sandy soil, or, if the water is near the surface, then the location of the outside toilet, and the disposal of waste or slops from the house become tremendously important, for these polluting materials will readily go through several feet of sandy soil, and might dangerously contaminate the well water. Moreover, the longer an outside toilet is used, the deeper and wider becomes the circle of polluted soil, so that, with every passing year, the possibility of the pollution of the well from the near-by vault increases.

Outside Toilet.—Too often the outside toilet is located from a standpoint of convenience rather than safety. Particularly is that true when the toilet is not properly constructed. No outhouse should be located nearer a well than 150 feet; and if the soil is sandy and the well shallow, a greater distance is desirable, or a cement, or galvanized, iron vault should be installed. If the direction of the ground-water flow is known, the outhouse should be located on the side that carries the ground flow away from the well, in order to be sure that there will be no pollution. All outhouses should be made fly-proof by having them tight all around the bottom, and with hinged lids on seats. They should have a ventilated shaft, screened at the top. If

this is done, there is little danger of flies feeding or breeding there, and bringing disease germs to the kitchen or dining-room. A generous sprinkling of lime, or some other suitable disinfectant, should be used in the vault every few days, especially during the summer time.

“Night soil” from the house should never be thrown out on the ground, but carefully disposed of in the vault, for otherwise flies will have an opportunity to carry the filth, and possible disease germs, from such places. Also a heavy rain may wash it into the well, or the members of the family or household pets may carry pollution on their feet into the house. The same thing can be said of slops and wastes of various kinds. It is just such untidy practices that feed insects and create foul odors and surroundings, and keep some farm homes from being as healthy and attractive as they should be.

Barn.—The barn, as well as the outside toilet, should be located on lower ground than the house and well, and far enough from these places to insure freedom from odors and unsightly surroundings. The barn should never be located south of the house, as the prevailing winds in the summer would carry the odors toward the house; and if possible, also, the barnyard, and the horse and cattle lots should be located on the opposite side of the barn from the house. The great fault with the average country barn is the accumulation of filth in the stables, and the manure heap in the barnyard. It should be remembered that animals cannot thrive in filthy surroundings, any more than human beings

can. In neither instance can good health and high efficiency be expected.

The accumulated manure that is usually found in the barnyard is not only unsightly, and the occasion of bad odors, but, as pointed out in the chapter on the house fly, is the place where millions of flies are bred, that menace the health of the household and annoy and torture the horses and cattle. If the manure is scattered over the fields at least once every ten days, not only will the breeding places of flies be abolished, but very valuable fertilizing material will be saved to enrich the soil and increase the crops grown thereon.

The Care of Milk.—The best milk is that which has been produced from healthy cows, milked into clean utensils in clean surroundings. The hands should first be washed and the udder of the cow wiped off with a clean wet cloth, to remove all particles of dust or filth that may be there. The milk should then be cooled as rapidly as possible, and, if sold for dairy milk, it should be put up in bottles that have been scalded by boiling water or live steam. It should then be put on the ice and kept cold until delivered to the consumer.

It is well to remember that the best milk may be ruined by allowing it to stand in the sun, or to be contaminated by the dust or flies. If it is not bottled, therefore, the greatest care should be taken that everything be kept clean, and that the milk be kept cold, or it will soon spoil and be unfit for food. No one suffering from any disease, be it ever so light, should handle the milk or milk utensils; for milk is an es-

pecially fine medium for growing bacteria, and many an epidemic of infectious disease has been spread by milk thus contaminated.

In General.—While there are many farms that possess most excellent sanitary conveniences, yet most of the country places are in need of betterment, as indicated in this chapter.

The conclusions can be best stated by quoting the words of President Roosevelt's Country Life Commission:

"There are many questions of nation-wide importance, such as soil, milk, eggs and water pollution; too much visiting in case of contagious diseases; patent medicines; advertising quacks and intemperance; feeding of offal to animals at slaughter houses, and general unsanitary conditions of those houses not under federal or other rigid sanitary control; in some regions, unwholesome and poorly prepared and monotonous diet; lack of recreation; too long hours of work.

Added to these and other conditions, are important regional questions, such as the extensive spread of hookworm disease in the large Gulf-Atlantic States, the prevalence of typhoid fever and malaria, and other difficulties due to the neglect in the localities.

In general, the rural population is less safe-guarded by boards of health than is the urban population. The physicians are farther apart, and are called in later in case of sickness, and in some districts medical attendance is relatively more expensive. The necessity for disease-prevention is therefore self-evident, and it becomes even more emphatic when we recall that infection may be spread from farms to cities in the streams, and also in the milk, meat and other farm products. Quite aside from the humanitarian point of view, the aggregate annual loss to the nation from unsanitary conditions on the farms must, when expressed in

money values, reach an enormous sum, and the betterment of these conditions is a nation-wide obligation."

Health Epigrams.

Be cheerful.

Health is wealth.—*Emerson*.

An ounce of prevention is worth a pound of cure.

The neglected manure heap is the season's greatest danger.

You cannot purify the well water by painting the pump.

House waste on the ground means fever in the house.

The fly is the disseminator of the three D's—Dirt, Diarrhœa and Disease—which often result in the three T's—Typhoid, Tuberculosis and Toxins (Poisons)—and which should teach us to cultivate the three C's—Care, Caution and Cleanliness.

A clean and safe milk supply produced in a filthy, unsanitary barn or dairy, is an impossibility.

Keep your head cool and your heart and feet warm.

The establishment of a sound national physique is of more importance than a sound national finance.

CHAPTER XX.

COMMUNICABLE DISEASES.

TUBERCULOSIS.

About forty years ago the world began to be aroused from its stupor of centuries and to realize that one disease was killing one-seventh of all those who were born under civilization and was crippling as many more. And when, in 1882, Koch discovered that this disease was due to a germ, proving it to be infectious but at the same time demonstrating it to be preventable, then it was that the first real concerted effort was begun to stop the awful ravages of the "great white plague." Although scientists are constantly searching for a specific drug treatment which will cure the disease, up to the present time these attempts have not been successful.

Fifteen million dollars are spent annually in the United States by various public and private agencies in efforts to control and prevent tuberculosis.

In the United States 150,000 persons die annually from tuberculosis—more than were killed in battle during the four years of the Civil War. This means a steady mortality of *411 persons every day in the year.*

When it is remembered that this is a preventable disease, and that the victims are usually in the early years of young manhood and womanhood, the most useful and promising

years of their lives, the importance of a better understanding of the means of prevention is more forcefully presented:

Prevention of Tuberculosis.—Tuberculosis is the most widely spread and deadly disease that affects humanity. It is infectious, and is communicated from the sick to the well.

The cause of tuberculosis, or consumption, is a living germ, a minute plant called the *bacillus of tuberculosis* (see p. 197), which enters the body in various ways, and there causes change of structure, destruction of tissue and very often constitutional symptoms of a general bodily infection, with wasting away and ultimate death if not checked at the beginning.

Nature of the Disease.—During the progress of the disease the germs are constantly multiplying in the affected parts of the body, and may escape and infect others in several ways.

Germs entering through the broken skin may cause local tuberculosis.

Germs swallowed may cause tuberculosis of the intestines and other internal organs.

Germs inhaled, thus gaining entrance to the air passage, cause by far the commonest of all forms of tuberculosis—consumption, phthisis, pulmonary tuberculosis, or tuberculosis of the lungs.

Consumption, the “great white plague” of mankind, causes in the United States and in Europe about one death in every four, occurring between the ages of twenty and fifty.

No age, however, is exempt. Not only is consumption the most common form of tuberculosis, but it is the most infectious, the most dangerous to the public health.

The lungs and air passages affected undergo a destructive process, with the production of myriads of new living germs. By the constant coughing, hawking, and spitting attending consumption, the germs are scattered far and wide. Rooms, houses, public vehicles, and even whole inhabited districts may become so contaminated with the germs that every healthy person breathing the air of such places is subject to constant danger of acquiring the disease.

Danger of Sputum.—The disgusting habit of spitting upon the sidewalk, floors of public buildings, hallways, porches, the floors of carriages, cars, etc., when the offender is consumptive, distributes day by day millions of disease germs in all directions. The sputum soon dries, the germs mix with the air and dust of the buildings or vehicles, and are inhaled into the lungs of healthy persons. The germs outside of the body are very long-lived and difficult to destroy.

The fresh living germs in most sputum are especially virulent, and great care must be exercised not to permit such germs to enter the mouth. Myriads of the germs adhere, for instance, to the drinking glass, and may be transferred from the sick to the well by drinking from a glass or cup which has recently been used by a consumptive. In a similar manner, the germs of the disease may be conveyed by towels, handkerchiefs, soap and other toilet articles, tableware and objects of personal use. If it were not for the power that very vigorous people, living healthy lives, pos-

ness to resist disease in general it is probable that consumption would kill off whole communities, because it hardly seems possible that any single inhabitant of a city where many have consumption can for long escape breathing into his lungs or taking into his mouth some of the germs of the disease.

Conditions Favoring Spread of Tuberculosis.—People most liable to be infected are those who live unhygienic lives, or who are compelled, in order to get a livelihood, to work amid unhealthful surroundings.

Overcrowded, unventilated dwellings, schools, offices, and workshops, inactive occupations, trades causing much dust, which, by irritating the lungs, produces favorable conditions for the growth of the germ, poor food and insufficient clothing, lack of exercise, uncleanness of person and surroundings, are all factors in predisposing persons to consumption; but it must be remembered that nothing can actually cause consumption except the entrance of the germ into the body.

It is commonly said that certain families inherit tuberculosis, and it is beyond doubt that a constitution predisposed to consumption may be inherited, but the real reason that generation after generation in some families have died of the disease is generally that the sick members of the family have infected the well.

No matter where the germs are accidentally lodged, whether on floors, sidewalks, vehicles, or clothing or utensils, their vitality is fostered by dirt, dampness, and darkness. On the other hand, sunshine, pure air and cleanliness are most valuable means of resisting and destroying the infection and of curtailing the diseases when early recognized.

Flies should not be permitted in the room with a consumptive. They have been known to infect food and drink with the germs of the disease, after feeding on the excretions of a consumptive.

But the only sure way of preventing infection is to destroy all the sputum of every consumptive, for it is almost always by means of the sputum that a consumptive infects another person.

Consumption is Curable.—It is now recognized that consumption is undoubtedly curable when intelligent treatment is undertaken early in the disease. Certain climates are known to be very favorable to a cure, and annually hundreds of people seek to recover their health by going to Colorado, western Kansas, southern California, or elsewhere. The only reason that climate helps to cure the disease is that sunshine, even temperature and absolutely pure air can be better taken advantage of in some places than in others.

It is possible for recovery to take place in almost any climate if plenty of pure air can be obtained, and the body protected against dampness and sudden variations in the weather; and no consumptive whose case is recognized early should despair because his poverty and necessity of providing for his family will not permit treatment in some of the recognized favorable climates.

It is of course advisable that every consumptive should, when possible, live in a favorable climate or be treated in a sanitarium, where not only the best prospects of cure are to be had, but where the danger to the health of others is eliminated.

To stamp out tuberculosis, it is necessary for everyone to observe the recognized sanitary rules for preventing this deadly disease. These rules of prevention are quite simple, and can be understood by any one with ordinary intelligence.

Already the work of health officers throughout the country in disseminating plainly written pamphlets on the subject and formulating rules of hygiene in the simplest language has been successful in saving many lives.

But it is only through the exact and universal observance of the rules by the public generally, and by patients in particular, that success is to be hoped for in the great work of preventing the spread of the disease.

Home Advice for Consumptives.

1. Sleep alone.
2. Use no hangings, upholstered furniture or useless floor coverings in your sleeping room.
3. Whitewashed or painted walls are preferable to those covered with wall paper.
4. Expose the bedroom freely to the outside air when not occupied, and sleep with the windows open. Spend as much time as possible in the open air, and use the bedroom only at night.
5. Do not be afraid of cold weather as long as the body is protected, and be especially careful to keep the feet dry.
6. Keep the body warmly clad, and guard against sudden changes in the weather.
7. Take plenty of nourishing food. Consumptives often need more nutriment than they are inclined to take. Milk, eggs, and fatty foods are especially valuable, when they can be assimilated.

8. Medicines for the relief of cough and other symptoms of the disease should be taken only on the advice of a physician.
9. Lead a temperate life in all things.
10. Be scrupulously careful not to infect the other members of your family by distributing the germs contained in your sputum. Refrain from coughing as far as you can; but when it is necessary turn your head aside and hold a handkerchief over your mouth.
11. Use a destructible portable spit-receiver, which can be bought for a few cents; use one or even more a day and destroy them by burning.
12. Never swallow the material brought up from the lungs; it may cause infection of the digestive tract.
13. It is not best to use handkerchiefs to receive the sputum. Japanese paper napkins or squares of old linen, to be burned when soiled, may be used; but these are not as clean as the portable spittoons.
14. Scrupulously avoid dust, disorder, dampness, darkness, and bad air in your home.
15. Be hopeful, and expect a cure.
16. Use individual drinking cups, dishes, soap and towels.

Symptoms of the Disease.

1. Loss of appetite. [remedies.
2. A cough that persists for a few weeks and resists the usual
3. A constant tired feeling or "run down" condition.
4. Loss of weight and strength not otherwise accounted for.
5. Any bleeding from the throat or lungs.
6. The occurrence of frequent colds.

Conditions Necessary for Successful Treatment.

1. Early recognition of the disease.
2. Fresh air in the greatest abundance, day and night.

294 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

3. Plenty of the most nutritious food.
4. Absolute rest in bed until fever has ceased.
5. Carefully regulated exercise.
6. All of the above must be used under close observation of a competent physician, who will see to it that everything is done for the individual patient that will increase his power to resist the disease.

After a recovery or death, the house should be effectively disinfected, which is required by law.

Health Epigrams.

"No spit; no consumption!"

Avoid consumption "cures." They never cure.

Open your windows for fresh air, and you will seldom have to open your pocketbook for the druggist.

It is better to sleep in the fresh air than in a fresh grave.

A careless spitter with a little cough is worse than a careless man with a big revolver.

Heredity plays but second fiddle in tuberculosis.

A laugh is worth a hundred groans in any market.—*Lamb.*

A little ventilation is more effective than much quinine.

Most colds are "catching."

Cool weather does not call for closed windows.

The unventilated gas stove is a menace to health.

Sleeping in well-ventilated rooms, eating moderately of wholesome food builds up body resistance to disease.

Spring blood purifiers are spring fakes!

DIPHTHERIA.

Its Restriction and Prevention.—Diphtheria is a contagious and infectious disease. Children are far more susceptible to it than adults, although persons in all periods of life fall victims to it. It reaches its greatest mortality in children between two and ten years of age.

Membranous croup is another form of diphtheria (laryngeal diphtheria), the membrane or exudation being limited to the upper part of the windpipe. Membranous croup and diphtheria are the same disease, differing only in manifestations; therefore, the same precautions apply in either case. The disease is caused by a germ which finds its way to the throat or upper air passages and grows, forming the membrane, and producing the poison which is absorbed by the system with attendant dangers.

The disease is spread by this germ, which exists in great numbers in the secretions of the nose, throat and mouth, and from which persons and things become infected. The germs may live for a considerable period of time in clothing, rags, on toys, dishes, furniture, carpets, and in fact, on almost anything that has been brought in contact with the patient or the sick-room. The disease is propagated in the body, and is spread from person to person, either directly or indirectly through infected persons or things.

The germs may be carried in the throat or nose, in exceptional cases, for two or three weeks, sometimes longer, after the patient appears to be entirely well. Likewise other members of the family or the nurse may have an in-

fectured throat without contracting the disease, and in this way act as unconscious carriers of it. It should be borne in mind that diphtheria may exist in any degree of severity, from a simple sore throat, scarcely noticeable, to that of the most malignant type. The slightest sore throat should not be neglected, especially when diphtheria exists in the vicinity, and particularly if there has been exposure to the infection of the disease. Not infrequently have so-called cases of tonsillitis and sore throat proved to be diphtheria.

Formerly it was supposed that diphtheria might arise from filthy local conditions, but modern researches have disproved this theory; however, that does not lessen the importance of sanitation. Nothing favors the invasion or increases the ravages of the disease so much as insanitary surroundings.

The schoolroom may be an open field for infection. A greater number of cases occur in autumn, following the opening of schools, than at any other period of the year. Schoolroom outbreaks are not uncommon. A single infected pupil may communicate the disease to the extent of starting an epidemic. The avenues of infection are many—*using the same drinking cup*—exchanging pencils, books, chewing gum; kissing, and other practices.

No child who has a sore throat of any kind should be allowed to attend school. Whenever diphtheria is present in the town or locality, the mildest form of sore throat should be looked upon with suspicion.

Preventive Measures.—When a child or young person is taken with sore throat, especially if accompanied with fever, he should be separated from all others until it is ascer-

tained that the trouble is not diphtheria, particularly if the disease exists in the town or vicinity.

Every person known to have diphtheria should be isolated immediately from the public and all members of the family, excepting those necessary to attend the case, and no one else should be allowed to visit the patient. The mother or nurse should not mingle with other members of the family, if this is avoidable. If not, she should wear a washable garment completely covering the body, with a cap to cover the hair, both to be removed when leaving the room.

The patient's room should be as far from the family rooms as possible, preferably in the upper story, and should be prepared by removing all superfluous furniture, carpets, curtains, extra clothing, books, etc., and all other articles *not needed* in the room. *An abundance of fresh air* should be provided, without subjecting the patient to draughts.

All discharges are dangerous, and should pass into vessels containing a disinfectant solution, and should remain there for an hour or longer before final disposition. Vomited matter should be received in a vessel containing a like solution. The disinfectant solution should always be at hand and ready for use.

All discharges from the throat, mouth and nose are very dangerous, as they are the carriers of the diphtheria bacillus in large numbers. They should be received upon rags or pieces of cloth, and, if not immediately burned, should be immersed in a disinfectant solution.

The clothing, bed linen, towels, etc., used by the patient should, before being taken from the room, be placed in a tub

or pail containing a disinfectant solution and be allowed to remain there a few hours, when they may be removed to the wash-room or laundry.

Knives, forks, spoons, glasses, cups, saucers, plates, napkins, in fact, all articles used by the patient, should be immersed in a disinfectant solution before being removed from the room, and washed and scalded separately from family dishes. Dust and dirt should be removed by a cloth dampened with the disinfectant solution, as dusting and sweeping are objectionable.

Nurses and attendants should be required to keep themselves and the patient as clean as possible, and their hands should be frequently washed in a disinfectant solution.

All persons recovering from diphtheria should be considered dangerous for several weeks from the beginning of the disease, or until microscopical examinations of the throat and nose secretions have proved the patient to be free from bacilli of the disease. No inmate of the house during the continuance of the disease should venture into any public conveyance, or assemblage, or crowded public building, such as a church or school; nor, after its termination, until permission is given by the health authorities.

Letters must not be sent from the patient, and all mail matter from the house should be subjected to a dry heat of 250 to 260 deg. F. Domestic animals, dogs, cats, etc., should not be allowed to enter the room of the patient, or, better still, should be excluded from the house.

Treatment of Diphtheria.—In so serious a disease as this, it is important that the family physician be called at

the earliest moment, as there is only one remedy that is now considered to be of any value in its treatment, namely, diphtheria antitoxin. This should be given only by a physician, and as early in the disease as possible, as the earlier it is given the more certain is its curative effect. Often much valuable time is lost by the use of patent medicines, or gargles, mouth washes or home remedies, and thus the antitoxin treatment is delayed until its effect is uncertain. It should be remembered that "*time*" is a very important element in treatment, and that the earliest possible moment to use antitoxin is not too early.

Those that have been exposed to the disease should be "immunized" by a small dose of the antitoxin. This almost always prevents them from taking the disease.

Disinfection.—Next to isolation, disinfection is of the most importance in restricting the spread of diphtheria. By the intelligent use of disinfectants the family and the public are protected against the infection of disease.

Disinfection by mopping floors and articles of furniture with soap and water or a disinfecting solution, with thorough airing of the room, should follow after the termination of every case of diphtheria. Aerial disinfection may be done if required by the Board of Health. The burning of coffee, tar, or other substance in the sick-room, or in any other part of the house or premises in the presence of the patient or other persons, operates, at most, only as a deodorizer, and does not destroy the germs of the disease.

See *Disinfectants*, page 324.

Health Epigrams.

The common drinking cup and the germ of diphtheria are partners.

Giving antitoxin is as certain in its results as pouring water on fire, and it is just as important to do it early.

An individual drinking cup is cheaper than a package of antitoxin.

The rusty tin cup and the wooden bucket in the schoolroom are convenient, but they are dangerous.

It is to the glory of a score of states that they have abolished the public drinking cup from schools, railroads, and hotels.

A "bite of apple," borrowed chewing gum or lead pencil from one having "only a sore throat" may mean the bite of a borrowed diphtheria that you cannot return.

TYPHOID FEVER.

The Cause.—Typhoid fever is a communicable disease. It is produced by a germ known as the *typhoid bacillus* (see p. 197). The growth and development of this germ takes place within the body of the typhoid patient. It is usually found in the discharges of the person having typhoid fever, from the time, or soon after the time, of infection, until convalescence is thoroughly established. It has been recently proved beyond doubt that many typhoid patients continue to discharge active germs in the feces and urine for weeks and even months after the patient *seems* entirely well. When these germs find their way into the body of a person who is susceptible, the disease is developed in some form between that of a so-called "walking" case to the most malignant fatal type.

It was formerly believed that typhoid fever was developed from unsanitary conditions, but this view is no longer held by scientists. It is necessary that the specific germ of the disease be taken into the system before a true case of typhoid fever obtains. These germs, of course, come from some prior case.

How Typhoid Fever is Spread.—A polluted water supply is the most frequent cause of the spread of typhoid fever. All of the great epidemics have been traced to this source of infection. Water may appear perfectly clear and sparkling, with a pleasant taste and without odor, and yet contain typhoid germs. The germs find their way into the water in many ways. The excretions of a typhoid case are deposited on the ground in such a way that they are washed into a stream or well, or the sewage from faulty drains or sewer systems may find its way into near-by wells or cisterns, thus polluting the water supply. See page from outside toilets and cesspools, which finds its way into the underground water stratum, has been known to pollute the water of near-by wells.

Another source of typhoid fever is an infected milk supply, although it is well to bear in mind that the milk is never infected with germs of typhoid fever when it comes from the cow. It is always infected by man. This infection may take place through the addition of polluted water, or by washing the cans and other utensils with such water, or through milkers or others who handle the milk, and whose hands or clothing may be infected by the typhoid germs, or by infected flies falling into the milk. When the milk is

once infected the germs multiply very rapidly; yet the milk does not become sour from this cause or in any other way give the least evidence of the presence of the germs. No milk should be sold from a dairy, farm or house where there is a case of typhoid fever.

Ice may be another source of typhoid infection. Ice taken from a sewage-polluted river or lake, or ice manufactured from sewage-polluted water, is unsafe to use. The germs of typhoid fever are not destroyed by freezing.

Flies are also carriers of infection. The common house fly is becoming recognized as the disseminator of a number of our infectious diseases, principally typhoid fever and tuberculosis. It is probable that the majority of cases of typhoid fever in country districts, and in small towns that do not have a common water supply or common milk supply, are the results of fly infection. The ordinary out-house of the country and small towns is open to the access of the fly, and where the unsterilized excretions of the typhoid case are deposited therein, or if they are thrown upon the ground, as is frequently the case, the flies are attracted to this material and carry upon their legs and wings, as well as in the fly-specks which they deposit upon things, germs of the disease. Thus foods and drinks become infected through the medium of the ever present house fly.

Personal contact has been shown to be a source of spreading the disease. In other words, the disease may be transmitted through infected clothing, bedding, and eating and drinking utensils. They naturally suggest the importance of a most thorough disinfection of persons

and things having any relation to a typhoid fever patient.

It has been said that oysters and other shell-fish that come from sewage-polluted waters and are eaten uncooked transmit the disease. It is probable that the infection of this class of food products usually takes place after the oysters and fish are taken from their natural habitat. The usual method of handling this class of food is far from being sanitary.

Typhoid infection has doubtless been occasionally spread through vegetables grown upon infected soil and eaten raw. The practice of using human excreta as fertilizing material, as has been done at various times and places, is to be deprecated.

How Typhoid Germs are Scattered.—The time between the infection of the individual by typhoid germs and the development of the first symptoms of the disease is from ten to fourteen days. It is probable that during this time, or at least during the latter part of the time, the patient is daily excreting the germs of the disease in great numbers. Thus there is being unknowingly scattered infection wherever he may go. Then there are the so-called mild or "walking" cases, in which the patient is unaware of any grave disease and, being under no restraint, goes about his usual vocation. As such cases often continue for weeks, with no precautions taken, they may cause a wide distribution of the typhoid germs.

A third way is where the infection is spread by patients who have apparently recovered from the disease, but whose

excretions still continue to contain countless numbers of the germs. It has been recently demonstrated that such cases are of frequent occurrence. It will, therefore, be seen that the typhoid fever germ is doubtless very widely scattered, and thus we may account for many cases that occur without apparent cause.

The typhoid germ is nearly always taken into the system with food or drink, especially with the latter. It multiplies very rapidly in the intestinal canal, and leaves the body in the stools and urine. This latter fact is of the utmost importance in considering measures of prevention.

The germ can live for some time after it leaves the body—just how long is unknown. In soil containing considerable animal and vegetable material it may remain alive for several months. Some soil possesses excellent filtering properties and removes all the germs from water passing through it. Other soils fail to do this.

The Care of a Typhoid Patient.—A typhoid fever patient should be placed, if possible, in a large, airy room without carpet or unnecessary furnishings. Free ventilation should be insisted upon.

The patient should have for his own exclusive use eating utensils and other articles to be used only in the sick-room. These should never be washed in the same pan or with the same dish cloths used for other dishes. They should first be thoroughly boiled and carefully washed, and kept separate from the other household utensils.

All food brought into the sick-room and not consumed by the patient should be burned. Neither the nurse nor any

other member of the family should be permitted to eat of any portion of the food remaining. Flies should be carefully screened from all parts of the house, especially the sick-room, and should never be permitted to come in contact with the discharges from the patient. The hands of the attendant should be immediately washed and disinfected after contact with the patient and his clothing.

Unnecessary visitors should be excluded from the sick-room. With proper disinfection of hands and general cleanliness, the nurse or attendant may take her meals at the household table. At all events, she should not eat in the sick-room. Doubtful cases occurring during an epidemic of typhoid fever should be treated in the same manner as typhoid cases, in order to secure efficient disinfection and to prevent the spread of the disease.

Typhoid fever is not contagious, in the sense commonly understood, and if the precautions above indicated are faithfully and intelligently carried out a case may be treated in any family or community with perfect safety. The same precautions should be observed in dysentery and all other diarrhoeal diseases, including summer complaint in children.

Health Epigrams.

If you nurse a typhoid fever case, wash your hands and watch your mouth.

The fly has small feet, but a million typhoid germs can ride comfortably on one of them.

Good water is more to be prized than fine rubies, and clean hands are better than much fine gold.

A sanitary toilet costs ten dollars; a case of typhoid fever costs a hundred; you will seldom have both.

Beware of the typhoid fly that never wipes his feet.

The manure heap is the season's greatest danger.

If your roof and well both leak, fix the well first.

Buy at the shops where foods are protected from flies and dust.

SCARLET FEVER.

Scarlet fever is a contagious disease, characterized by a short period of time between exposure and the onset of the disease, a fine scarlet eruption, sore throat, more or less desquamation or peeling of skin, and a long course.

Although all ages are liable to have the disease, the chances of attack rapidly diminish after the fifth year, and for this reason especial care should be taken to guard young children from danger of exposure to the contagion of scarlet fever. The common theory of too many mothers and nurses—that “the diseases of childhood are to be expected anyway, there is no use in attempting to guard children from such diseases”—is mischievous in the extreme. Because certain diseases are more prevalent and more dangerous in early life, and grow less frequent and less fatal as the vigor and fullness of adult life approaches, would seem to be a common-sense reason why the infant and young child should be all the more carefully guarded against exposure to them; and this is especially true of scarlet fever.

Since one attack of scarlet fever usually suffices to prevent subsequent ones, the question has sometimes arisen as to the propriety of intentionally exposing children to the con-

tagion during exceptionally mild epidemics of the disease. Such practice can only be considered foolish in the extreme, for it must not be forgotten that even a mild case in one child may communicate a malignant attack to another.

As in other contagious diseases, there are two important matters demanding attention. The first is to isolate the patient—to separate the sick from the well. The second is to destroy, at once and effectually, everything which comes from the body of the patient—before it can infect anything else, if possible. If not, then to subject everything likely to be infected to such treatment as will destroy the poisonous germs.

The scarlet fever infection is contained in the mouth discharges of the patient, and in the skin which peels off at the close of the fever, and may be scattered through the air in tiny scales or powder. These particles may settle down in undusted corners, or lodge in clothing, carpets, bedding, etc.; and, as it is supposed that they retain their infectious property for an indefinite period, may kindle an epidemic whenever dislodged to come in contact with susceptible persons.

Measures of Prevention.—1. During the existence of scarlet fever in a community, all cases of sore throat with fever are to be looked upon with suspicion until their innocent character is established.

2. If a child who has not previously had an attack of scarlet fever should be exposed to a case, it should be carefully watched during the following two weeks. Upon the first symptoms of shivering, lassitude, headache, frequent pulse, hot, dry skin, flushed face, furred tongue, with much

thirst and loss of appetite, or vomiting, the child should immediately be separated as completely as possible from other members of the household and other persons, until a physician has seen it and determined whether it has scarlet fever. All persons known to be sick with this disease (even those but mildly sick) should be promptly and thoroughly isolated from the public.

The Sick-Room.—The room selected for the sick should be large, easily ventilated, and as far from the living and sleeping rooms of other members of the family as it is practicable to have it. All ornaments, carpets, drapery, and articles not absolutely needed in the room should be removed. A free circulation of air from without should be admitted both by day and night. Place the bed as nearly as possible in the middle of the room, but take care to keep the patient out of draughts. In cold weather, whenever it is possible, there should be an open fire in the sick-room. An open fire is the best ventilation for a room in cold weather, and it should be used for the sick-room, even when there is another source of heat. If the room connects with others which must be occupied, lock all but one door for entrance and exit to the sick-room. All discharges from the nose and mouth of the patient should be received on rags and immediately burned.

Attendants.—Not more than two persons, one of them a skillful, professional nurse, if possible, should be employed in the sick-room, and their intercourse with other members of the family should be as much restricted as possible. In the event that it becomes necessary for an attendant to go away from the house, a complete change of clothing should be

made, using such as has not yet been exposed to infection; the hands, face, and hair should be washed thoroughly with disinfectant soap and water and sprayed with a weak formalin solution.

Miscellaneous.—No inmate of the house during the continuance of the disease should venture into public conveyance, or assemblage, or crowded building, such as a church or school; nor, after its termination, until permission is given by the health authorities.

Letters must not be sent from the patient, and all mail matter from the house should be subjected to a dry heat of 250–260 degrees Fahrenheit.

Knives, forks, spoons, glasses, cups, saucers, plates, napkins—in fact, all articles used by the patient—should be immersed in a disinfectant solution before being removed from the room, and washed and scalded separately from the family dishes. Dust and dirt should be removed by a cloth dampened with the disinfectant solution, as dusting and sweeping are objectionable.

Nurses and attendants should be required to keep themselves and the patient as clean as possible, and their hands should be frequently washed in the disinfectant solution. Domestic animals, dogs, cats, etc., should not be allowed to enter the room of the patient, or, better still, should be excluded from the house.

Health Epigrams.

The “scales” of scarlet fever are never out of order—they are always ready to do business.

310 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

Scarlatina may not sound as dangerous as scarlet fever, but ask the undertaker!

The mother who exposes her child to any of the diseases of childhood is guilty of a great cruelty.

SMALLPOX.

Smallpox is an acute, contagious, infectious disease. The contagious principle of smallpox is contained in the skin and the exhalations of the lungs, and especially in the pustule and dried material following the drying of the pustule, and may live for months on clothing or furniture. The contagion may be conveyed by persons, and by such things as hair, clothing, paper, letters, furniture, etc., or it may spread through the air by means of dust containing the virus. The disease is probably contagious, also, during the first four days previous to the appearance of the eruption. A few persons seem to possess a natural immunity from the disease. No age, race, sex or climate is exempt. It is more common in cold than in warm weather because of closed houses and aggregation of people.

Early Symptoms.—These come on suddenly, beginning with a chill, which may be followed by others; severe aching in the “small of the back,” and sometimes the limbs; intense headache; vomiting and fever.

Eruption.—In the mild form, small spots are seen on the third day on the forehead near the hair, around the mouth and on the wrists, and the temperature, previously high, now falls. The eruption becomes general over the

body in twenty-four hours, and at this stage the disease strongly resembles measles. About the sixth day the pimples become vesicles, with clear summits; from the sixth to the eighth day vesicles change to pustules with a slight depression in the center.

Drying and Peeling.—After four or five days from their appearance (twelfth or thirteenth of the disease) the pustules begin to dry up. A few days later the scabs begin to fall off, first on the face and later on other parts of the body; the temperature falls to normal and convalescence begins.

In the more severe forms of the disease, the above symptoms are intensified, and the eruption on the face sometimes forms almost a solid scab. Often the eyes are affected, and in some cases loss of vision follows.

Prevention.—The most efficient means for preventing the spread of smallpox is by *vaccination*. The protection is believed to be as complete against contagion as is that of an attack of smallpox against a second attack, though the protection is not of as long duration. Revaccination, however, will continue this protection indefinitely. Therefore the first measure to be taken after the isolation of a person suffering from smallpox is the immediate vaccination of all persons who have been exposed to the disease, and revaccination in five or six days if there is no indication of the previous virus having been effective.

In the communities where compulsory vaccination is not required for children going to public schools, it will frequently be found that a large portion of the pupils, unless

an epidemic of the disease has recently occurred, have not been vaccinated, and it is among these that smallpox is more likely to spread. A thorough house-to-house inspection, isolation and vaccination will soon put a stop to the epidemic.

In Porto Rico, during the military occupation, in 1899, nearly the entire population of the island was vaccinated, and an epidemic of smallpox was stamped out in a few months.

Isolation.—(1) *Suspects.* Cases of illness suspected of being smallpox or chickenpox should be isolated and kept away from others until the character of the illness is determined. This applies to all who have been exposed to smallpox and have a fever at the end of the period of incubation, as well as to those suffering from an eruption.

(2) *Cases.* When the illness is determined to be smallpox, isolation of the patient should be continued so that there will be no danger of the disease spreading from the case. After the termination of a case of smallpox, the house and all exposed things should be disinfected.

Health Epigrams.

One large pock on the arm is better than many small pocks on the face.

The unvaccinated continue to have smallpox.

Ask the man who has had smallpox if he was vaccinated before he had the disease.

The man who "fears the ill-effects of vaccination" will be the first man to run when smallpox appears.

Smallpox is practically unknown in the German Empire, where they have compulsory vaccination.

To Prevent Smallpox:

Vaccin-
Isol -
Fumig- **ATE**

MEASLES.

The Nature and Danger of Measles.—Measles is a most highly contagious disease, accompanied by inflammation of the air passages and a peculiar mottled, dusky-red eruption of the skin. It commonly occurs in epidemics, attacking for the most part the children. One attack is usually sufficient to protect a person against the disease for the remainder of his life. Measles is an exceedingly old disease, and has been afflicting mankind almost constantly for hundreds of years.

While the public is accustomed to think of measles as a trivial and slight disorder, hardly worth consideration, and while the people generally believe that it is a disease which must occur some time in life, it is in reality a very serious disease. It causes in the United States nearly three times as many deaths as smallpox, and nearly as many as scarlet fever. Measles and whooping-cough together cause nearly as many deaths as diphtheria. The rate of mortality from measles is much higher than is generally thought. The records of the many boards of health show that the death rate from measles is several times that from smallpox.

The Means by which Measles is Spread.—As is the case with whooping-cough, the cause of measles and the exact means of its spread are not accurately determined. Careful studies indicate, however, that measles, like whooping-cough, is spread directly from case to case, and is rarely, if ever, conveyed indirectly by infected objects or by a third person. Measles is extremely infectious and can be acquired by very slight exposure. It is a disease to which practically everyone is susceptible, and spreads rapidly whenever it appears in a locality containing those who have not previously had it.

One of the most important factors in the spread of measles is the likelihood that a patient with measles will convey it to others very early in the course of the disease—even before the eruption appears and before the disease is recognized. This fact renders the control of the disease much more difficult than it would otherwise be.

The Course of the Disease.—If a child is exposed to measles, from ten to fourteen days will elapse before any symptoms of the disease appear. The disease may be contracted on the first exposure, or two or three exposures may take place before the contagion is effective. The first symptoms are those of an ordinary cold; the eyes are reddened and watery; the nose runs freely; and there is a dry, hard, high-pitched cough. The throat may also be sore; the tonsils be swollen and red; headache, fever, loss of appetite, drowsiness, and irritability are usually observed. The fever is usually not very high, and on the morning of the second or third day may disappear, with an improvement of all the other symptoms. The temperature again rises shortly after

this, and continues very high until the fourth day, when the eruption appears. In some cases the symptoms prior to the appearance of the rash may be so slight as not to be recognized. In other cases they may be very severe.

Eruption.—The eruption shows first on the lining of the mouth, as round or nearly round spots raised just above the surface. Following the eruption on the lining of the mouth, comes that on the skin, which is well known and easily recognized. This eruption begins most frequently around the face and neck, and is composed of small, slightly elevated spots of a dusky-red color. These give the skin a peculiar mottled appearance. The eruption lasts usually four or five days, and disappears as the other symptoms improve.

The Danger from Measles.—While it is true that measles is itself not usually sufficiently severe to be dangerous to life, it sometimes gives rise to other conditions which are exceedingly dangerous. It may also lead to one or more conditions which are usually responsible for the deaths attributed to measles. The most frequent of these complications in measles, as in whooping-cough, is pneumonia. Serious troubles of the eyes, ears, heart and kidneys may also follow measles.

Importance of Proper Treatment.—It cannot be too strongly emphasized that every case of measles should be attended by a competent physician. He alone can attend to the proper treatment of the disease itself, and, what is more important, he alone can be on guard against the various complications of the disease. Neglect of a trifling case of

measles may mean danger to the eyes, heart or ears that can never be repaired. The failure to recognize promptly the beginning of pneumonia in many cases of measles may result in the death of the patient, had proper care and treatment been taken.

How the Spread of Measles may be Prevented.—If parents with children under five will use their efforts to prevent them from becoming infected, by keeping them away from children who have recently had measles or have recently been exposed to measles, and if parents will promptly isolate any older children in the house who may contract it, they will greatly reduce the dangers of the disease.

This cannot be done by any public official or by any health officer, or by any health department. It is a work which must be carried on by the mothers and fathers of the children. The health authorities should notify the public of the existence of measles in a house by placing a card on the door. Children from houses infected with measles should be excluded from school, and, during the prevalence of the disease, every schoolchild should be duly inspected for symptoms of it.

Health Epigrams.

Measles in school is like fire in the tall grass.

If you never have measles, you will never miss it.

Pneumonia is the "Jekyll" to the measles "Hyde."

If you let the child have measles when he is young, you may save a doctor's bill later on, but you may have to pay the undertaker now.

The child who "catches everything" generally carries the burden in after years.

Yes, the child may get well of measles without a doctor—but he may not.

WHOOPING-COUGH.

Of all the contagious diseases, whooping-cough and measles are the most neglected by both the people and the doctors. Little or no precaution is usually taken to prevent their spread, and often the average parent does not even consult a physician if one of his children is attacked by either of these diseases; yet the death rate among children less than five years of age from these diseases is so high, and the injurious effects that often follow them are so grave, as to class whooping-cough and measles among the most dangerous diseases of early childhood.

The Nature and Cause of Whooping-Cough.—Whooping-cough is a highly contagious disease, characterized by severe inflammation of the breathing tubes and accompanied by a peculiar cough ending in the familiar "whoop." Many different germs have been described by various people at various times as being the cause of the disease, but the real germ has not yet been discovered.

How Whooping-Cough is Spread.—As we are ignorant of the exact cause of whooping-cough, so are we ignorant as to the exact way in which it is spread. Observations of many cases by different physicians lead to the belief that the disease is spread almost entirely by immediate contact with the patient. Those who live in the house with the patient are

most likely to contract whooping-cough. Every mother knows this, and knows that when one child in the family has whooping-cough the rest are almost sure to contract it. It is probable that it is spread readily when the patient and some one else are so close together that the fine spray thrown from the mouth of the sick person during the act of coughing will float to the other.

Young Children Most Liable to Whooping-Cough.—One of the most striking facts about whooping-cough is that children under five years of age are far more liable to contract it than are those of older years. For example, of the 4,856 who died in the United States in 1910 from whooping-cough, 4,679 were under five. Despite the menace it places on young children, this strange condition has one cheerful aspect. If the child reaches the age of five without having the disease, the chances are very strong that he will never have it. The dangers of death from whooping-cough are even more reduced after the fifth year. In a word, the babies are those who suffer most from whooping-cough, and those whose lives are laid down in needless sacrifice to it. If the babies are saved the problem is solved.

The Course of the Disease.—The normal course of whooping-cough is interesting and somewhat peculiar. For the first few days after contracting the disease the child seems to have an ordinary cold, which does not disappear as it should. This cold continues for a week or ten days; the child grows feverish and restless; the cough gradually becomes deeper and harsher. The child also suffers from loss of appetite and may be restless or sleepless at night. The

eyelids are often swollen, the eyes watery and red, and the whole face may become puffed and swollen.

The next stage of the disease is truly a dreadful one. The child has fits of coughing, with the characteristic whoop from which the disease gets its name. Any slight disturbance such as drinking, eating, or crying, will bring on a spell of coughing. It begins with a short cough and a quick indrawing of the breath. Then the child has a long series of coughs, which gradually become shorter and shorter, racking the whole body and causing the greatest distress. At the end of this series of coughs the child is breathless. The breath is drawn in with a sudden catch and whoop. This may end with this attack, or it may be followed by three or four similar ones, leaving the child completely exhausted.

Whooping-Cough is Very Fatal.—While whooping-cough is generally considered a trivial disease, it causes every year in the United States nearly or quite as many deaths as scarlet fever, and almost one-half as many deaths as diphtheria. This mortality is due to the complications that follow the disease rather than to the disease itself. The inflammation of the breathing tubes, which is always severe in this disease, is sometimes followed by pneumonia of an exceedingly fatal kind. Indeed, whooping-cough is one of the frequent causes of pneumonia in children. In the same way, kidney and heart diseases may follow in the train of whooping-cough.

All cases should be treated. Every case of whooping-cough should be attended by a physician. It is unfortunately at present the custom of many mothers to treat a child

for whooping-cough without the aid of a physician, not realizing the dangers that might result from complications which the mother cannot recognize. This custom should be abolished. The spread of whooping-cough can easily be controlled by the parents of any community if all will unite in the work. If parents whose children have the disease will warn their neighbors and friends against visiting them; if they will see that when children are on the street they do not mingle at close range with other children; and if they will not let other people's children visit their homes when whooping-cough is prevailing there, the greater part of the disease will quickly disappear. If parents will keep their children away from those children that they know are suffering with whooping-cough, they will greatly lessen the dangers of the disease and will materially reduce its spread.

What Parents Can Do.—Parents should never voluntarily expose a child to whooping-cough in order that it may have the disease while young. If a child does not have whooping-cough before five years of age, its chances of taking the disease are greatly reduced. Parents should remember that the chances of death under five years are greater by almost fifty to one than they are over that age. Parents should protect the young children and keep them from the disease for their own sakes. They should keep the older children from the disease in order that they may not bring it into the home and infect the younger children.

Children suffering from whooping-cough should not be permitted to attend school or places of public assemblage or to ride on street cars or railroad trains.

Health Epigrams.

Whooping-cough is highly contagious.

Thoroughly air your home daily.

Whooping-cough in children under five years of age is a "grave" disease.

The parent who does not care "two whoops" whether his child has whooping-cough or not, will later have those "two whoops" multiplied a thousandfold.

Parents who expose their children to whooping-cough on the theory of "they must have it sometime anyhow" are guilty of a crime against them.

Better be slow about taking chances rather than be sorry afterward.

Influenza.

Influenza is an intensely communicable disease, caused by a microorganism or virus peculiar to itself. The disease occurs, as a rule, in epidemic form, often sweeping around the world in a few months, or traveling across the continent from ocean to ocean in a few weeks' time. It would seem from what we know of the disease that the infective microorganism is given off through the nose and mouth of infected individuals. It is probable, too, that the infectious agent gains entrance through the nose or throat of the person who contracts the disease.

Symptoms.—The onset of the disease is usually sudden, in from two to five days after exposure to an infected individual. There are usually pain in the back and head and more or less aching of all the muscles. The body temperature is high, and there is a pronounced feeling of prostration and

weakness. If there is no complication, these acute symptoms rapidly subside and the patient is convalescent in from three to five days. Deaths from this disease are, as a rule, the result of some complication, the most common of which is pneumonia.

Care of the Sick.—It is highly important that every person who becomes sick with influenza should go to bed at once and remain in bed until entirely well; this will help to prevent complications and will, at the same time, protect others.

The sick room should be well ventilated, and all unnecessary decorations and articles of furniture removed. If there is cough and sputum and running of the nose, care should be taken that all such discharges should be carefully collected on pieces of gauze or paper napkins and be burned. A competent medical adviser should be consulted.

The importance of remaining in bed for several days after the temperature is normal cannot be over-emphasized, for getting up too early when the body is weak and the vital resistance is low, is only to invite an attack of pneumonia or some other serious complication.

Prevention.—Influenza is essentially a crowd disease; therefore, avoid crowds as much as possible when an epidemic is prevalent.

Influenza is probably spread by inhaling some of the tiny droplets or spray of germ-laden mucus thrown into the air when ignorant or careless persons cough or sneeze without using a handkerchief or something to cover the nose and mouth; therefore, cover the cough and smother the sneeze. Influenza is probably spread also by hand to mouth infection;

that is, by contaminating things you eat or drink with your infected hands, or by putting your hands to your mouth after they are contaminated by personal contact with those who are infected; therefore, always wash your hands before you eat, and keep your hands away from your nose and mouth. Influenza may be spread by the filthy habit of spitting on the sidewalk, in the street-cars or in other public places; therefore, do not spit on the sidewalk or on the floor of any public building. Influenza is also probably spread by the use of common drinking cups; therefore, shun the use of public drinking and eating utensils.

If you feel sick, go to bed and send for the doctor. Do not get up too soon. Your heart feels as tired as your legs and needs rest. Keep quiet. Be cheerful and hopeful.

Obey the local and state health regulations. Sleep in the fresh air, work in the fresh air, and insist on having fresh air.

A Confession.

I scatter disease germs in public places and wherever people crowd together.

People are beginning to suspect me.

I kill babies, children and grown-ups.

Hospitals are crowded with those whom I have infected with deadly germs.,

Thousands of little mounds in the cemeteries all over the country cover the remains of those whom I have slain.

I am ruthless and cruel, yet I could be restrained if people knew how much harm I am capable of doing. Instead, they think I am funny and laugh at me, for I am

A Sneeze—Ker-choo!

DISINFECTANTS.

Disinfectants to be Employed.—For general purposes the following disinfectants are satisfactory and cheap:

Solution No. 1.—Chlorid of lime (bleaching powder), one pound; water, three gallons; mix. Cost, about three cents per gallon. Care should be taken to obtain fresh chlorid of lime.

This solution is so cheap that it can be used with great freedom, and it is one of the best disinfectants known. It may be used in a sprinkler in stables and elsewhere. In a sick-room it may be used in vessels, cuspidors, etc. Sheets and other clothing used by the patient may be immersed in a pail or tub of this solution, diluted (one gallon of solution to ten of water), for two hours, or till ready for the wash room or laundry. This solution is non-poisonous and does not injure white clothing. It may also be used for washing the hands or other parts of the body which may have been exposed to infection from excreta, etc.

For a free and general use in privy-vaults, sewers, sink drains, refuse heaps, stables, and wherever else the odor of the disinfectant is not objectionable, this is one of the cheapest and most effective disinfectants and germicides available for general use. It should be used so freely as to wet everything required to be disinfected.

Solution No. 2.—Milk of lime (quicklime). Slake a quart of freshly burned lime (in small pieces) with three-fourths of a quart of water—or, to be exact, 60 parts of water by weight with 100 of lime. A dry powder of slaked lime (hydrate of lime) results. Make milk of lime not long before it is to be used, by mixing one part of this dry hydrate of lime with eight parts (by weight) of water. Air-slaked lime is worthless. The dry hydrate may be preserved some time if it is enclosed in an air-tight container. Milk of lime should be freshly prepared, but may be kept a few days if closely stoppered.

Quicklime is one of the cheapest disinfectants. This solution can take the place of chlorid of lime, if desired. It should be used freely, in quantity equal in amount to the material to be disinfected. It can be used to whitewash exposed surfaces and to disinfect excreta in the sick-room or elsewhere.

Solution No. 3.—Solution of formaldehyde (formalin), six ounces; water, one gallon; mix. Contains a little less than two per cent of formaldehyde.

This solution may be used in the same manner as those above described. It has the advantage of not bleaching fabrics, and is especially good for washing furniture, woodwork, etc.

The disinfecting solutions above given are for use in connection with the patient during illness, and for such general family use as may be indicated. In other words, nothing should be allowed to go from the sick-room until after it has been disinfected with one of these solutions. It should be one of the unceasing duties of the nurse or other person or persons attending the patient to see that disinfection is carried out daily and to the minutest particular.

GLOSSARY.

The references under the different items are to pages, chapters, or figures where further explanation or illustration may be found.

- Ab do' men.**—The large cavity of the body between the diaphragm and the pelvis, containing the stomach, liver, intestines, and other organs.
- Ad' e noid.**—An overgrowth of soft glandular tissue in the roof of the pharynx, often found in children, and frequently obstructing nasal breathing (137-139).
- A' gue.**—An intermittent fever, characterized by alternate fits of cold and heat; malaria; chills and fever (140, 166).
- An' eu rism.**—A pulsating, hollow tumor, containing blood; virtually an enlargement of an artery, due to weakness of its walls resulting from disease (124).
- An ti tox' in.**—A substance capable of counteracting the poisonous effects of disease germs and of producing immunity from certain diseases; e. g., diphtheria antitoxin, tetanus antitoxin (202).
- Anvil Bone.**—Common name for the *incus*, a bone of the middle ear shaped like an anvil (188).
- A or' ta.**—The largest artery of the body; the artery that carries pure blood from the heart (126).
- A' que ous Hu' mor.**—A clear, thin liquid of the eye, contained in the space between the lens and the cornea (Fig. 63).
- Ar' bor vi' tæ.**—The tree-like arrangement of white and gray matter in the cerebellum, presented when the cerebellum is cut vertically.
- Ar te' ri al Blood.**—Bright, scarlet blood, purified by passing through the lungs and conveyed from the left ventricle of the heart, on and out through the body (113).
- Ar' ter y.**—A blood vessel or tube which carries blood *from* the heart (110).

328 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

- Asphyxia.**—A condition of suspended respiration due to a shutting off of the supply of oxygen from the lungs, as in suffocation, drowning, or the inhalation of coal gas.
- Atrophy.**—A wasting away because of insufficient use or lack of nourishment (158).
- Auditory Canal.**—The tube-like passage leading from the opening of the external ear to the ear-drum (186, 187, and Fig. 67).
- Auricles.**—The two upper chambers of the heart that receive blood from the veins. So named because ear-shaped. (Latin, *auricula*.) (114, 115).
- Bacilli** (pl. of *bacillus*).—Rod-shaped varieties of bacteria, visible only through high-power microscope (197).
- Bacteria** (pl. of *bacterium*).—Microscopic organisms that are widely diffused throughout nature and develop with marvelous rapidity in decaying matter. Certain groups cause fermentation (yeast, vinegar); others, contagious diseases. Some are not only harmless but beneficial (Chapter XIV).
- Ball and Socket Joint.**—A joint that permits free movement in all directions; e. g., shoulder joint, hip joint (Fig. 19).
- Biceps.**—A muscle having two heads or points of origin; hence the name (*bis*, twice; *caput*, head) applied especially to the large muscle that bends the arm at the elbow and that shows prominently in the upper arm when a boy invites you to "feel his muscle." There is a similar biceps muscle in the thigh (Fig. 31).
- Bicuspids.**—Eight double-pointed teeth situated in pairs between the canines and the molars, there being four bicuspid teeth in the upper and four in the lower jaw.
- Bile.**—A fluid secreted by the liver, and emptied into the small intestines, where, with the pancreatic juice, it promotes digestion (16).
- Blind Spot.**—The point in the retina of the eye at which the optic nerve enters, and which is insensitive to light (180).
- Bronchial Tubes.**—The air passages within the lungs (131).

- Bron' chus.**—The name given to the main branches of the windpipe; one going to each lung (Fig. 45).
- Ca nine'.**—Sharp-pointed teeth between the incisors and the bicuspid. The two of the upper jaw are called "eye teeth"; those of the lower jaw, "stomach teeth."
- Cap' il la ries** (Latin, *capillaris*, hair).—Very fine hair-like vessels; more particularly, the smallest blood vessels that connect the arteries and the veins (111).
- Car' bo-Hy' drates.**—A group of foods which are the "heat-givers" or "force-producers," including the starches, sugars, and gums (44).
- Car bon' ic Ac' id Gas** (carbonic dioxide, CO_2).—A heavy, colorless poisonous gas produced by carbon burning in the presence of oxygen; the main product of "combustion" within the body and therefore one of the chief constituents of exhaled air. When formed in the explosions of fire damp in mines, it is called *choke damp* (113, 135, 136).
- Car' ti lage.**—The tough, elastic material that forms the softer portion of the skeleton; especially useful as cushions in the joints.
- Cat' a ract.**—A disease of the eye, in which the lens will not transmit light.
- Ca tarrh'.**—Inflammation of any mucous membrane; e. g., that of nose; stomach, or intestines (211).
- Cells.**—The original tiny bits of living matter (protoplasm) of which the body is composed.
- Cellar Air.**—The heavy, impure air of a damp cellar.
- Ce ment'.**—The layer of bone covering the root and neck of a tooth (193.)
- Cer e bel' lum.**—The "little brain"; the back part of the brain, below and behind the cerebrum (154 and Fig. 57).
- Cer' e brum.**—The largest, highest, and foremost portion of the brain mass, occupying most of the skull (151, 154).
- Chest.**—The cavity of the body above the diaphragm, enclosed by the ribs and breastbone; the thorax. It contains the heart and lungs.

330 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

Cho'roid.—The middle coat or black layer of the eyeball (175).

Cil'ia ry Muscle.—The muscle that "accommodates" the lens of the eye to far or near vision (Fig. 63).

Clav'icle. (*See* Collar Bone.)

Clot.—A coagulated mass of blood.

Coal Gas.—A variety of gas produced from coal, and used for illuminating, cooking, and heating. Sometimes escapes from a coal stove that has insufficient draught. Dangerous in sleeping rooms, often causing asphyxia.

Coch'le a.—A portion of the internal ear coiled like a snail-shell, whence its name (189, and Fig. 67).

Collar Bone.—The clavicle: a bone just above the first rib on either side of the neck, joined at one end to the shoulder blade, at the other to the breastbone. In birds these two bones have grown together, forming the wish bone (Fig. 17).

Co'lon.—The large intestine (Fig. 6).

Con'cha.—The external ear (186).

Conges'tion.—An overfullness of blood vessels in any organ or part of the body; e. g.; "congestion of the lungs," "congestion of the brain," etc.

Con'tagious Diseases.—Diseases which one person may catch from another by contact or from the breath (198).

Con'volutions.—The wrinkled folds of the brain surface (150-153).

Cor'nea.—The transparent covering that forms the anterior $\frac{1}{2}$ of the eyeball; almost circular and convex in shape, hence called the "watch-glass" of the eye (Fig. 63).

Cor'puscles.—Little disks that float free in the blood (108).

Cra'ni um.—The skull (83 and Fig. 17).

Croup.—Inflammation of the larynx or windpipe, characterized by a hoarse, ringing cough and difficult breathing (131).

Crown.—That part of a tooth which projects above the gum (193).

Cur'vature of the Spine.—An abnormal curving of the spinal column, seriously deforming the shape of the body (104).

- Cu' ti cle.**—The outer layer of the skin, commonly called the "scarf-skin"; the epidermis (64, 65).
- De lir' i um Tre' mens.**—Literally "trembling delirium"; a violent temporary insanity caused by prolonged and excessive use of intoxicating liquors.
- Den' tine.**—The dense lime substance of which the teeth are largely composed, found beneath the enamel and cement (193).
- De o' dor ize.**—To remove odors, especially those resulting from disease and impurities (204).
- Der' mis.**—The true skin; the inner sensitive layer of the skin lying beneath the cuticle or epidermis; the corium (64-66).
- Des qua ma' tion.**—The shedding of the skin in the form of flakes or scales.
- Di' a phragm.**—A tough sheet of muscle separating the chest from the abdomen (128, 129).
- Di ges' tion.**—The process of changing food within the body, particularly in the stomach and intestines, that it may be absorbed by the blood and lymph (12-21).
- Dip so ma' ni a.**—Insane craving for intoxicating drinks.
- Dis in fect' ant.**—An agent for removing or destroying disease germs (203).
- Dis lo ca' tion.**—Bones out of place at a joint (93).
- Drop' sy.**—An unnatural accumulation of watery fluid in tissues and spaces of the body (122).
- Duct.**—A slender tube by which a secretion is carried from a gland to its destination; e. g., salivary ducts (13), bile duct (17), sweat ducts (67).
- Ear Drum.**—The tympanic cavity or middle ear (187, 188).
- En am' el.**—Outside covering of the teeth; the hardest substance of the human body (193).

332 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

Ep i der' mis. (*See* Cuticle.)

Ep i glot' tis.—The trap-door lid at the opening of the windpipe in the throat (133).

E soph' a gus.—That portion of the food canal leading from the mouth to the stomach; the gullet (14 and Fig. 6).

Eu sta' chi an Tube.—A small tube leading from the throat to the middle ear (188).

Ex cre' tions.—Waste substances that pass out of the body, as sweat or urine.

Ex u' date.—A fluid produced by the inflammation of an organ or its membranous covering.

Fainting.—A loss of consciousness due to sudden arrest of the blood supply to the brain; syncope (120).

Fang.—The root, or one of the branches of the root, of a tooth (193).

Fe' mur. (*See* Thigh Bone.)

Fu' mi gate.—To purify an infected room, or clothing, by burning certain substances, as sulphur.

Fun' gus.—A spongy, diseased growth or granulation.

Germ.—A minute organism that causes certain diseases (Chapter XIV).

Ger' mi cide.—A substance capable of killing disease germs (203).

Gland.—An organ which secretes fluid (13).

Glott' tis.—The opening from the throat to the windpipe.

Hammer Bone.—The common name for the *malleus*, a bone of the middle ear, shaped like a hammer (188).

Hang-Nail.—A small bit or sliver of hard skin which hangs near the root of a finger nail.

Heart Burn.—An uneasy, burning sensation rising into the esophagus from the stomach, due to indigestion (29).

Heel Bone.—The *os calcis*, or the bone of the heel (84).

Hinge Joint.—A joint, resembling a hinge, allowing motion in only one plane; e. g., elbow joint (84).

Hip Joint.—The joint between the thigh bone (femur) and the hip bone (innominate bone) (Fig. 17).

Hu' me rus.—The bone extending from the elbow to the shoulder; the upper-arm bone (Fig. 17).

Im mun' ity.—Freedom or exemption from disease.

In ci' sors.—The eight middle teeth—four in each jaw—in front of the canines; called incisors because especially adapted for cutting the food.

In cu ba' tion, period of.—The period which elapses between exposure to the causes of a disease and the attack resulting from it.

In' cus. (See Anvil Bone.)

In fect' ious.—Having qualities that are disease-producing.

In step.—The arched middle portion of the human foot next in front of the ankle joint (84).

In tes' ti nal Juice.—Digestive fluid secreted by the intestinal glands.

I' ris.—The colored membranous curtain suspended vertically in the aqueous humor of the eye, between the lens and the cornea, with a central hole called the pupil. The iris gives color to the eye (176 and Fig. 63).

Knee Cap.—The bone at the front of the knee joint; the knee pan; the patella (Figs. 17 and 33).

Lar' ynx.—The voice-box; enlargement of the upper portion of the windpipe, containing the vocal cords; "Adam's apple" (132).

Lens.—The clear (crystalline), double-curved (bi-convex), elastic body suspended in the eyeball, serving to focus the rays of light on the retina (177).

334 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

Lig' a ments.—Stout white bands of connective tissue that hold bones in place, as at a joint.

Lymph.—A fluid derived from the blood, surrounding all the living cells of the body, feeding them, and carrying off waste products; colorless, hence its name (*lymph*, water). Lymph may be regarded as blood minus the red corpuscles and diluted with water (121-123).

Lym phat' ics.—The vessels that convey the lymph (121).

Ma la' ri a.—Ague; a disease caused by the bite of a genus of mosquito (*anopheles*) and characterized by intermittent chills and fever (140, 266).

Mal' le us. (*See Hammer Bone.*)

Ma' ni a.—A violent, raving insanity.

Marrow.—Fatty substance within the long bones.

Mas' sage.—A rubbing or kneading of the body to promote the circulation. To some extent massage takes the place of exercise as a hygienic measure.

Mas ti ca' tion.—The act of chewing the food as a necessary preparation for digestion in the stomach and intestines.

Me dul' la Ob lon ga' ta.—The enlargement at the upper end of the spinal cord, where it passes into the brain (155, 159).

Mel an cho' li a.—A form of insanity characterized by intense physical and mental depression.

Mem' brane.—A thin layer of tissue, usually supported by fibrous network, serving to cover some part or organ, and often secreting or absorbing certain fluids.

Mi' crobes.—Minute disease-producing organisms; bacteria (Chapter XIV).

Mo' lars.—The last three teeth on each side of the upper and lower jaws; the large double grinding teeth; back teeth.

Mu'cous Mem'brane.—The membrane lining cavities and passages of the body, habitually secreting mucus; e. g., the lining of the auditory canal.

Nar cot'ic.—A drug tending to produce sleep (219.)

Nerve Cells.—Minute bodies at the end of nerve fibers that produce and receive nerve messages (149, 160).

Nerve Fiber.—The minute threads of which nerves are composed (161).

Nic'otine.—The poisonous ingredient of tobacco.

Nostrils.—The external openings of the nose which give passage to the air in breathing and also to secretions from the nose and eyes; the *anterior nares* (130).

Op'tic Nerve.—The nerve that transmits visual sensations from the retina to the brain (177, 180).

Ox'i'dize.—To unite with oxygen (134).

Ox'ygen.—A gaseous element forming about one-fifth of the air and necessary to life.

Pal'ate.—The roof of the mouth. The bony portion is the *hard* palate, the membranous curtain is the *soft* palate (130).

Pan'creas.—The sweetbread; a gland connected with the intestine and located just behind and below the stomach (16).

Pan'creat'ic Juice.—A colorless fluid secreted by the pancreas and one of the most important of the digestive agencies (16).

Pa'ral'y'sis.—Loss of sensation or motion, or both. It may be either partial or complete.

Pa'rot'id Gland.—One of the salivary glands, situated in front of the ear and below it. This gland is much inflamed and swollen in the disease known as *Mumps* (Fig. 1).

Pa'tel'la. (*See* Knee Cap.)

Peri'osteum.—The thin membrane which tightly covers all the bones except at the joint surfaces (where cartilage takes its place) (87).

336 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE.

Phar' ynx.—The cavity behind the mouth and nose leading into the esophagus, with which it is continuous.

Pig' ment.—Any colored substance found in the tissues or fluid of the body; e. g., in iris, skin, hair, bile, red-blood corpuscles (66).

Plas' ma.—The fluid part of the blood and lymph.

Pleu' ra.—A thin membrane covering the lungs and lining the chest (134).

Pleu' ri sy.—Inflammation of the pleura, usually attended with fever, sharp pain, difficult breathing, and cough.

Pneu mo' ni a.—Acute inflammation of the lungs.

Pore.—A minute opening in the skin for the escape of perspiration (68).

Pro' te ids.—The flesh-forming, tissue-building foods (44).

Pte ryg' i um.—Patch growing over the cornea.

Pulp.—The soft, sensitive tissue which fills the central cavity of the teeth (193).

Pulse.—The beating of the heart or blood vessels, especially the arteries (119).

Pupil.—The central round opening of the iris through which light passes into the eye (176).

Pus.—Yellowish white, opaque, poisonous matter forming in wounds, boils and other diseased parts of the body.

Pus' tule.—An elevation of the cuticle with an inflamed base containing pus.

Py lo' rus.—The opening from the stomach into the intestine. *Pylorus* is the Greek word for "gate-keeper" (14).

Qua' ran tine.—To keep in seclusion, and without intercourse with others, those suspected of, or having, contagious diseases.

Quick.—The sensitive part of the finger or toe to which the nail is attached.

Ret'i na.—The delicate inner coat which lines the back part of the eyeball and in which the fibers of the optic nerve terminate; the sensitive "photographic plate" of the eye (176 and Fig. 63).

Sal'i va.—The secretion which moistens the mouth; becoming mixed with the food as it is chewed, it aids in swallowing and also in digestion, changing starch into sugar; spittle (13).

Sal'i va ry Glands.—The glands that secrete saliva (13).

Scap'u la. (See Shoulder Blade.)

Sclerotic.—The tough outer coat of the eyeball; the "white" of the eye (175 and Fig. 63).

Sem i cir' cu lar Canals.—Three minute bony canals of the internal ear, placed in planes at right angles to each other, and containing fluid, therefore enabling one to judge the position of the body; often called the "spirit-levels" of the body (189 and Fig. 67).

Serum.—The yellowish, watery fluid which separates from a blood clot (202).

Sew'er Gas.—A poisonous gas arising from sinks, house drains, cess-pools, and sewers.

Shoulder Blade.—The flat bone of the shoulder to which the upper-arm bone (humerus) is joined; the scapula (Fig. 17).

Skull.—The bony skeleton of the head, including the bones and cartilages of the face and mouth; the cranium (Fig. 17).

Spinal Bulb. (See Medulla Oblongata.)

Spinal Column.—The connected series of bones (vertebræ) forming the axis of the body; the spine; the backbone (83 and Fig. 17).

Spinal Cord.—The great nerve cord which extends down within the spinal column (160).

Spleen.—A gland in the left abdomen, weighing about six ounces in the adult. During digestion it becomes larger (123).

Sprain.—The straining or tearing of ligaments at a joint (93).

Spu' tum.—That which is expectorated; matter coughed or hawked up from the throat or lungs; spittle.

Sta' pes. (See Stirrup Bone.)

Ster' num.—The breastbone (84 and Fig. 17).

Stim' u lant (Latin, *stimulus*, a goad or whip).—That which temporarily increases the activity of an organ, or group of organs, without the actual increase of energy or strength which is gained from food (52).

Stirrup Bone.—The common name for the *stapes*, the innermost bone of the middle ear, shaped like a stirrup (188).

Stirrup Muscle.—The tiny muscle attached to the stirrup bone; the smallest muscle of the body (96).

Sub lin' gual Gland.—Salivary gland situated under the tongue (Fig. 1).

Sym pa thet' ic System.—The group or system of nerves connected with the digestive circulatory, and glandular systems of the body, more or less controlling their actions.

Tar' tar.—A substance deposited on the teeth by the saliva, eventually causing decay.

Ten' don.—A tough white cord uniting a muscle to some other structure—e. g., to a bone; a sinew.

Ten' don of A chil' les.—The tendon of the heel (99).

Thigh Bone.—The single long bone of the leg between the knee and the hip; the femur; the longest and largest bone of the body (Figs. 17 and 18).

Tissue.—The name given to the various kinds of body substance forming the different structures and organs; as, nervous tissue, muscle tissue, bone tissue.

Tongue Bone.—The bone at the floor of the mouth to which the base or root of the tongue is attached; the hyoid bone.

Tonsils.—The two glandular organs situated in the throat, one on each side of the narrow passage from the mouth to the pharynx.

Tra' che a. (*See* Windpipe.)

Tri' ceps.—The three-headed (Latin, *tres*, three; *caput*, head) muscle of the upper arm. It straightens the arm at the elbow, its action being directly opposite to that of the biceps (97, 98).

Tri chi' na.—A hair-like worm sometimes found in pork. If such meat be eaten when insufficiently cooked, this parasite may find its way into the muscles of the human body (42).

Trunk.—The body minus head, arms, and legs.

Tu ber cu lo' sis.—Consumption.

Vac ci na' tion.—Inoculation with vaccine to prevent smallpox (203).

Vein.—A blood vessel or blood tube which carries blood toward the heart (111).

Ve' nous Blood.—The blood contained in the veins and right side of the heart; dark and impure from gathering the waste products of the body (113).

Ven' tri cles.—The two lower chambers of the heart that receive blood from the auricles and propel it into the arteries (Fig. 43).

Ves' i cle.—A small sac filled with fluid.

Ves' ti bule.—The tiny chamber forming the beginning of the internal ear and communicating with the semicircular canals and cochlea (Fig. 67).

Virus.—Contagious matter by means of which a disease is introduced into the organism and maintained there.

Vi' tal Knot.—The breathing center in the medulla (159).

Vit' re ous Hu' mor.—The liquid which fills the portion of the eyeball back of the lens (Fig. 63).

Vocal Cords.—Two elastic membranes in the larynx (voice-box) whose vibrations produce the voice (133).

Windpipe.—The tube which leads from the throat to the lungs; the trachea (127 and Figs. 45 and 46).

340 GRADED LESSONS IN PHYSIOLOGY AND HYGIENE,

Wisdom Tooth.—The last tooth on either side of each jaw; the third molar.

X-Rays.—Peculiar rays (discovered in 1895 by Roentgen) which penetrate certain substances that light cannot pass through, making it possible, for example, to take a photograph of a bone through the flesh which covers it. Of much use in surgery in locating bullets and diagnosing broken bones. (See Frontispiece.)

INDEX.

- Abdomen, 128.
- Absorption of food, 20.
- Adenoid growths, 187-189.
- Adjustable seats, 91.
- Adulteration of food, 38-41, 53, 269.
- AID TO THE INJURED, Chapter XVII.
- Air, 135.
 - cellar, 139, 276.
 - composition of inhaled and exhaled, 136.
 - contamination of, 275, 276.
 - foul, 139.
 - sacs, 127.
 - starvation, 276.
- Alcohol, 56-60.
 - and physical training, 58.
 - as a food, 56.
 - as a heat producer, 56.
 - as a poison, 58.
 - as a stimulant, 59.
 - effect of, on the blood, 214, 215.
 - on the brain, 172-175, 209.
 - on the character. 172, 210, 211.
 - on the eyes, 218.
 - on the hearing, 218.
 - on the heart, 124, 213, 214.
 - on the kidneys, 215.
 - on the liver, 212, 213.
 - on the lungs, 216.
 - on the mind, 208-211.
 - on the muscles, 106, 217.
 - on the nerves, 172, 175, 208-210.
- Alcohol, effect of, on the sense organs, 217, 218.
 - on the skin, 215, 216.
 - on the stomach, 211, 212.
 - on the will, 210, 211.
 - energy not created by, 59.
 - physical effects of, 60.
- Aneurism, 124.
- Animal foods, 30-33.
- Antitoxin in diphtheria, 202, 299.
- Anvil, 188.
- Aqueous humor, 178.
- Arteries, 110.
- Asphyxia, 140.
- Asthma, 132.
- Auricle, 114.
- Bacilli, 197, 300.
- Bacteria, 196-202, 276, 284.
- Barns, locations of, 278, 279, 283.
- Baseball, 231, 232.
- Bathing, 73.
- Bee stings, 245.
- Bile, 17.
- Bleeding, from artery, 243.
 - from nose, 243.
 - from veins, 244.
- Blind spot, 180.
- Blindness, 178.
- BLOOD, Chapter VIII.
 - arterial and venous, compared, 113.
 - circulation of the, 109.
 - corpuscles, 108.
- Boards of Health, 252, 253, 278.

BONES, Chapter VI.

- broken, 92.
- composition of the, 87.
- framework of the, 80, 81.
- of the arms, 84.
- of the legs, 84.
- of the skull, 83.
- of the trunk, 83.
- shape of the, 82.
- strength of the, 83.

Boy Scouts, 261.**BRAIN, Chapter X.**

- as a center, 159.
- convolutions of the, 152, 153.
- description of the, 149, 150.
- divisions of the, 154.
- education of the whole, 157-159.
- effect of alcohol on the, 172-175, 209.
- effect of tobacco on the, 222.
- gray matter of the, 149.
- healthy body and, 174.
- location of functions of the, 155.
- of Gauss, 152.
- rest necessary to the, 166.
- size of the, 152.
- white matter of the, 149.

BREATHING, Chapter IX.

- restoration of, 246-250.

Bronchial tubes, 127, 130, 131, 276.**Burning clothing, 245.****Burns, 245.****Capillaries, 111.****Carbohydrate foods, 44.****Cartilage, 86.****Cataract, 178.****"Catching" diseases, 253.****Cells, 112, 123, 161.**

- brain, 149, 150, 152, 169, 170, 171, 173, 275.

Cells, nerve, 160, 172.**Cerebellum, 154.**

- work of the, 159.

Cerebrum, 154.

- work of the, 155, 156.

Cesspools, 278.**Character, 172-174, 210, 211.****Chest, 84, 128.**

- sounds of the, 132.

Chloral, 219.**Choking, 242.****Cholera, 196, 197.**

- Asiatic, 274.

- infantum, 270.

Choroid coat, 175.**Cigarette evil, 222-224.****Cleanliness of school rooms, 144.****Clothing, 75.**

- burning, 245.

Coal gas, 139.**Cocaine, 219, 220.****Cochlea, 189.****Coffee, 52.**

- adulteration of, 53.

Colds, 69, 276, 277.

- danger from, 79.

Colon, 16.**COMMUNICABLE DISEASES, Chapter XX.****Consumption, 196, 197, 287-294.****Consumptives, advice for, 292, 293.****Cooking, 37.****Cornea, 176.****Corpuscles, 108.****Croup, 131, 295.****Delirium tremens, 209.****Dermis, 66.****Diaphragm, 128.****DIGESTION, Chapters I and II.**

- cheer as an aid to, 15.

Digestion, in animals, 22.

intestinal, 15.

mouth, 13.

stomach, 14.

time required for, 36.

Diphtheria, 131, 197, 202, 253,
295-300.

Dipsomania, 209.

DISEASE GERMS, Chapter XIV.

conditions favoring, 198.

danger of, 197.

how to destroy, 201.

in water, 49.

of Asiatic cholera, 197.

of consumption, 197, 287, 288.

of erysipelas, 197.

of pneumonia, 197.

of typhoid fever, 197, 300.

time required by, 199.

transmission of, 199, 257, 258,
267, 274.

DISEASES OF MODERN LIFE, Chap-
ter XV.

due to alcohol and narcotics,
206-221.

due to occupation, 225-227.

intestinal, 257, 259, 270.

Disinfectants, 203, 204, 280, 283,
297, 298, 309, 321, 324.

Disinfection, 203, 204, 283, 299,
309, 312.

Drain pipes, 278.

Draughts, 276.

Dreams, 170.

DRINK, Chapter III.

alcohol as (*See* Alcohol).

tea and coffee as, 52.

water as, 52.

Dropsy, 122.

Drowning, 246-249.

Dullness, due to adenoid growths,
137-139.

Dullness, due to defective hearing,
191.

Dust, 140.

EAR, Chapter XII.

care of the, 189-191.

cochlea of the, 189.

drum of the, 187.

external, 186.

foreign bodies in the, 244.

inner, 189.

middle, 187.

parts of the, 186.

semi-circular canals of the, 189.

vestibule of the, 189.

wax in the, 186.

Epidemics, 200, 201, 259, 272, 273,
274, 284.

Epidermis, 65.

Epiglottitis, 133.

Epigrams, health, 264, 268, 272,
277, 285, 294, 300, 305, 309,
312, 316, 321.

Erysipelas, 196, 197.

Esophagus, 14, 20.

Eustachian tube, 188.

EXERCISE, Chapter XVI.

according to development, 228.

and alcohol, 58, 236-240.

for girls, 234.

general suggestions about, 236.

kinds of, 234.

necessary for health, 102, 228.

physical, 230.

Exercises, suitable for age, from
fourteen to twenty, 232.

from nine to fourteen, 230.

from six to nine, 229.

from twenty to thirty, 233.

Expiration, 129.

Eye, foreign bodies in the, 244.

parts of the, 175-177.

EYES, Chapter XI.

- adjustment of the, 176.
- care of the, 179-185.
- crossed, 178, 179.
- diseases of, 275.
- movements of the, 178.

Face powder, 75.

Fainting, 120, 242.

FARM SANITATION, Chapter XIX, 279-286.

Far-sightedness, 179.

Fatigue poison, 165.

Fertilizer as a disease-spreader, 284, 303.

Fly-paper, directions for making, 261, 262.

FOOD, Chapters I and II.

- absorption of, 20.
- adulteration of, 38-41, 53, 269.
- amount of, 10, 25, 27.
- animal, 30-33.
- as fuel, 26.
- bread as, 34.
- butter as, 31.
- candy and preserves as, 36.
- carbohydrate, 44.
- cheese as, 31.
- cooking of, 12, 37.
- definition of, 28.
- diseased, 41.
- eggs as, 32.
- elements, 43.
- fruits as, 35.
- green, 29, 34.
- harmful, 42.
- infection, 257, 259.
- inspection, 269, 272.
- kinds of, 23, 24.
- laws regarding, 269.
- meats as, 32.
- milk as, 30.

Food, mineral, 28-30.

- of different countries, 24.
- selection of, 11.
- uses of, 10.
- vegetables as, 24, 35.

Football, 235.

Gall bladder, 17.

Games, 229-235.

Garbage, 268, 282.

Gastric juice, 14.

Germes (*See DISEASE GERMS*).

Gymnastics and games, 233.

Habit, 170-172.

Hair, 70.

Hammer, 188.

Hand and foot compared, 85.

Hang-nails, 71.

Headaches, from ear disease, 165.

from eye strain, 165.

from fatigue poison, 165.

from indigestion, 164.

from poor blood supply, 163.

school, 163.

Health epigrams, 264, 268, 272,

277, 285, 294, 300, 305, 309,

312, 316, 321.

Hearing, center of, 155, 156.

defective, 191.

Heart, 114.

beats, 116, 119.

cause of, 116.

in fever, 119.

rapidity of, 118.

rests between, 117, 118.

course of the blood through the, 115.

effect of alcohol on the, 124, 213, 214.

effect of mental activity on the, 119.

Heart, effect of tobacco on the, 124, 221.

sounds of the, 120.

work and rest of the, 117.

Heat, bodily, 25-27, 134.

lowering of the, 27.

House Flies, The (poem), 262, 263.

House fly, the common, 255-266.

Humerus, 84.

Ice, dangers of, 300.

Incinerator, 269.

Influenza, 321.

Insect stings, 245.

Inspiration, 129.

Intemperance, 54-60, 205-225.

Intestinal juice, 16.

Intestine, absorption through the, 20.

large, 16.

movements of the, 19.

small, 16.

Iris, 176.

Isolation hospitals, 263.

Joints, 86.

KIDNEYS, Chapter V.

health of the, 78.

structure of the, 77.

work of the, 77.

Larynx, 132.

Lead and zinc poisoning, 51, 212.

"Live-dust," 269.

Liver, 17.

LUNGS, Chapter IX, 275, 289, 310.

effect of alcohol on the, 145.

pleura of the, 134.

sounds of the, 132.

structure of the, 127.

Lymph, 122, 123.

Lymphatics, 121.

Malaria, 140, 253, 266, 267.

Mania, 209.

Marrow, 82.

Massage, 124.

Measles, 275, 313-317.

Medulla, 159.

Melancholia, 209.

Meningitis, 275.

Milk inspection, 270-272.

Mineral foods, 28-30.

Mineral waters, 51.

Morphine, 219.

Motion, 99, 100.

Mouth-breathing, 136.

MUSCLES, Chapter VII.

action of the, 97.

effect of alcohol on the, 106, 217.

effect of inactivity on the, 105.

fastenings of the, 98.

how to strengthen the, 100.

involuntary, 106.

number and shape of the, 96.

structure of the, 96, 97.

voluntary, 106.

Nails, 71.

Narcotics, 219-221.

Near-sightedness, 179.

Nerve fibers, 161.

Nerve messages, 148.

speed of, 162.

NERVES, Chapter X.

description of the, 148.

motor, 149.

sensory, 149.

Nervous system, 146-148.

effect of alcohol on the, Chapters IV and XV, 172-174, 208-210.

Nervous system, parts of the, 149.

Nostrils, 130.

foreign bodies in the, 244.

Oil glands, 69.

Opium, 212, 219, 220.

Oxygen, 134, 135.

Oysters, danger in, 301.

Pancreas, 16.

Pancreatic juice, 16.

Partial starvation, 43-45.

Patent medicine habit, 224, 225.

Periosteum, 87.

Pharynx, 127.

Plasma, 108.

Pleura, 134.

Plumbing and sewage, 278.

Pneumonia, 132, 196, 197, 207, 275, 277.

Poisons, 226, 250.

Pores, 67.

Preservatives in milk, 271.

"Prisoner's base," 231.

PRIVATE AND PUBLIC SANITATION,
Chapter XVIII.

Pulse, 119.

Pylorus, 14.

"Race-tag," 230.

Rest, 103, 166-168.

Retina, 176.

Saliva, 13.

Salt, 28, 29.

SANITATION, PRIVATE AND PUBLIC,
Chapter XVIII.

Scarlet fever, 272, 275, 306, 310.

Sclerotic coat, 175.

Seats and desks, 90, 91.

Semi-circular canals, 189.

Sewage, 278, 301.

Sewer gas, 140, 276.

Sight, center of, 156.

defective, 179-183.

effect of tobacco on the, 60.

tests of, 183-185.

Skeleton, 81, 82.

SKIN, Chapter V.

care of the, 68, 69, 74-76.

coloring matter of the, 66.

diseases of, 275.

glands of the, 66.

layers of the, 64.

pores of the, 68.

uses of the, 72.

Sleep, 168, 169.

Smallpox, 310-313.

Soft palate, 130.

Sore throat, 275.

Spectacles, 179.

Speech center, 156, 157, 209.

Spinal bulb, 159.

Spinal cord, 160.

Spleen, 123.

Sprains, 93.

Stimulant, 52, 59, 225.

alcohol as a, 59.

coffee as a, 52, 53.

tea as a, 52, 53.

Stings of insects, 245.

Stomach, 14, 15.

effect of alcoholic drink on the,

211, 212.

time for digestion in the, 36,

37.

Suffocation, 242.

Sunstroke, 245.

Sweat glands, 66.

Tartar, 195.

Tea, 52.

adulteration of, 53.

Tears, 179.

TEETH, Chapter XIII.

care of the, 194, 195.

kinds of, 194.

structure of the, 193.

TEMPERANCE, Chapter IV.

Tendons, 99.

Tobacco, 60, 220-224.

effect of, on the heart, 124.

effect of, on school work, 61-63.

Toilets, outside, 260, 278, 279, 280,
282, 283.

Towel, the common, 275.

Trachea, 127, 130.

Tuberculosis, 253, 287-294.

Type, proper size of, 182.

Typhoid fever, 196, 197, 200, 201,
253, 300-306.

Vaccination, 203, 311, 312.

Valves of the heart, 115.

of the veins, 112.

Vegetable food, 33-36.

Veins, 111.

Ventilation, 141-143, 276, 277, 304.

Ventricle, 114.

Visual center, 155, 156.

Vitreous humor, 177.

Vocal cords, 133.

Waste products, expulsion of, 20.

in the intestines, 19.

Water, as a beverage, 52.

faucet, 51.

impure, 47-51.

methods of purifying, 51.

pure, 47.

uses of, 46.

"Water-borne" diseases, 272, 278.

Water-supply, 47, 48, 272, 273,
275, 279, 280, 301.Wells, location and construction of,
48, 272, 273, 278, 280-282.

Whooping-cough, 317-321.

Windpipe, 127, 130, 131.

Yellow fever, 253, 267.


346


Ner
Not
f


Oil
Op
Ox
Oy

Pe
Pi
Pi
Pi
P
P
P
P
E
E

I
J
J
.
:
:







LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on
or before the date last stamped below.

NOV 15 1921
MAY 20 1922

Oct. 26

